Author Index to Volume 33*

A

Abadie A (*see* Podevin P et al). 2001;33:1503-1511
Abboud HE (*see* Efsen E et al). 2001;33:713-721
Abdel-Aziz F (*see* Habib M et al). 2001;33:248-253
Abdel-Hamid M (*see* Habib M et al). 2001;33:248-253
Abrams GA (*see* Liu L et al). 2001;33:722-727
Adams DH (*see* Grant AJ et al). 2001;33:1065-1072
Adams P (*see* Perrillo RP et al). 2001;33:424-432
Adinolfi LE, Gambardella M, Andreana A, Tripodi M-F, Utili R, Ruggiero G. Steatosis accelerates the progression of liver damage of chronic hepatitis C patients and correlates with specific HCV genotype and visceral obesity. 2001;33:1358-1364
Aeed H (*see* Burck R et al). 2001;33:379-386
Aishima S-i (*see* Taguchi K-i et al). 2001;33:1118-1123
Akita K (*see* Shimizu M et al). 2001;33:569-576
Albano E (*see* Carini R et al). 2001;33:131-139
Alexiev R (*see* Burck R et al). 2001;33:379-386
Alihodzic B (*see* Bachrich T et al). 2001;33:1053-1059
Alter HJ (*see* Chang K-M et al). 2001;33:267-276
—(*see* Seeff LB et al). 2001;33:455-463
—(*see* Umemura T et al). 2001;33:1303-1311
Altomare E (*see* Vendemiale G et al). 2001;33:808-815
Alvarez L (*see* Parés A et al). 2001;33:554-560
Amoroso A (*see* Persico M et al). 2001;33:627-632
Ananthanarayanan M (*see* Arrese M et al). 2001;33:1551-1553 (Hepatology *Elsewhere*)
Andrade RJ (*see* Lucena MI et al). 2001;33:123-130
Andrade Z (*see* Paraná R et al). 2001;33:1340 (Correspondence)
Andreana A (*see* Adinolfi LE et al). 2001;33:1358-1364
Andreau V (*see* Castañeda B et al). 2001;33:821-825
Andrews NC (*see* Sinclair PR et al). 2001;33:406-412
Andriulli A (*see* Mangia A et al). 2001;33:989-993
Andrus L (*see* Pancholi P et al). 2001;33:448-454
Anna M (*see* Mazzella G et al). 2001;33:504-508
Annese M (*see* Mangia A et al). 2001;33:989-993
Ansari AA (*see* Migliaccio C et al). 2001;33:792-801
Anschuetz G (*see* Perrillo RP et al). 2001;33:424-432
Ansselin AD (*see* Le Couteur DG et al). 2001;33:537-543
Antonio C (*see* Mazzella G et al). 2001;33:504-508
Anwar W (*see* Habib M et al). 2001;33:248-253
Anwer MS (*see* Webster CRL et al). 2001;33:608-615
Apale P (*see* Scalori A et al). 2001;33:480 (Correspondence)
Arakawa Y (*see* Ueno Y et al). 2001;33:357-362
Arii S (*see* Furumoto K et al). 2001;33:189-195
Armendariz-Borunda J (*see* Nieto N et al). 2001;33:597-607
Arrese M, Ananthanarayanan M. Mice and men: Are they bile-ologically different? 2001;33:1551-1553 (Hepatology *Elsewhere*)
Arroyo V (*see* Bataller R et al). 2001;33:956-962
Asakura H (*see* Takamura M et al). 2001;33:577-581
Asara G (*see* De Miglio MR et al). 2001;33:1110-1117
Asayama Y (*see* Taguchi K-i et al). 2001;33:1118-1123
Ascher NL (*see* Yao FY et al). 2001;33:1394-1403
Asia Hepatitis Lamivudine Study Group (*see* Leung NWY et al). 2001;33:1527-1532
Auth MKH, Joplin RE, Okamoto M, Ishida Y, McMaster P, Neuberger JM, Blaheta RA, Voit T, Strain AJ. Morphogenesis of primary human biliary epithelial cells: Induction in high-density culture or by coculture with autologous human hepatocytes. 2001;33:519-529
Avni Y (*see* Burck R et al). 2001;33:379-386
Axelson M (*see* Einarrson C et al). 2001;33:1189-1193
Ayuso C (*see* Llovet JM et al). 2001;33:1124-1129
Azzaroli F (*see* Soroka CJ et al). 2001;33:783-791

B

Bacca D (*see* Mangia A et al). 2001;33:989-993
Bacchetti P (*see* Yao FY et al). 2001;33:1394-1403
Bachrich T, Thalhammer T, Jäger W, Haslmayer P, Alihodzic B, Bakos S, Hitchman E, Senderowicz AM, Penner E. Characterization of autoantibodies against uridine-diphosphate glucuronosyltransferase in patients with inflammatory liver diseases. 2001;33:1053-1059
Bacon BR (*see* Di Bisceglie AM et al). 2001;33:704-707
Bairaktari E, Liamis G, Tsolas O, Elisaf M. Partially reversible renal tubular damage in patients with obstructive jaundice. 2001;33:1365-1369
Bakker CTM (*see* Persico M et al). 2001;33:627-632
Bakos S (*see* Bachrich T et al). 2001;33:1053-1059
Baldwin BH (*see* Peek SF et al). 2001;33:254-266
Ballesta AM (*see* Parés A et al). 2001;33:554-560
Banerjee S, Owen C, Chopra S. Sickle cell hepatopathy. 2001;33:1021-1028 (Concise Review)
Barajas M, Mazzolini G, Genové G, Bilbao R, Narvaiza I, Schmitz V, Sangro B, Melero I, Qian C, Prieto J. Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12. 2001;33:52-61
Barcelona Clinic Liver Cancer Group (*see* Llovet JM et al). 2001;33:1124-1129
Barnes D (*see* Saadeh S et al). 2001;33:196-200
Barnwell JW. Hepatic Kupffer cells: The portal that permits infection of hepatocytes by malarial sporozoites? 2001;33:1331-1333 (Editorial)
Barrett S, Kieran N, Ryan E, O'Keane JC, Crowe J. Intrahepatic hepatitis C viral RNA status of serum polymerase chain reaction-negative individuals with histological changes on liver biopsy. 2001;33:1496-1502
Barritt GJ (*see* Rychkov G et al). 2001;33:938-947
Barros LF, Stutzin A, Calixto A, Catalán M,

*January, 1-318; February, 319-486; March, 487-768; April, 769-1018; May, 1019-1346; June, 1347-1602.

Author Index to Volume 33*

A

Abadie A (*see* Podevin P et al). 2001;33:1503-1511
Abboud HE (*see* Efsen E et al). 2001;33:713-721
Abdel-Aziz F (*see* Habib M et al). 2001;33:248-253
Abdel-Hamid M (*see* Habib M et al). 2001;33:248-253
Abrams GA (*see* Liu L et al). 2001;33:722-727
Adams DH (*see* Grant AJ et al). 2001;33:1065-1072
Adams P (*see* Perrillo RP et al). 2001;33:424-432
Adinolfi LE, Gambardella M, Andreana A, Tripodi M-F, Utili R, Ruggiero G. Steatosis accelerates the progression of liver damage of chronic hepatitis C patients and correlates with specific HCV genotype and visceral obesity. 2001;33:1358-1364
Aeed H (*see* Burck R et al). 2001;33:379-386
Aishima S-i (*see* Taguchi K-i et al). 2001;33:1118-1123
Akita K (*see* Shimizu M et al). 2001;33:569-576
Albano E (*see* Carini R et al). 2001;33:131-139
Alexiev R (*see* Burck R et al). 2001;33:379-386
Alihodzic B (*see* Bachrich T et al). 2001;33:1053-1059
Alter HJ (*see* Chang K-M et al). 2001;33:267-276
—(*see* Seeff LB et al). 2001;33:455-463
—(*see* Umemura T et al). 2001;33:1303-1311
Altomare E (*see* Vendemiale G et al). 2001;33:808-815
Alvarez L (*see* Parés A et al). 2001;33:554-560
Amoroso A (*see* Persico M et al). 2001;33:627-632
Ananthanarayanan M (*see* Arrese M et al). 2001;33:1551-1553 (Hepatology *Elsewhere*)
Andrade RJ (*see* Lucena MI et al). 2001;33:123-130
Andrade Z (*see* Paraná R et al). 2001;33:1340 (Correspondence)
Andreana A (*see* Adinolfi LE et al). 2001;33:1358-1364
Andreau V (*see* Castañeda B et al). 2001;33:821-825
Andrews NC (*see* Sinclair PR et al). 2001;33:406-412
Andriulli A (*see* Mangia A et al). 2001;33:989-993
Andrus L (*see* Pancholi P et al). 2001;33:448-454
Anna M (*see* Mazzella G et al). 2001;33:504-508
Annese M (*see* Mangia A et al). 2001;33:989-993
Ansari AA (*see* Migliaccio C et al). 2001;33:792-801
Anschuetz G (*see* Perrillo RP et al). 2001;33:424-432
Ansselin AD (*see* Le Couteur DG et al). 2001;33:537-543
Antonio C (*see* Mazzella G et al). 2001;33:504-508
Anwar W (*see* Habib M et al). 2001;33:248-253
Anwer MS (*see* Webster CRL et al). 2001;33:608-615
Apale P (*see* Scalori A et al). 2001;33:480 (Correspondence)
Arakawa Y (*see* Ueno Y et al). 2001;33:357-362
Arii S (*see* Furumoto K et al). 2001;33:189-195
Armendariz-Borunda J (*see* Nieto N et al). 2001;33:597-607
Arrese M, Ananthanarayanan M. Mice and men: Are they bile-ologically different? 2001;33:1551-1553 (Hepatology *Elsewhere*)
Arroyo V (*see* Bataller R et al). 2001;33:956-962
Asakura H (*see* Takamura M et al). 2001;33:577-581
Asara G (*see* De Miglio MR et al). 2001;33:1110-1117
Asayama Y (*see* Taguchi K-i et al). 2001;33:1118-1123
Ascher NL (*see* Yao FY et al). 2001;33:1394-1403
Asia Hepatitis Lamivudine Study Group (*see* Leung NWY et al). 2001;33:1527-1532
Auth MKH, Joplin RE, Okamoto M, Ishida Y, McMaster P, Neuberger JM, Blaheta RA, Voit T, Strain AJ. Morphogenesis of primary human biliary epithelial cells: Induction in high-density culture or by coculture with autologous human hepatocytes. 2001;33:519-529
Avni Y (*see* Burck R et al). 2001;33:379-386
Axelson M (*see* Einarrson C et al). 2001;33:1189-1193
Ayuso C (*see* Llovet JM et al). 2001;33:1124-1129
Azzaroli F (*see* Soroka CJ et al). 2001;33:783-791

B

Bacca D (*see* Mangia A et al). 2001;33:989-993
Bacchetti P (*see* Yao FY et al). 2001;33:1394-1403
Bachrich T, Thalhammer T, Jäger W, Haslmayer P, Alihodzic B, Bakos S, Hitchman E, Senderowicz AM, Penner E. Characterization of autoantibodies against uridine-diphosphate glucuronosyltransferase in patients with inflammatory liver diseases. 2001;33:1053-1059
Bacon BR (*see* Di Bisceglie AM et al). 2001;33:704-707
Bairaktari E, Liamis G, Tsolas O, Elisaf M. Partially reversible renal tubular damage in patients with obstructive jaundice. 2001;33:1365-1369
Bakker CTM (*see* Persico M et al). 2001;33:627-632
Bakos S (*see* Bachrich T et al). 2001;33:1053-1059
Baldwin BH (*see* Peek SF et al). 2001;33:254-266
Ballesta AM (*see* Parés A et al). 2001;33:554-560
Banerjee S, Owen C, Chopra S. Sickle cell hepatopathy. 2001;33:1021-1028 (Concise Review)
Barajas M, Mazzolini G, Genové G, Bilbao R, Narvaiza I, Schmitz V, Sangro B, Melero I, Qian C, Prieto J. Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12. 2001;33:52-61
Barcelona Clinic Liver Cancer Group (*see* Llovet JM et al). 2001;33:1124-1129
Barnes D (*see* Saadeh S et al). 2001;33:196-200
Barnwell JW. Hepatic Kupffer cells: The portal that permits infection of hepatocytes by malarial sporozoites? 2001;33:1331-1333 (Editorial)
Barrett S, Kieran N, Ryan E, O'Keane JC, Crowe J. Intrahepatic hepatitis C viral RNA status of serum polymerase chain reaction-negative individuals with histological changes on liver biopsy. 2001;33:1496-1502
Barritt GJ (*see* Rychkov G et al). 2001;33:938-947
Barros LF, Stutzin A, Calixto A, Catalán M,

*January, 1-318; February, 319-486; March, 487-768; April, 769-1018; May, 1019-1346; June, 1347-1602.

Castro J, Hetz C, Hermosilla T. Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis. 2001;33:114-122
Barthel H (*see* Kluge R et al). 2001;33: 1029-1035
Barton CC, Barton EX, Ganey PE, Kunkel SL, Roth RA. Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α. 2001;33:66-73
Barton EX (*see* Barton CC et al). 2001;33: 66-73
Bartsch P (*see* Fuchs M et al). 2001;33: 1451-1459
Bass NM (*see* Yao FY et al). 2001;33:1394-1403
Bassett SE, Guerra B, Brasky K, Miskovsky E, Houghton M, Klimpel GR, Lanford RE. Protective immune response to hepatitis C virus in chimpanzees rechallenged following clearance of primary infection. 2001;33:1479-1487
Bataller R, Gasull X, Ginès P, Hellemans K, Görbig MN, Nicolás JM, Sancho-Bru P, De Las Heras D, Gual A, Geerts A, Arroyo V, Rodés J. *In vitro* and *in vivo* activation of rat hepatic stellate cells results in *de novo* expression of L-type voltage-operated calcium channels. 2001;33:956-962
Bathgate A, Dollinger M, Plevris J, Bellamy C, Hayes P. Contact sensitization pretransplantation predicts acute hepatic allograft rejection. 2001;33: 1043-1046
Batteux F (*see* Ferret P-J et al). 2001;33: 1173-1180
Bauer M (*see* Hoetzel A et al). 2001;33: 925-937
Bäurle A (*see* Volkmann M et al). 2001;33: 591-596
Bechstein WO (*see* Jonas S et al). 2001;33: 1080-1086
Bekkering FC, Stalgis C, McHutchison JG, Brouwer JT, Perelson AS. Estimation of early hepatitis C viral clearance in patients receiving daily interferon and ribavirin therapy using a mathematical model. 2001;33:419-423
Bell S (*see* Perrillo RP et al). 2001;33:424-432
Bellamy C (*see* Bathgate A et al). 2001;33:
Bement WJ (*see* Sinclair PR et al). 2001;33: 406-412
Bendia E (*see* Svegliati-Baroni G et al). 2001;33:1130-1140
Benedetti A (*see* Svegliati-Baroni G et al). 2001;33:1130-1140
Bennett BL (*see* Schwabe RF et al). 2001; 33:81-90
Beretta L (*see* Podevin P et al). 2001;33: 1503-1511
Berg T (*see* Jonas S et al). 2001;33:1080-1086
Bernardi M (*see* Vendemiale G et al). 2001; 33:808-815
Berr F (*see* Kluge R et al). 2001;33:1029-1035
Bertoletti A (*see* Boni C et al). 2001;33: 963-971
Beuers U, Bilzer M, Chittattu A, Kullak-Ublick GA, Keppler D, Paumgartner G, Dombrowski F. Tauroursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver. 2001;33:1206-1216
Bianchi L (*see* Llovet JM et al). 2001;33: 1124-1129
Bilbao R (*see* Barajas M et al). 2001;33:52-61
Bilzer M (*see* Beuers U et al). 2001;33: 1206-1216
Bisceglia M (*see* Mangia A et al). 2001;33: 989-993
Bissell DM, Gores GJ, Laskin DL, Hoofnagle JH. Drug-induced liver injury: Mechanisms and test systems. 2001;33:1009-1013 (Meeting Report)
Blaheta RA (*see* Auth MKH et al). 2001;33: 519-529
Bleavins MR (*see* Bulera SJ et al). 2001;33: 1239-1258
Block TM (*see* Mehta A et al). 2001;33: 1488-1495
Blum HE (*see* Moradpour D et al). 2001; 33:1282-1287
Boehme R (*see* Boni C et al). 2001;33:963-971
Boix L (*see* Llovet JM et al). 2001;33:1124-1129
Bonacchi A (*see* Efsen E et al). 2001;33: 713-721
Boni C(*see* Urbani S et al). 2001;33:1533-1543
—, Penna A, Ogg GS, Bertoletti A, Pilli M, Cavallo C, Cavalli A, Urbani S, Boehme R, Panebianco R, Fiaccadori F, Ferrari C. Lamivudine treatment can overcome cytotoxic T-cell hyporesponsiveness in chronic hepatitis B: New perspectives for immune therapy. 2001;33:963-971
Bonis PAL (*see* Cheng SJ et al). 2001;33: 231-240
Bort R (*see* Jover R et al). 2001;33:668-675
Boscá L (*see* Callejas NA et al). 2001;33: 860-867
Bosch J (*see* Castañeda B et al). 2001;33: 821-825
Bosma PJ (*see* Persico M et al). 2001;33: 627-632
Bossy JP (*see* Stefas I et al). 2001;33:207-217
Boyer JL. Hepatology Highlights. 2001;33: 1-2, 319-320, 487-488, 769-770, 1019-1020, 1347-1348
—. Advancing the bile-ology of cholestatic liver disease. 2001;33:758-759 (Editorial)
—(*see* Soroka CJ et al). 2001;33:783-791
Boyer TD (*see* Reddy KR et al). 2001;33: 433-438
Brancati FL (*see* Mehta SH et al). 2001;33: 1554 (Correspondence)
Brasky K (*see* Bassett SE et al). 2001;33: 1479-1487
Bréchot C (*see* Podevin P et al). 2001;33: 1503-1511
Breitkopf K, Lahme B, Tag CG, Gressner AM. Expression and matrix deposition of latent transforming growth factor β binding proteins in normal and fibrotic rat liver and transdifferentiating hepatic stellate cells in culture. 2001;33:387-396
Brenner DA (*see* Schwabe RF et al). 2001; 33:81-90
Brereton HM (*see* Rychkov G et al). 2001; 33:938-947
Brillanti S, Levantesi F. What hides behind an intention-to-treat analysis? 2001; 33:1014-1015 (Correspondence)
Briskin M (*see* Grant AJ et al). 2001;33: 1065-1072
Brotman B (*see* Pancholi P et al). 2001;33: 448-454
Brouwer JT (*see* Bekkering FC et al). 2001; 33:419-423
Brown N (*see* Perrillo RP et al). 2001;33: 424-432
Brú C (*see* Llovet JM et al). 2001;33:1124-1129
Bruix J (*see* Llovet JM et al). 2001;33:1124-1129
—(*see* Sarasin FP et al). 2001;33:1073-1079
Brunt EM (*see* Di Bisceglie AM et al). 2001; 33:704-707
Bucci TJ (*see* Gujral JS et al). 2001;33:397-405
—(*see* Jaeschke H et al). 2001;33:1556-1557 (Correspondence)
Bulera SJ, Eddy SM, Ferguson E, Jatkoe TA, Reindel JF, Bleavins MR, De La Iglesia FA. RNA expression in the early characterization of hepatoxicants in Wistar rats by high-density DNA microarrays. 2001;33: 1239-1258
Burck R, Genina O, Aeed H, Alexiev R, Nagler A, Avni Y, Pines M. Halofuginone to prevent and treat thioacetamide-induced liver fibrosis in rats. 2001;33:379-386
Burda MR (*see* Dandri M et al). 2001;33: 981-988
Burgstahler AD (*see* Dranoff JA et al). 2001;33:1558 (Correction)
Buskell ZJ (*see* Seeff LB et al). 2001;33: 455-463
Butters T (*see* Mehta A et al). 2001;33: 1488-1495
Butterworth L (*see* Sing GK et al). 2001;33: 1288-1298
Butterworth R (*see* Lozeva V et al). 2001; 33:1370-1376

C

Caballería L (*see* Parés A et al). 2001;33: 554-560

Caca K (see Kluge R et al). 2001;33:1029-1035
Cadranel J, Rufat P, Degos F. The risks of percutaneous liver biopsy. 2001;33:764 (Correspondence)
Cain CMB (see Seeff LB et al). 2001;33:455-463
Calixto A (see Barros LF et al). 2001;33:114-122
Callejas NA, Casado M, Díaz-Guerra MJM, Bosca L, Martín-Sanz P. Expression of cyclooxygenase-2 promotes the release of matrix metalloproteinase-2 and -9 in fetal rat hepatocytes. 2001;33:860-867
Calmus Y (see Ferret PJ et al). 2001;33:1173-1180
Calvisi DF (see De Miglio MR et al). 2001;33:1110-1117
Calvo M, Tebar F, Lopez-Iglesias C, Enrich C. Morphologic and functional characterization of caveolae in rat liver hepatocytes. 2001;33:1259-1269
Camargo R (see Lucena MI et al). 2001;33:123-130
Camma C (see Schepis F et al). 2001;33:333-338
Cammell G (see Saadeh S et al). 2001;33:196-200
Campion J-P (see Musso O et al). 2001;33:868-876
Cao J, Huang L, Liu Y, Hoffman T, Stieger B, Meier PJ, Vore M. Differential regulation of hepatic bile salt and organic anion transported in pregnant and postpartum rats and the role of prolactin. 2001;33:140-147
Capeau J (see Chignard N et al). 2001;33:496-503
Capucchio M (see Fainboim L et al). 2001;33:1512-1517
Caraccio G (see Vendemiale G et al). 2001;33:808-815
Caraceni P (see Vendemiale G et al). 2001;33:808-815
Carey WD (see Saadeh S et al). 2001;33:196-200
Carini R, De Cesaris MG, Splendore R, Vay D, Domenicotti C, Nitti MP, Paola D, Pronzato MA, Albano E. Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes. 2001;33:131-139
Carman WF (see Stuyver LJ et al). 2001;33:751-757 (Special Article)
Carreño V (see Rico MA et al). 2001;33:295-300
Carretero M (see Lara-Pezzi E et al). 2001;33:1270-1281
Carretta V (see Mangia A et al). 2001;33:989-993
Carrouée S (see Mehta A et al). 2001;33:1488-1495
Casado M (see Callejas NA et al). 2001;33:860-867
Cassiman D, Denef C, Desmet VJ, Roskams T. Human and rat hepatic stellate cells express neurotrophins and neurotrophin receptors. 2001;33:148-158
Castañeda B, Morales J, Lionetti R, Moitinho E, Andreau V, Pérez-del-Pulgar S, Pizcueta P, Rodés J, Bosch J. Effects of blood volume restitution following a portal hypertensive-related bleeding in anesthetized cirrhotic rats. 2001;33:821-825
Castañón S (see Rico MA et al). 2001;33:295-300
Castell JV (see Jover R et al). 2001;33:668-675
Castro J (see Barros LF et al). 2001;33:114-122
Casy JL (see Nakamura I et al). 2001;33:439-447
Catalán M (see Barros LF et al). 2001;33:114-122
Caussanel L (see Haouzi D et al). 2001;33:1181-1188
Cavalli A (see Boni C et al). 2001;33:963-971
Cavallo C (see Boni C et al). 2001;33:963-971
Cederbaum AI (see Mari M et al). 2001;33:652-661
Cerny A (see Moradpour D et al). 2001;33:1282-1287
Cerutti M (see Stefas I et al). 2001;33:207-217
Chalasani N (see Imperiale TF et al). 2001;33:802-807
Chan C-C, Wang S-S, Lee F-Y, Chang F-Y, Lin H-C, Chu C-J, Chen C-T, Huang H-C, Lee S-D. Endothelin-1 induces vasoconstriction on portal-systemic collaterals of portal hypertensive rats. 2001;33:816-820
Chang F-Y (see Chan C-C et al). 2001;33:816-820
Chang K-M, Thimme R, Melpolder JJ, Oldach D, Pemberton J, Moorhead-Loudis J, McHutchison JG, Alter HJ, Chisari FV. Differential $CD4^+$ and $CD8^+$ T-cell responsiveness in hepatitis C virus infection. 2001;33:267-276
Chang T-T (see Fan Y-F et al). 2001;33:277-286
—(see Leung NWY et al). 2001;33:1527-1532
Chen C-T (see Chan C-C et al). 2001;33:816-820
Chen M-F (see Harada K et al). 2001;33:1036-1042
Chen M-H (see Lo G-H et al). 2001;33:1060-1064
Chen S (see Yang J et al). 2001;33:848-859
Chen T-C (see Harada K et al). 2001;33:1036-1042
Chen W-C (see Fan Y-F et al). 2001;33:277-286
Chen X (see Sing GK et al). 2001;33:1288-1298
Chêne G (see Winnock M et al). 2001;33:1014 (Correspondence)
Cheng J-S (see Lo G-H et al). 2001;33:1060-1064
Cheng SJ, Bonis PAL, Lau J, Pham NQ, Wong JB. Interferon and ribavirin for patients with chronic hepatitis C who did not respond to previous interferon therapy: A meta-analysis of controlled and uncontrolled trials. 2001;33:231-240
Chiang H-T (see Lo G-H et al). 2001;33:1060-1064
Chien R-N (see Leung NWY et al). 2001;33:1527-1532
Chignard N, Mergey M, Veissière D, Parc R, Capeau J, Poupon R, Paul A, Housset C. Bile acid transport and regulating functions in the human biliary epithelium. 2001;33:496-503
Chisari FV (see Chang K-M et al). 2001;33:267-276
Chittams JL (see Krasinskas AM et al). 2001;33:1141-1147
Chittattu A (see Beuers U et al). 2001;33:1206-1216
Chopra S (see Banerjee S et al). 2001;33:1021-1028 (Concise Review)
Chu C-J (see Chan C-C et al). 2001;33:816-820
Chu CK (see Peek SF et al). 2001;33:254-266
Ciliberto G (see Li W et al). 2001;33:1377-1386
Cinquegrani M (see Schepis F et al). 2001;33:333-338
Ciocca M (see Fainboim L et al). 2001;33:1512-1517
Clavien P-A, Rüdiger HA, Selzner M. Mechanism of hepatocyte death after ischemia: Apoptosis versus necrosis. 2001;33:1555-1556 (Correspondence)
Clement B (see Musso O et al). 2001;33:868-876
Codes L (see Paraná R et al). 2001;33:1340 (Correspondence)
Cogger VC (see Le Couteur DG et al). 2001;33:537-543
Cohen DE (see Shoda J et al). 2001;33:1194-1205
Condreay LD (see Perrillo RP et al). 2001;33:424-432
—(see Leung NWY et al). 2001;33:1527-1532
Constance M (see Mazzella G et al). 2001;33:504-508
Conte D (see Fracanzani AL et al). 2001;33:647-651
Conyers B (see Mehta A et al). 2001;33:1488-1495
Cooksley G (see Sing GK et al). 2001;33:1288-1298
Cooper S (see Orland JR et al). 2001;33:321-327 (Concise Review)
Coppel RL (see Migliaccio C et al). 2001;33:792-801
—(see Van de Water J et al). 2001;33:771-775 (Concise Review)
Cortese R (see Zucchelli S et al). 2001;33:692-703
Costa RH (see Wang X et al). 2001;33:1404-1414

Cote PJ (see Nakamura I et al). 2001;33:439-447
—(see Peek SF et al). 2001;33:254-266
Couzigou P (see Winnock M et al). 2001;33:1014 (Correspondence)
Cowlen M (see Nakamura I et al). 2001;33:439-447
Crawford AR (see Dranoff JA et al). 2001;33:1558 (Correction)
Crawford JM (see Dranoff JA et al). 2001;33:1558 (Correction)
Craxì A (see Schepis F et al). 2001;33:333-338
Cressman DE (see DeAngelis RA et al). 2001;33:915-924
Cristóbal S (see Fresnedo O et al). 2001;33:662-667
Crowe J (see Barrett S et al). 2001;33:1496-1502
Cuezva JM (see Fresnedo O et al). 2001;33:662-667

D

D'Amico G (see Kamath PS et al). 2001;33:464-470 (Special Article)
—(see Schepis F et al). 2001;33:333-338
D'Angeac AD (see Stefas I et al). 2001;33:207-217
Dahl R (see Yerushalmi B et al). 2001;33:616-626
Dall'Agata M (see Vendemiale G et al). 2001;33:808-815
Dandri M, Burda MR, Török E, Pollok JM, Iwanska A, Sommer G, Rogiers X, Rogler CE, Gupta S, Will H, Greten H, Petersen J. Repopulation of mouse liver with human hepatocytes and *in vivo* infection with hepatitis B virus. 2001;33:981-988
Davide F (see Mazzella G et al). 2001;33:504-508
De Cesaris MG (see Carini R et al). 2001;33:131-139
De Heredia ML (see Fresnedo O et al). 2001;33:662-667
De Jong KP (see Van Den Heuvel MC et al). 2001;33:1387-1393
De La Cuesta FS (see Lucena MI et al). 2001;33:123-130
De La Iglesia FA (see Bulera SJ et al). 2001;33:1239-1258
De Las Heras D (see Bataller R et al). 2001;33:956-962
de Ledinghen V (see Winnock M et al). 2001;33:1014 (Correspondence)
De Matteis A (see Musca A et al). 2001;33:482-483 (Correspondence)
De Miglio MR, Muroni MR, Simile MM, Virdis P, Asara G, Frau M, Calvisi DF, Seddaiu MA, Pascale RM, Feo F. Frequent loss of heterozygosity at the Hcr1 (*hepatocarcinogenesis resistance*) locus on chromosome 10 in primary hepatocellular carcinomas from LFF1 rat strain. 2001;33:1110-1117
De Osaba MJM (see Parés A et al). 2001;33:554-560
DeAngelis RA, Kovalovich K, Cressman DE, Taub R. Normal liver regeneration in p50/nuclear factor κB1 knockout mice. 2001;33:915-924
Degos F (see Cadranel J et al). 2001;33:764 (Correspondence)
Delhem N (see Podevin P et al). 2001;33:1503-1511
Dell'Erba G (see Mangia A et al). 2001;33:989-993
Demetris AJ. Central venulitis in liver allografts: Considerations of differential diagnosis. 2001;33:1329-1330 (Editorial)
Denef C (see Cassiman D et al). 2001;33:148-158
Denk H (see Zollner G et al). 2001;33:633-646
Denson LA (see Dranoff JA et al). 2001;33:1558 (Correction)
Denson LA. Got bile? 2001;33:476-477 (Hepatology *Elsewhere*)
Dent JC (see Leung NWY et al). 2001;33:1527-1532
DePamphilis J (see Reddy KR et al). 2001;33:433-438
Desmet VJ (see Cassiman D et al). 2001;33:148-158
Detjen KM (see Murphy D et al). 2001;33:346-356
Devereaux MW (see Yerushalmi B et al). 2001;33:616-626
Devière J (see Louis H et al). 2001;33:1343 (Correction)
Di Bisceglie AM, Thompson J, Smith-Wilkaitis N, Brunt EM, Bacon BR. Combination of interferon and ribavirin in chronic hepatitis C: Re-treatment of nonresponders to interferon. 2001;33:704-707
Di Sario A (see Svegliati-Baroni G et al). 2001;33:1130-1140
Diaz-Guerra MJM (see Callejas NA et al). 2001;33:860-867
Dickson ER (see Kamath PS et al). 2001;33:464-470 (Special Article)
—(see Kim WR et al). 2001;33:201-206
—(see Perrillo RP et al). 2001;33:424-432
Dienstag J (see Perrillo RP et al). 2001;33:424-432
—(see Stuyver LJ et al). 2001;33:751-757 (Special Article)
Doctor RB (see Fouassier L et al). 2001;33:166-176
Dollinger M (see Bathgate A et al). 2001;33:1043-1046
Dombrowski F (see Beuers U et al). 2001;33:1206-1216
Domenicali M (see Vendemiale G et al). 2001;33:808-815
Domenicotti C (see Carini R et al). 2001;33:131-139
Dominguez-Rosales JA (see Nieto N et al). 2001;33:597-607
Donahue P (see Umemura T et al). 2001;33:1303-1311
Donaldson PT (see Gregorio GV et al). 2001;33:544-553
Dranoff JA, McClure M, Burgstahler AD, Denson LA, Crawford AR, Crawford JM, Karpen SJ, Nathanson MH. Short-term regulation of bile acid uptake by microfilament-dependent translocation of rat NTCP to the plasma membrane. 2001;33:1558 (Correction)
Duan CY (see Fouassier L et al). 2001;33:166-176
Dubuisson J (see Zucchelli S et al). 2001;33:692-703
Dunkelberg JC, Feranchak AP, Fitz JG. Liver cell volume regulation: Size matters. 2001;33:1349-1352 (Concise Review)
Dwek RA (see Mehta A et al). 2001;33:1488-1495

E

Easley K (see Saadeh S et al). 2001;33:196-200
Eddy SM (see Bulera SJ et al). 2001;33:1239-1258
Edmundson S (see Leung NWY et al). 2001;33:1527-1532
Efsen E, Bonacchi A, Pastacaldi S, Valente AJ, Wenzel UO, Tosti-Guerra C, Pinzani M, Laffi G, Abboud HE, Gentilini P, Marra F. Agonist-specific regulation of monocyte chemoattractant protein-1 expression by cyclooxygenase metabolites in hepatic stellate cells. 2001;33:713-721
Einarrson C, Hillebrant C-G, Axelson M. Effects of treatment with deoxycholic acid and chenodeoxycholic acid on the hepatic synthesis of cholesterol and bile acids in healthy subjects. 2001;33:1189-1193
El-Serag HB, Mason AC, Key C. Trends in survival of patients with hepatocellular carcinoma between 1977 and 1996 in the United States. 2001;33:62-65
Elez R (see Kroneberger B et al). 2001;33:1518-1526
Eliasson C (see Geerts A et al). 2001;33:177-188
Elisaf M (see Bairaktari E et al). 2001;33:1365-1369
Emoto M, Miyamoto M, Emoto Y, Zerrahn J, Kaufmann SHE. A critical role of T-cell receptor γ/δ cells in antibacterial protection in mice early in life. 2001;33:887-893
Emoto Y (see Emoto M et al). 2001;33:887-893
Engelhardt JF (see Zhou W et al). 2001;33:902-914
Enjoji M (see Uchimura K et al). 2001;33:91-99
Enomoto K (see Ichihara T et al). 2001;33:948-955
Enomoto M (see Nishiguchi S et al). 2001;33:241-247
Enrich C (see Calvo M et al). 2001;33:1259-1269
Enrico R (see Mazzella G et al). 2001;33:504-508

Ercole BB (*see* Zucchelli S et al). 2001;33: 692-703
Eshelman JR (*see* Sun M et al). 2001;33: 1415-1424
Esteban JM (*see* Rico MA et al). 2001;33: 295-300
Everhart J. A confluence of epidemics: Does hepatitis C cause type 2 diabetes? 2001;33:762-763 (Hepatology *Elsewhere*)
Everson G (*see* Reddy KR et al). 2001;33: 433-438

F

Fabre M (*see* Guidotti J-E et al). 2001;33: 10-15 (Rapid Communication)
Factor VM (*see* Nagy P et al). 2001;33:339-345
Fainboim L, Velasco MCC, Marcos CY, Ciocca M, Roy A, Theiler G, Capucchio M, Nuncifora S, Sala L, Zelazko M. Protracted, but not acute, hepatitis A virus infection is strongly associated with HLA-DRB1*1301, a marker for pediatric autoimmune hepatitis. 2001;33:1512-1517
Falck-Ytter Y, McCullough AJ. The risks of percutaneous liver biopsy. 2001;33: 764 (Correspondence)
Fallon MB (*see* Liu L et al). 2001;33:722-727
Fan Y-F, Lu C-C, Chen W-C, Yao W-J, Wang H-C, Chang T-T, Lei H-Y, Shiau A-L, Su I-J. Prevalence and significance of hepatitis B virus (HBV) pre-S mutants in serum and liver at different replicative stages of chronic HBV infection. 2001;33:277-286
Fanning LJ, Levis J, Kenny-Walsh E, Whelton M, O'Sullivan K, Shanahan F. HLA class II genes determine the natural variance of hepatitis C viral load. 2001;33:224-230
Fargion S (*see* Fracanzani AL et al). 2001; 33:647-651
Farhood A (*see* Gujral JS et al). 2001;33: 397-405
—(*see* Jaeschke H et al). 2001;33:1556-1557 (Correspondence)
Fau D (*see* Haouzi D et al). 2001;33:1181-1188
Feldmann G (*see* Haouzi D et al). 2001;33: 1181-1188
Feng L (*see* Shoda J et al). 2001;33:1194-1205
Feo F (*see* De Miglio MR et al). 2001;33: 1110-1117
Feranchak AP (*see* Dunkelberg JC et al). 2001;33:1349-1352 (Concise Review)
—(*see* Fouassier L et al). 2001;33:166-176
Ferenci P (*see* Zollner G et al). 2001;33: 633-646
Ferguson E (*see* Bulera SJ et al). 2001;33: 1239-1258
Fernández L (*see* Peralta C et al). 2001;33: 100-113
Ferrari C (*see* Boni C et al). 2001;33:963-971
—(*see* Urbani S et al). 2001;33:1533-1543
Ferrell L (*see* Yao FY et al). 2001;33:1394-1403
—(*see* Sun M et al). 2001;33:1415-1424
Ferret P-J, Hammond R, Tulliez M, Tran A, Trébéden H, Jaffray P, Malassagne B, Calmus Y, Weill B, Batteux F. Detoxification of reactive oxygen species by a nonpeptidyl mimic of superoxide dismutase cures acetaminophen-induced acute liver failure in the mouse. 2001;33:1173-1180
Fiaccadori F (*see* Boni C et al). 2001;33: 963-971
Fickert P (*see* Zollner G et al). 2001;33: 633-646
Fiehn W (*see* Volkmann M et al). 2001;33: 591-596
Fitz JG (*see* Dunkelberg JC et al). 2001;33: 1349-1352 (Concise Review)
—(*see* Fouassier L et al). 2001;33:166-176
Fix AD (*see* Habib M et al). 2001;33:248-253
Fleig WE. To scope or not to scope: Still a question. 2001;33:471-472 (Editorial)
Fontana L (*see* Nieto N et al). 2001;33: 597-607
Fontana RJ (*see* Teo E-K et al). 2001;33: 972-976
Forman LM, Lucey MR. Predicting the prognosis of chronic liver disease: An evolution from Child to MELD. 2001; 33:473-475 (Editorial)
Fouassier L, Duan CY, Feranchak AP, Yun CHC, Sutherland E, Simon F, Fitz JG, Doctor RB. Ezrin-radixin-moesin-binding phosphoprotein 50 is expressed at the apical membrane of rat liver epithelia. 2001;33:166-176
Fracanzani AL, Conte D, Fraquelli M, Taioli E, Mattioli M, Losco A, Fargion S. Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-iron-related chronic liver disease. 2001;33:647-651
Francesco A (*see* Mazzella G et al). 2001; 33:504-508
Fraquelli M (*see* Fracanzani AL et al). 2001;33:647-651
Frau M (*see* De Miglio MR et al). 2001;33: 1110-1117
Fresnedo O, De Heredia ML, Martínez MJ, Cristóbal S, Rejas MT, Cuezva JM, Ochoa B. Immunolocalization of a novel cholesteryl ester hydrolase in the endoplasmic reticulum of murine and human hepatocytes. 2001;33:662-667
Frevert U (*see* Pradel G et al). 2001;33: 1154-1165
Fried MW (*see* Reddy KR et al). 2001;33: 433-438
Friedman SL (*see* Shimizu M et al). 2001; 33:569-576
Fuchs M, Ivandic B, Müller O, Schalla C, Scheibner J, Bartsch P, Stange EF. Biliary cholesterol hypersecretion in gallstone-susceptible mice is associated with hepatic up-regulation of the high-density lipoprotein receptor SRBI. 2001;33:1451-1459
Fuchsbichler A (*see* Zollner G et al). 2001; 33:633-646
Fukuda K (*see* Nishiguchi S et al). 2001; 33:241-247
—, Tsuchihara K, Hijikata M, Nishiguchi S, Kuroki T, Shimotohno K. Hepatitis C virus core protein enhances the activation of the transcription factor, Elk1, in response to mitogenic stimuli. 2001;33:159-165
Fukui H (*see* Yoshiji H et al). 2001;33:841-847
Furth EE (*see* Krasinskas AM et al). 2001; 33:1141-1147
Furthmayr H (*see* Lara-Pezzi E et al). 2001; 33:1270-1281
Furuhashi T (*see* Okabe K et al). 2001;33: 877-886
Furumoto K, Arii S, Mori A, Furuyama H, Rivas MJG, Nakao T, Isobe N, Murata T, Takahashi C, Noda M, Imamura M. Reck gene expression in hepatocellular carcinoma: Correlation with invasion-related clinicopathologic factors and its clinical significance. 2001;33:189-195
Furuyama H (*see* Furumoto K et al). 2001; 33:189-195

G

Gajardo R (*see* Podevin P et al). 2001;33: 1503-1511
Galfré G (*see* Zucchelli S et al). 2001;33: 692-703
Gambardella M (*see* Adinolfi LE et al). 2001;33:1358-1364
Gamil F (*see* Habib M et al). 2001;33:248-253
Ganau S (*see* Llovet JM et al). 2001;33: 1124-1129
Ganey PE (*see* Barton CC et al). 2001;33: 66-73
Garcia CE (*see* Liermann Garcia RF et al). 2001;33:22-27
Garcia-Tsao G. Treatment of refractory ascites: TIPS or TAPS? 2001;33:477-479 (Hepatology *Elsewhere*)
Gasull X (*see* Bataller R et al). 2001;33: 956-962
Geerts A (*see* Bataller R et al). 2001;33: 956-962
—(*see* Louis H et al). 2001;33:1343 (Correction)
—, Eliasson C, Niki T, Wielant A, Vaeyens F, Pekny M. Formation of normal desmin intermediate filaments in mouse hepatic stellate cells requires vimentin. 2001;33:177-188
Geiger KK (*see* Hoetzel A et al). 2001;33: 925-937
Gelpí E (*see* Peralta C et al). 2001;33:100-113

Genda T (see Takamura M et al). 2001;33:577-581
Genina O (see Burck R et al). 2001;33:379-386
Genové G (see Barajas M et al). 2001;33:52-61
Gentilini P (see Efsen E et al). 2001;33:713-721
Georgi P (see Kluge R et al). 2001;33:1029-1035
Gerhard GS (see Sinclair PR et al). 2001;33:406-412
Gerin JL (see Nakamura I et al). 2001;33:439-447
—(see Peek SF et al). 2001;33:254-266
Gershwin ME (see Migliaccio C et al). 2001;33:792-801
—(see Parikh-Patel A et al). 2001;33:16-21
—(see Van de Water J et al). 2001;33:771-775 (Concise Review)
Geuken M (see Ros JE et al). 2001;33:1425-1431
Giangaspero A (see Mangia A et al). 2001;33:989-993
Giannini E, Testa R. Chronic hepatitis C in different populations: Similar patterns of alanine aminotransferase alteration characterize similar clinical subgroups. 2001;33:313 (Correspondence)
Gibson AW (see Yee LJ et al). 2001;33:708-712
Gilgenkrantz H (see Guidotti J-E et al). 2001;33:10-15 (Rapid Communication)
Ginés P (see Bataller R et al). 2001;33:956-962
Giovanni N (see Mazzella G et al). 2001;33:504-508
Gish R (see Perrillo RP et al). 2001;33:424-432
Giuliana S (see Mazzella G et al). 2001;33:504-508
Gleich GJ (see Yamazaki K et al). 2001;33:582-590
Goda N (see Makino N et al). 2001;33:32-42
Gold EB (see Parikh-Patel A et al). 2001;33:16-21
Goldman M (see Louis H et al). 2001;33:1343 (Correction)
Gómez-Lechón MJ (see Jover R et al). 2001;33:668-675
Gondolesi G (see Schiano TD et al). 2001;33:3-9 (Concise Review)
Gong Q-H (see Sugatani J et al). 2001;33:1232-1238
Görbig MN (see Bataller R et al). 2001;33:956-962
Gores GJ (see Bissell DM et al). 2001;33:1009-1013 (Meeting Report)
—(see Yagi T et al). 2001;33:1432-1440
Gorman N (see Sinclair PR et al). 2001;33:406-412
Gouw ASH (see Van Den Heuvel MC et al). 2001;33:1387-1393
Graafland H (see Stefas I et al). 2001;33:207-217
Grabscheid B (see Moradpour D et al). 2001;33:1282-1287
Grakoui A, Hanson HL, Rice CM. Bad time for Bonzo? Experimental models of hepatitis C virus infection, replication, and pathogenesis. 2001;33:489-495 (Concise Review)
Grant AJ, Lalor PF, Hübscher SG, Briskin M, Adams DH. MadCAM-1 expressed in chronic inflammatory liver disease supports mucosal lymphocyte adhesion to hepatic endothelium (MAdCAM-1 in chronic inflammatory liver disease). 2001;33:1065-1072
Grattagliano I (see Vendemiale G et al). 2001;33:808-815
Greenbaum LE (see Mukherjee D et al). 2001;33:1166-1172
Greenwel P (see Nieto N et al). 2001;33:597-607
—(see Svegliati-Baroni G et al). 2001;33:1130-1140
Gregorio GV, Portmann B, Karani J, Harrison P, Donaldson PT, Vergani D, Mieli-Vergani G. Autoimmune hepatitis/sclerosing cholangitis overlap syndrome in childhood: A 16-year prospective study. 2001;33:544-553
Gressner AM (see Breitkopf K et al). 2001;33:387-396
Greten H (see Dandri M et al). 2001;33:981-988
Groen AK (see Miquel JF et al). 2001;33:328-332; 1016 (Correction)
Groettrup M (see Moradpour D et al). 2001;33:1282-1287
Grompe M. Mouse liver goes human: A new tool in experimental hepatology. 2001;33:1005-1006 (Editorial)
Gross JB Jr (see Kim WR et al). 2001;33:201-206
Gual A (see Bataller R et al). 2001;33:956-962
Guan R (see Leung NWY et al). 2001;33:1527-1532
Guañabens N (see Parés A et al). 2001;33:554-560
Guerra B (see Bassett SE et al). 2001;33:1479-1487
Guerrieri F (see Vendemiale G et al). 2001;33:808-815
Guidotti J-E, Mallet VO, Parlier D, Mitchell C, Fabre M, Jaffray P, Lambert M, Kahn A, Gilgenkrantz H. Fas/CD95 pathway induces mouse liver regeneration and allows for highly efficient retrovirus-mediated gene transfer. 2001;33:10-15 (Rapid Communication)
Gujral JS (see Jaeschke H et al). 2001;33:1556-1557 (Correspondence)
—, Bucci TJ, Farhood A, Jaeschke H. Mechanism of cell death during warm hepatic ischemia-reperfusion in rats: Apoptosis or necrosis? 2001;33:397-405
Gumpricht E (see Yerushalmi B et al). 2001;33:616-626
Gupta S (see Dandri M et al). 2001;33:981-988

H

Habib M, Mohamed MK, Abdel-Aziz F, Magder LS, Abdel-Hamid M, Gamil F, Madkour S, Mikhail NN, Anwar W, Strickland GT, Fix AD, Sallam I. Hepatitis C virus infection in a community in the Nile delta: Risk factors for seropositivity. 2001;33:248-253
Habu D (see Nishiguchi S et al). 2001;33:241-247
Hadengue A (see Sarasin FP et al). 2001;33:1073-1079
Hagenbuch B (see Noe J et al). 2001;33:1223-1231
—(see Rippin SJ et al). 2001;33:776-782
Hahn EG (see Schuppan D et al). 2001;33:483-484 (Correspondence)
Hall WC (see Nakamura I et al). 2001;33:439-447
Hamada K (see Shindo M et al). 2001;33:1299-1302
Hammond R (see Ferret P-J et al). 2001;33:1173-1180
Hanada S (see Koga H et al). 2001;33:1087-1097
—(see Sakisaka S et al). 2001;33:1460-1468
Hanson HL (see Grakoui A et al). 2001;33:489-495 (Concise Review)
Haouzi D, Lekehal M, Tinel M, Vadrot N, Caussanel L, Lettéron P, Moreau A, Feldmann G, Fau D, Pessayre D. Prolonged, but not acute, glutathione depletion promotes Fas-mediated mitochondrial permeability transition and apoptosis in mice. 2001;33:1181-1188
Hara A (see Shimizu M et al). 2001;33:569-576
Harada K, Tsuneyama K, Sudo Y, Masuda S, Nakanuma Y. Molecular identification of bacterial 16S ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is *Propionibacterium acnes* involved in granuloma formation? 2001;33:530-536
Harada K, Zen Y, Kanemori Y, Chen T-C, Chen M-F, Yeh T-S, Jan Y-Y, Masuda S, Nimura Y, Takasawa S, Okamoto H, Nakanuma Y. Human REG I gene is up-regulated in intrahepatic cholangiocarcinoma and its precursor lesions. 2001;33:1036-1042
Harada M (see Koga H et al). 2001;33:1087-1097
—(see Sakisaka S et al). 2001;33:1460-1468
Hardin JA (see Yagi T et al). 2001;33:1432-1440
Harland ML (see Rychkov G et al). 2001;33:938-947
Harms A (see Vogel A et al). 2001;33:1047-1052

Harrison P (see Gregorio GV et al). 2001; 33:544-553
Hartley DP (see Rausch-Derra LC et al). 2001;33:1469-1478
Haruna Y, Kanda T, Honda M, Takao T, Hayashi N. Detection of hepatitis C virus in the bile and bile duct epithelial cells of hepatitis C virus-infected patients. 2001;33:977-980
Harvey PJ (see Le Couteur DG et al). 2001; 33:537-543
Hashimoto O (see Koga H et al). 2001;33: 1087-1097
Haslmayer P (see Bachrich T et al). 2001; 33:1053-1059
Hasuike S (see Nakama T et al). 2001;33: 1441-1450
Haussinger D (see Schmitt M et al). 2001; 33:509-518
Hayashi K (see Nakama T et al). 2001;33: 1441-1450
Hayashi N (see Haruna Y et al). 2001;33: 977-980
Hayes P (see Bathgate A et al). 2001;33: 1043-1046
Hayes PC (see Helmy A et al). 2001;33: 826-831
Heid H (see Volkmann M et al). 2001;33: 591-596
Heljasvaara R (see Musso O et al). 2001;33: 868-876
Hellemans K (see Bataller R et al). 2001;33: 956-962
Helmy A, Jalan R, Newby DE, Johnston NR, Hayes PC, Webb DJ. Altered peripheral vascular responses to exogenous and endogenous endothelin-1 in patients with well-compensated cirrhosis. 2001;33:826-831
HEP DART International Committee (see Stuyver LJ et al). 2001;33:751-757 (Special Article)
Hermosilla T (see Barros LF et al). 2001; 33:114-122
Herrmann M (see Jonas S et al). 2001;33: 1080-1086
Hesse S (see Kluge R et al). 2001;33:1029-1035
Hetz C (see Barros LF et al). 2001;33:114-122
Hicklin DJ (see Yoshiji H et al). 2001;33: 841-847
Hidaka H (see Okabe K et al). 2001;33: 877-886
Hijikata M (see Fukuda K et al). 2001;33: 159-165
Hillebrant C-G (see Einarrson C et al). 2001;33:1189-1193
Hippelainen M (see Lozeva V et al). 2001; 33:1370-1376
Hirohashi S (see Saito Y et al). 2001;33: 561-568
—(see Takamura M et al). 2001;33:577-581
Hirono S (see Nakama T et al). 2001;33: 1441-1450
Hitchman E (see Bachrich T et al). 2001; 33:1053-1059
Hoetzel A, Vagts DA, Loop T, Humar M, Bauer M, Pahl HL, Geiger KK, Pannen BHJ. Effect of nitric oxide on shock-induced hepatic heme oxygenase-1 expression in the rat. 2001;33:925-937
Hoffman T (see Cao J et al). 2001;33:140-147
Hoffmann F (see Schuurmans MM et al). 2001;33:1217-1222
Hogberg J, Stenius U. Lowered nuclear levels of p53 in preneoplastic rat hepatocytes. 2001;33:480-481 (Correspondence)
Hollinger FB (see Seeff LB et al). 2001;33: 455-463
Honda M (see Haruna Y et al). 2001;33: 977-980
—(see Kawai HF et al). 2001;33:676-691
—(see Shirota Y et al). 2001;33:832-840
Hoofnagle JH (see Bissell DM et al). 2001; 33:1009-1013 (Meeting Report)
Hori R (see Taniai H et al). 2001;33:894-901
Hori T (see Nakama T et al). 2001;33: 1441-1450
Hornbuckle WE (see Peek SF et al). 2001; 33:254-266
Hosch MS (see Zhou W et al). 2001;33: 902-914
Houghton M (see Bassett SE et al). 2001; 33:1479-1487
—(see Tseng C-TK et al). 2001;33:1312-1320
Housset C (see Chignard N et al). 2001;33: 496-503
Huang H-C (see Chan C-C et al). 2001;33: 816-820
Huang L (see Cao J et al). 2001;33:140-147
—(see Yang J et al). 2001;33:848-859
Huber J (see Yoshiji H et al). 2001;33:841-847
Hübscher SG (see Grant AJ et al). 2001;33: 1065-1072
Humar M (see Hoetzel A et al). 2001;33: 925-937
Hung N-J (see Wang X et al). 2001;33: 1404-1414
Hussain M (see Teo E-K et al). 2001;33: 972-976
—(see Sun M et al). 2001;33:1415-1424
Huster D (see Kluge R et al). 2001;33: 1029-1035

I

Iber FL (see Seeff LB et al). 2001;33:455-463
Ichida T (see Orito E et al). 2001;33:218-223
—(see Takamura M et al). 2001;33:577-581
Ichihara T, Komagata Y, Yang X-L, Uezato T, Enomoto K, Koyama K, Miyazaki J-i, Sugiyama T, Miura N. Resistance to fulminant hepatitis and carcinogenesis conferred by overexpression of retinoblastoma protein in mouse liver. 2001;33:948-955
Ido A (see Nakama T et al). 2001;33:1441-1450
Iino S (see Orito E et al). 2001;33:218-223
Ikeda K, Kumada H. Adjuvant interferon for hepatocellular carcinoma. 2001; 33:482 (Correspondence)
Ikenaka Y (see Yoshiji H et al). 2001;33: 841-847
Imamura M (see Furumoto K et al). 2001; 33:189-195
Imperiale TF, Chalasani N. A meta-analysis of endoscopic variceal ligation for primary prophylaxis of esophageal variceal bleeding. 2001;33: 802-807
Irie T (see Uchimura K et al). 2001;33:91-99
Ishak KG (see Seeff LB et al). 2001;33:455-463
Ishibashi H (see Van de Water J et al). 2001;33:771-775 (Concise Review)
Ishida Y (see Auth MKH et al). 2001;33: 519-529
Ishihara K (see Okabe K et al). 2001;33: 877-886
Ishii H (see Saito Y et al). 2001;33:561-568
Ishikawa K (see Orito E et al). 2001;33: 218-223
Ishimura Y (see Makino N et al). 2001;33: 32-42
—(see Maknio N et al). 2001;33:32-42
—(see Taniai H et al). 2001;33:894-901
Isobe N (see Furumoto K et al). 2001;33: 189-195
Ito K (see Shoda J et al). 2001;33:1194-1205
Itoh T (see Nishiguchi S et al). 2001;33: 241-247
Ivandic B (see Fuchs M et al). 2001;33: 1451-1459
Iwamoto H (see Uchimura K et al). 2001; 33:91-99
Iwanska A (see Dandri M et al). 2001;33: 981-988

J

Jacob JR (see Peek SF et al). 2001;33:254-266
Jacobs G (see Sun M et al). 2001;33:1415-1424
Jaeschke H (see Gujral JS et al). 2001;33: 397-405
—, Gujral JS, Bucci TJ, Farhood A. Mechanism of hepatocyte death after ischemia: Apoptosis versus necrosis. 2001;33:1556-1557 (Correspondence)
Jaffray P (see Ferret P-J et al). 2001;33: 1173-1180
—(see Guidotti J-E et al). 2001;33:10-15 (Rapid Communication)
Jäger W (see Bachrich T et al). 2001;33: 1053-1059
Jalan R (see Helmy A et al). 2001;33:826-831
Jan Y-Y (see Harada K et al). 2001;33:1036-1042
Jansen PLM (see Ros JE et al). 2001;33: 1425-1431

Japan HBV Genotype Research Group (see Orito E et al). 2001;33:218-223
Järvelàinen HA, Orpana A, Perola M, Savolainen VT, Karhunen PJ, Lindros KO. Promoter polymorphism of the CD14 endotoxin receptor gene as a risk factor for alcoholic liver disease. 2001;33:1148-1153
Jatkoe TA (see Bulera SJ et al). 2001;33: 1239-1258
Jensen D (see Reddy KR et al). 2001;33: 433-438
Jo J (see Parés A et al). 2001;33:554-560
Johnston NR (see Helmy A et al). 2001;33: 826-831
Jonas S, Bechstein WO, Steinmüller T, Herrmann M, Radke C, Berg T, Settmacher U, Neuhaus P. Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis. 2001;33:1080-1086
Joplin RE (see Auth MKH et al). 2001;33: 519-529
Jordan R (see Mehta A et al). 2001;33: 1488-1495
Jover R, Bort R, Gómez-Lechón MJ, Castell JV. Cytochrome P450 regulation by hepatocyte nuclear factor 4 in human hepatocytes: A study using adenovirus-mediated antisense targeting. 2001;33:668-675

K

Kaestner KH (see Mukherjee D et al). 2001;33:1166-1172
Kahn A (see Guidotti J-E et al). 2001;33: 10-15 (Rapid Communication)
Kajiyama K (see Taguchi K-i et al). 2001; 33:1118-1123
Kakizaki S (see Sugatani J et al). 2001;33: 1232-1238
Kamath PS, Wiesner RH, Malinchoc M, Kremers W, Therneau TM, Kosberg CL, D'Amico G, Dickson ER, Kim WR. A model to predict survival in patients with end-stage liver disease. 2001;33:464-470 (Special Article)
Kamiya J (see Shoda J et al). 2001;33:1194-1205
Kammer AR (see Moradpour D et al). 2001;33:1282-1287
Kanai Y (see Saito Y et al). 2001;33:561-568
Kanda T (see Haruna Y et al). 2001;33:977-980
Kaneko S (see Kawai HF et al). 2001;33: 676-691
—(see Shirota Y et al). 2001;33:832-840
Kanemori Y (see Harada K et al). 2001;33: 1036-1042
Kano M (see Shoda J et al). 2001;33:1194-1205
Kaplan MM (see Migliaccio C et al). 2001; 33:792-801
Kaplowitz N. Causality assessment versus guilt-by-association in drug hepatotoxicity. 2001;33:308-310 (Editorial)
Karani J (see Gregorio GV et al). 2001;33: 544-553
Karhunen PJ (see Järvelàinen HA et al). 2001;33:1148-1153
Karpen SJ (see Dranoff JA et al). 2001;33: 1558 (Correction)
Kaslow RA (see Yee LJ et al). 2001;33:708-712
Kato T, Reddy KR. Radiofrequency ablation for hepatocellular carcinoma: Help or hazard? 2001;33:1336-1337 (Editorial)
Kaufmann SHE (see Emoto M et al). 2001; 33:887-893
Kawaguchi T (see Koga H et al). 2001;33: 1087-1097
—(see Sakisaka S et al). 2001;33:1460-1468
Kawai HF (see Shirota Y et al). 2001;33: 832-840
—, Kaneko S, Honda M, Shirota Y, Kobayashi K. α-fetoprotein-producing hepatoma cell lines share common expression profiles of genes in various categories demonstrated by cDNA microarray analysis. 2001;33:676-691
Kenner L (see Zollner G et al). 2001;33: 633-646
Kenny-Walsh E (see Fanning LJ et al). 2001;33:224-230
Keppler D (see Beuers U et al). 2001;33: 1206-1216
Key C (see El-Serag HB et al). 2001;33:62-65
Kieran N (see Barrett S et al). 2001;33: 1496-1502
Kim WR (see Kamath PS et al). 2001;33: 464-470 (Special Article)
—, Gross JB Jr, Poterucha JJ, Locke GR III, Dickson ER. Outcome of hospital care of liver disease associated with hepatitis C in the United States. 2001; 33:201-206
Kim-Schluger L (see Schiano TD et al). 2001;33:3-9 (Concise Review)
Kimberly R (see Yee LJ et al). 2001;33:708-712
Kimura R (see Koga H et al). 2001;33: 1087-1097
—(see Sakisaka S et al). 2001;33:1460-1468
Kinukawa N (see Taguchi K et al). 2001; 33:1118-1123
Kita H (see Yamazaki K et al). 2001;33: 582-590
Klaassen CD (see Rausch-Derra LC et al). 2001;33:1469-1478
Klimpel GR (see Bassett SE et al). 2001;33: 1479-1487
—(see Tseng C-TK et al). 2001;33:1312-1320
Kluge R, Schmidt F, Caca K, Barthel H, Hesse S, Georgi P, Seese A, Huster D, Berr F. Positron emission tomography with [^{18}F]fluoro-2-deoxy-D-glucose for diagnosis and staging of bile duct cancer. 2001;33:1029-1035
Kobayashi K (see Kawai HF et al). 2001;33: 676-691
—(see Shirota Y et al). 2001;33:832-840
Koga H (see Sakisaka S et al). 2001;33: 1460-1468
—, Sakisaka S, Harada M, Takagi T, Hanada S, Taniguchi E, Kawaguchi T, Sasatomi K, Kimura R, Hashimoto O, Ueno T, Yano H, Kojiro M, Sata M. Involvement of $p21^{WAF1/Cip1}$, $p27^{Kip1}$, and $p18^{INK4c}$ in troglitazone-induced cell-cycle arrest in human hepatoma cell lines. 2001;33:1087-1097
Kojima H (see Sugatani J et al). 2001;33: 1232-1238
Kojima S (see Shimizu M et al). 2001;33: 569-576
Kojiro M (see Koga H et al). 2001;33:1087-1097
Komagata Y (see Ichihara T et al). 2001;33: 948-955
Korba BE (see Peek SF et al). 2001;33:254-266
Koretz RL (see Seeff LB et al). 2001;33: 455-463
Kosberg CL (see Kamath PS et al). 2001; 33:464-470 (Special Article)
Kovalovich K (see DeAngelis RA et al). 2001;33:915-924
—(see Li W et al). 2001;33:1377-1386
—(see Mukherjee D et al). 2001;33:1166-1172
Koyama K (see Ichihara T et al). 2001;33: 948-955
Krasinskas AM, Ruchelli ED, Rand EB, Chittams JL, Furth EE. Central venulitis in pediatric liver allografts. 2001;33:1141-1147
Krejs GJ (see Zollner G et al). 2001;33:633-646
Kremers W (see Kamath PS et al). 2001;33: 464-470 (Special Article)
Krivy KE (see Parikh-Patel A et al). 2001; 33:16-21
Kroneberger B, Rüster B, Elez R, Weber S, Piiper A, Lee J-H, Roth WK, Zeuzem S. Interferon alfa down-regulates CD81 in patients with chronic hepatitis C. 2001;33:1518-1526
Kubitz R (see Schmitt M et al). 2001;33: 509-518
Kuipers F (see Ros JE et al). 2001;33:1425-1431
Kullak-Ublick GA (see Beuers U et al). 2001;33:1206-1216
Kumada H (see Ikeda K et al). 2001;33:482 (Correspondence)
Kunkel SL (see Barton CC et al). 2001;33: 66-73
Kuriyama S (see Yoshiji H et al). 2001;33: 841-847
Kurohiji T (see Sakisaka S et al). 2001;33: 1460-1468
Kuroki T (see Fukuda K et al). 2001;33: 159-165

L

Ladhams A (see Sing GK et al). 2001;33:1288-1298
Laffi G (see Efsen E et al). 2001;33:713-721
Lahme B (see Breitkopf K et al). 2001;33:387-396
Lai C-L (see Leung NWY et al). 2001;33:1527-1532
Lai K-H (see Lo G-H et al). 2001;33:1060-1064
Lalor PF (see Grant AJ et al). 2001;33:1065-1072
Lam KS (see Migliaccio C et al). 2001;33:792-801
Lambert M (see Guidotti J-E et al). 2001;33:10-15 (Rapid Communication)
Lamivudine North American Transplant Group (see Perrillo RP et al). 2001;33:424-432
Lane NE (see Rouillard S et al). 2001;33:301-307
Lanford RE (see Bassett SE et al). 2001;33:1479-1487
Lang A (see Zhou W et al). 2001;33:902-914
Lara-Pezzi E, Serrador JM, Montoya MC, Zamora D, Yáñez-Mó M, Carretero M, Furthmayr H, Sánchez-Madrid F, López-Cabrera M. The hepatitis B virus X protein (HBx) induces a migratory phenotype in a CD44-dependent manner: Possible role of HBx in invasion and metastasis. 2001;33:1270-1281
Laskin DL (see Bissell DM et al). 2001;33:1009-1013 (Meeting Report)
Lau J (see Cheng SJ et al). 2001;33:231-240
Le Couteur DG, Cogger VC, Markus AMA, Harvey PJ, Yin Z-L, Ansselin AD, McLean AJ. Pseudocapillarization and associated energy limitation in the aged rat liver. 2001;33:537-543
Le Moine A (see Louis H et al). 2001;33:1343 (Correction)
Le Moine O (see Louis H et al). 2001;33:1343 (Correction)
Leandro G (see Mangia A et al). 2001;33:989-993
Lebrec D. Primary prevention of variceal bleeding: What's new? 2001;33:1003-1004 (Editorial)
Lee C-M (see Leung NWY et al). 2001;33:1527-1532
Lee D-H (see Pancholi P et al). 2001;33:448-454
Lee F-Y (see Chan C-C et al). 2001;33:816-820
Lee J-H (see Kroneberger B et al). 2001;33:1518-1526
Lee JM (see Soroka CJ et al). 2001;33:783-791
Lee S-D (see Chan C-C et al). 2001;33:816-820
Lee WM (see Reddy KR et al). 2001;33:433-438
—(see Teo E-K et al). 2001;33:972-976
Lei H-Y (see Fan Y-F et al). 2001;33:277-286
Lekehal M (see Haouzi D et al). 2001;33:1181-1188
Lettéron P (see Haouzi D et al). 2001;33:1181-1188
Leu JI (see Li W et al). 2001;33:1377-1386
Leung NWY, Lai C-L, Chang T-T, Guan R, Lee C-M, Ng K-Y, Lim S-G, Wu P-C, Dent JC, Edmundson S, Condreay LD, Chien R-N, Asia Hepatitis Lamivudine Study Group. Extended lamivudine treatment in patients with chronic hepatitis B enhances hepatitis B e antigen seroconversion rates: Results after 3 years of therapy. 2001;33:1527-1532
Levantesi F (see Brillanti S et al). 2001;33:1014-1015 (Correspondence)
Levis J (see Fanning LJ et al). 2001;33:224-230
Levy G (see Perrillo RP et al). 2001;33:424-432
Levy JE (see Sinclair PR et al). 2001;33:406-412
Li D (see Sing GK et al). 2001;33:1288-1298
Li W, Liang X, Leu JI, Kovalovich K, Ciliberto G, Taub R. Global changes in interleukin-6-dependent gene expression patterns in mouse livers after partial hepatectomy. 2001;33:1377-1386
Liamis G (see Bairaktari E et al). 2001;33:1365-1369
Liang X (see Li W et al). 2001;33:1377-1386
Lichanska AM (see Sing GK et al). 2001;33:1288-1298
Liermann Garcia RF, Garcia CE, McMaster P, Neuberger J. Transplantation for primary biliary cirrhosis: Retrospective analysis of 400 patients in a single center. 2001;33:22-27
Liermann H (see Vogel A et al). 2001;33:1047-1052
Lim S-G (see Leung NWY et al). 2001;33:1527-1532
Lin A (see Reddy KR et al). 2001;33:433-438
Lin H-C (see Chan C-C et al). 2001;33:816-820
Lin Y (see Qin W et al). 2001;33:728-737
Lindberg RL (see Schuurmans MM et al). 2001;33:1217-1222
Lindros KO (see Järveläinen HA et al). 2001;33:1148-1153
Lionetti R (see Castañeda B et al). 2001;33:821-825
Liu L, Zhang M, Luo B, Abrams GA, Fallon MB. Biliary cyst fluid from common bile duct-ligated rats stimulates endothelial nitric oxide synthase in pulmonary artery endothelial cells: A potential role in hepatopulmonary syndrome. 2001;33:722-727
Liu Q (see Pancholi P et al). 2001;33:448-454
Liu Y (see Cao J et al). 2001;33:140-147
—(see Yang J et al). 2001;33:848-859
Lizun S (see Schmitt M et al). 2001;33:509-518
Llovet JM (see Sarasin FP et al). 2001;33:1073-1079
—, Vilana R, Brú C, Bianchi L, Salmeron JM, Boix L, Ganau S, Sala M, Pagès M, Ayuso C, Solé M, Rodés J, Bruix J, Barcelona Clinic Liver Cancer Group. Increased risk of tumor seeding after percutaneous radiofrequency ablation for single hepatocellular carcinoma. 2001;33:1124-1129
Lo G-H, Lai K-H, Cheng J-S, Chen M-H, Chiang H-T. A prospective, randomized trial of butyl cyanoacrylate injection versus band ligation in the management of bleeding gastric varices. 2001;33:1060-1064
Locarnini SA (see Stuyver LJ et al). 2001;33:751-757 (Special Article)
Locke GR III (see Kim WR et al). 2001;33:201-206
Lok A (see Stuyver LJ et al). 2001;33:751-757 (Special Article)
Lok ASF (see Teo E-K et al). 2001;33:972-976
Loop T (see Hoetzel A et al). 2001;33:925-937
López-Cabrera M (see Lara-Pezzi E et al). 2001;33:1270-1281
Lopez-Iglesias C (see Calvo M et al). 2001;33:1259-1269
Losco A (see Fracanzani AL et al). 2001;33:647-651
Louis H, Le Moine A, Quertinmont E, Peny M-O, Geerts A, Goldman M, Le Moine O, Devière J. Repeated concanavalin A challenge in mice induces an interleukin 10-producing phenotype and liver fibrosis. 2001;33:1343 (Correction)
Lozach P-Y (see Podevin P et al). 2001;33:1503-1511
Lozeva V, Tuomisto L, Sola D, Plumed C, Hippeläinen M, Butterworth R. Increased density of brain histamine H_1 receptors in rats with portacaval anastomosis and in cirrhotic patients with chronic hepatic encephalopathy. 2001;33:1370-1376
Lu C-C (see Fan Y-F et al). 2001;33:277-286
Lucena MI, Camargo R, Andrade RJ, Perez-Sanchez CJ, De La Cuesta FS. Comparison of two clinical scales for causality assessment in hepatotoxicity. 2001;33:123-130
Lucey MR (see Forman LM et al). 2001;33:473-475 (Editorial)
Luciano B (see Mazzella G et al). 2001;33:504-508
Luo B (see Liu L et al). 2001;33:722-727
Luxon BA (see Milliano MT et al). 2001;33:413-418

M

Ma M (*see* Terrault N et al). 2001;33:1544-1546 (Editorial)
Maccabruni A (*see* Minola E et al). 2001; 33:1341-1342 (Correspondence)
Macnaughton T (*see* Sing GK et al). 2001; 33:1288-1298
Madkour S (*see* Habib M et al). 2001;33: 248-253
Magder LS (*see* Habib M et al). 2001;33: 248-253
Magnano A (*see* Schepis F et al). 2001;33: 333-338
Maher J. The CYP2E1 knockout delivers another punch: First ASH, now NASH. 2001;33:311-312 (Hepatology *Elsewhere*)
—. Antidiabetic treatment for NASH? 2001;33:1338-1339 (Hepatology *Elsewhere*)
Majno PE (*see* Sarasin FP et al). 2001;33: 1073-1079
Makino N, Suematsu M, Sugiura Y, Morikawa H, Shiomi S, Goda N, Sano T, Nimura Y, Sugimachi K, Ishimura Y. Altered expression of heme oxygenase-1 in the livers of patients with portal hypertensive diseases. 2001;33:32-42
Malassagne B (*see* Ferret P-J et al). 2001; 33:1173-1180
Malinchoc M (*see* Kamath PS et al). 2001; 33:464-470 (Special Article)
Mallet VO (*see* Guidotti J-E et al). 2001;33: i0-15 (Rapid Communication)
Mammarella A (*see* Musca A et al). 2001; 33:482-483 (Correspondence)
Mangia A, Minerva N, Annese M, Leandro G, Villani MR, Santoro R, Carretta V, Bacca D, Giangaspero A, Bisceglia M, Ventrella F, Dell'Erba G, Andriulli A. A randomized trial of amantadine and interferon versus interferon alone as initial treatment for chronic hepatitis C. 2001;33:989-993
Manning AM (*see* Schwabe RF et al). 2001; 33:81-90
Manns MP (*see* Ros JE et al). 2001;33: 1425-1431
—(*see* Vogel A et al). 2001;33:1047-1052
—(*see* Volkmann M et al). 2001;33:591-596
Marcos CY (*see* Fainboim L et al). 2001;33: 1512-1517
Mari M, Cederbaum AI. Induction of catalase, alpha, and microsomal glutathione S-transferase in CYP2E1 overexpressing HepG2 cells and protection against short-term oxidative stress. 2001;33:652-661
Markus AMA (*see* Le Couteur DG et al). 2001;33:537-543
Marra F (*see* Efsen E et al). 2001;33:713-721
Martin L (*see* Volkmann M et al). 2001;33: 591-596
Martin M (*see* Stefas I et al). 2001;33:207-217
Martin P (*see* Perrillo RP et al). 2001;33: 424-432
Martín-Sanz P (*see* Callejas NA et al). 2001;33:860-867
Martinetti M (*see* Minola E et al). 2001;33: 1341-1342 (Correspondence)
Martínez MJ (*see* Fresnedo O et al). 2001; 33:662-667
Mason AC (*see* El-Serag HB et al). 2001;33: 62-65
Masuda S (*see* Harada K et al). 2001;33: 530-536
—(*see* Harada et al). 2001;33:1036-1042
Matsuno H (*see* Shimizu M et al). 2001;33: 569-576
Matsuo O (*see* Shimizu M et al). 2001;33: 569-576
Matsuura Y (*see* Urbani S et al). 2001;33: 1533-1543
Matsuzaki Y (*see* Shoda J et al). 2001;33: 1194-1205
Mattioli M (*see* Fracanzani AL et al). 2001; 33:647-651
Mazzella G, Nicola R, Francesco A, Patrizia S, Luciano B, Anna M, Giuliana S, Antonio C, Giovanni N, Constance M, Davide F, Enrico R. Ursodeoxycholic acid administration in patients with cholestasis of pregnancy: Effects on primary bile acids in babies and mothers. 2001;33:504-508
Mazzolini G (*see* Barajas M et al). 2001;33: 52-61
McClure M (*see* Dranoff JA et al). 2001;33: 1558 (Correction)
McCullough AJ (*see* Falck-Tter Y et al). 2001;33:764 (Correspondence)
McHutchison JG (*see* Bekkering FC et al). 2001;33:419-423
—(*see* Chang K-M et al). 2001;33:267-276
McLean AJ (*see* Le Couteur DG et al). 2001;33:537-543
McMaster P (*see* Auth MKH et al). 2001; 33:519-529
—(*see* Liermann Garcia RF et al). 2001;33: 22-27
Mehta A, Carrouée S, Conyers B, Jordan R, Butters T, Dwek RA, Block TM. Inhibition of hepatitis B virus DNA replication by imino sugars without the inhibition of the DNA polymerase: Therapeutic implications. 2001;33: 1488-1495
Mehta SH, Brancati FL, Sulkowski MS, Strathdee SA, Szklo M, Thomas DL. Prevalence of type 2 diabetes mellitus among persons with hepatitis C virus infection in the United States. 2001; 33:1554 (Correspondence)
Meier PJ (*see* Cao J et al). 2001;33:140-147
—(*see* Noe J et al). 2001;33:1223-1231
—(*see* Rausch-Derra LC et al). 2001;33: 1469-1478
—(*see* Rippin SJ et al). 2001;33:776-782
Melero I (*see* Barajas M et al). 2001;33:52-61
Melpolder JJ (*see* Chang K-M et al). 2001; 33:267-276
Mentha G (*see* Sarasin FP et al). 2001;33: 1073-1079
Meola A (*see* Zucchelli S et al). 2001;33: 692-703
Mergey M (*see* Chignard N et al). 2001;33: 496-503
Meyer UA (*see* Schuurmans MM et al). 2001;33:1217-1222
Michalopoulos GK (*see* Monga SPS et al). 2001;33:1098-1109
—(*see* Yang J et al). 2001;33:848-859
Michitaka K (*see* Orito E et al). 2001;33: 218-223
Mieli-Vergani G (*see* Gregorio GV et al). 2001;33:544-553
Migliaccio C, Van de Water J, Ansari AA, Kaplan MM, Coppel RL, Lam KS, Thompson RK, Stevenson F, Gershwin ME. Heterogeneous response of antimitochondrial autoantibodies and bile duct apical staining monoclonal antibodies to pyruvate dehydrogenase complex E2: The molecule versus the mimic. 2001; 33:792-801
Mikhail NN (*see* Habib M et al). 2001;33: 248-253
Miller CM (*see* Schiano TD et al). 2001;33: 3-9 (Concise Review)
Milliano MT, Luxon BA. The peroxisomal proliferator clofibrate enhances the hepatic cytoplasmic movement of fatty acids in rats. 2001;33:413-418
Minerva N (*see* Mangia A et al). 2001;33: 989-993
Minola E, Maccabruni A, Pacati I, Martinetti M. Amniocentesis as a possible risk factor for mother-to-infant transmission of hepatitis C virus. 2001;33:1341-1342 (Correspondence)
Miquel JF, van der Putten J, Pimentel F, Mok KS, Groen AK. Increased activity in the biliary Con A-binding fraction accounts for the difference in crystallization behavior in bile from Chilean gallstone patients compared with Dutch gallstone patients. 2001; 33:328-332; 1016 (Correction)
Miskovsky E (*see* Bassett SE et al). 2001; 33:1479-1487
—(*see* Tseng C-TK et al). 2001;33:1312-1320
Missé D (*see* Stefas I et al). 2001;33:207-217
Mitchell C (*see* Guidotti J-E et al). 2001; 33:10-15 (Rapid Communication)
Miura N (*see* Ichihara T et al). 2001;33: 948-955
Miyamoto M (*see* Emoto M et al). 2001;33: 887-893
Miyamura T (*see* Urbani S et al). 2001;33: 1533-1543
Miyazaki H (*see* Shoda J et al). 2001;33: 1194-1205
Miyazaki J-i (*see* Ichihara T et al). 2001;33: 948-955
Miyoshi H (*see* Yagi T et al). 2001;33: 1432-1440

Mizokami M (*see* Orito E et al). 2001;33: 218-223
Mohamed MK (*see* Habib M et al). 2001; 33:248-253
Moitinho E (*see* Castañeda B et al). 2001; 33:821-825
Mok KS (*see* Miquel JF et al). 2001;33:328-332; 1016 (Correction)
Monegal A (*see* Parés A et al). 2001;33: 554-560
Monga SPS, Pediaditakis P, Mule K, Stolz DB, Michalopoulos GK. Changes in Wnt/β-catenin pathway during regulated growth in rat liver regeneration. 2001;33:1098-1109
Montoya MC (*see* Lara-Pezzi E et al). 2001; 33:1270-1281
Moorhead-Loudis J (*see* Chang K-M et al). 2001;33:267-276
Moradpour D, Grabscheid B, Kammer AR, Schmidtke G, Groettrup M, Blum HE, Cerny A. Expression of hepatitis C virus proteins does not interfere with major histocompatability complex class I processing and presentation *in vitro*. 2001;33:1282-1287
Morales J (*see* Castañeda B et al). 2001;33: 821-825
Moratto D (*see* Umemura T et al). 2001;33: 1303-1311
Moreau A (*see* Haouzi D et al). 2001;33: 1181-1188
Morel-Baccard C (*see* Stefas I et al). 2001; 33:207-217
Mori A (*see* Furumoto K et al). 2001;33: 189-195
Mori H (*see* Shimizu M et al). 2001;33: 569-576
Mori K (*see* Okabe K et al). 2001;33:877-886
Mori M (*see* Sakisaka S et al). 2001;33: 1460-1468
Morikawa H (*see* Makino N et al). 2001;33: 32-42
Moriuchi A (*see* Nakama T et al). 2001;33: 1441-1450
Moriwaki H (*see* Shimizu M et al). 2001; 33:569-576
Moriyama M (*see* Ueno Y et al). 2001;33: 357-362
Moshage H (*see* Ros JE et al). 2001;33: 1425-1431
Mukherjee D, Kaestner KH, Kovalovich KK, Greenbaum LE. Fas-induced apoptosis in mouse hepatocytes is dependent on C/EBPβ. 2001;33:1166-1172
Mule K (*see* Monga SPS et al). 2001;33: 1098-1109
Müller M (*see* Ros JE et al). 2001;33:1425-1431
—(*see* Van Den Heuvel MC et al). 2001;33: 1387-1393
Müller O (*see* Fuchs M et al). 2001;33: 1451-1459
Murakami S (*see* Qin W et al). 2001;33: 728-737
Murata T (*see* Furumoto K et al). 2001;33: 189-195
Muroni MR (*see* De Miglio MR et al). 2001; 33:1110-1117
Murphy D, Detjen KM, Welzel M, Wiedenmann B, Rosewicz S. Interferon-α delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases. 2001;33:346-356
Musca A, Mammarella A, Paoletti V, De Matteis A, Paradiso M. Autonomic deficit in early cirrhosis. 2001;33:482-483 (Correspondence)
Musso O, Theret N, Heljasvaara R, Rehn M, Turlin B, Campion J-P, Pihlajaniemi T, Clement B. Tumor hepatocytes and basement membrane-producing cells specifically express two different forms of the endostatin precursor, collagen XVIII, in human liver cancers. 2001;33:868-876
Muta T (*see* Uchimura K et al). 2001;33: 91-99

N

Nagata K (*see* Nakama T et al). 2001;33: 1441-1450
Nagler A (*see* Burck R et al). 2001;33:379-386
Nagy P, Teramoto T, Factor VM, Sanchez A, Schnur J, Paku S, Thorgeirsson SS. Reconstitution of liver mass via cellular hypertrophy in the rat. 2001; 33:339-345
Nakama T, Hirono S, Moriuchi A, Hasuike S, Nagata K, Hori T, Ido A, Hayashi K, Tsubouchi H. Etoposide prevents apoptosis in mouse liver with D-galactosamine/lipopolysaccharide-induced fulminant hepatic failure resulting in reduction of lethality. 2001;33:1441-1450
Nakamura I, Nupp JT, Cowlen M, Hall WC, Tennant BC, Casy JL, Gerin JL, Cote PJ. Pathogenesis of experimental neonatal woodchuck hepatitis virus infection: Chronicity as an outcome of infection is associated with a diminshed acute hepatitis that is temporally deficient for the expression of interferon gamma and tumor necrosis factor-alpha messenger RNAs. 2001;33:439-447
Nakamura S (*see* Sobao Y et al). 2001;33: 287-294
Nakamuta M (*see* Uchimura K et al). 2001; 33:91-99
Nakanuma Y (*see* Harada K et al). 2001;33: 530-536
—(*see* Harada K et al). 2001;33:1036-1042
Nakao T (*see* Furumoto K et al). 2001;33: 189-195
Nakatani T (*see* Yoshiji H et al). 2001;33: 841-847
Narvaiza I (*see* Barajas M et al). 2001;33: 52-61
Nathanson MH (*see* Dranoff JA et al). 2001;33:1558 (Correction)
Nawata H (*see* Uchimura K et al). 2001;33: 91-99
Negishi M (*see* Sugatani J et al). 2001;33: 1232-1238
Nervi F (*see* Zanlungo S et al). 2001;33: 760-761 (Hepatology *Elsewhere*)
Neuberger J (*see* Liermann Garcia RF et al). 2001;33:22-27
—(*see* Woodward J et al). 2001;33:994-1002 (Clinical Challenge)
—(*see* Auth MKH et al). 2001;33:519-529
Neuhaus P (*see* Jonas S et al). 2001;33: 1080-1086
Newby DE (*see* Helmy A et al). 2001;33: 826-831
Ng K-Y (*see* Leung NWY et al). 2001;33: 1527-1532
Niceforo D (*see* Schepis F et al). 2001;33: 333-338
Nicola R (*see* Mazzella G et al). 2001;33: 504-508
Nicolás JM (*see* Bataller R et al). 2001;33: 956-962
Nicosia A (*see* Zucchelli S et al). 2001;33: 692-703
Nieto N, Dominguez-Rosales JA, Fontana L, Salazar A, Armendariz-Borunda J, Greenwel P, Rojkind M. Rat hepatic stellate cells contribute to the acute-phase response with increased expression of α1(1) and α1(IV) collagens, tissue inhibitor of metalloproteinase-1, and matrix metalloproteinase-2 messenger RNAs. 2001;33:597-607
Niki T (*see* Geerts A et al). 2001;33:177-188
Nimura Y (*see* Harada K et al). 2001;33: 1036-1042
—(*see* Makino N et al). 2001;33:32-42
—(*see* Shoda J et al). 2001;33:1194-1205
—(*see* Taniai H et al). 2001;33:894-901
Nishiguchi S (*see* Fukuda K et al). 2001; 33:159-165
—, Ueda T, Itoh T, Enomoto M, Tanaka M, Tatsumi N, Fukuda K, Tamori A, Habu D, Takeda T, Otani S, Shiomi S. Method to detect substitutions in the interferon-sensitivity-determining region of hepatitis C virus 1b for prediction of response to interferon therapy. 2001;33:241-247
Nitti MP (*see* Carini R et al). 2001;33:131-139
Niwa M (*see* Shimizu M et al). 2001;33: 569-576
Noda M (*see* Furumoto K et al). 2001;33: 189-195
Noe J, Hagenbuch B, Meier PJ, St-Pierre MV. Characterization of the mouse bile salt export pump overexpressed in the baculovirus system. 2001;33: 1223-1231
Noguchi R (*see* Yoshiji H et al). 2001;33: 841-847
Norimizu S (*see* Taniai H et al). 2001;33: 894-901
Nuncifora S (*see* Fainboim L et al). 2001; 33:1512-1517

Nupp JT (*see* Nakamura I et al). 2001;33: 439-447
Nyberg SL (*see* Yagi T et al). 2001;33: 1432-1440

O

O'Keane JC (*see* Barrett S et al). 2001;33: 1496-1502
O'Sullivan K (*see* Fanning LJ et al). 2001; 33:224-230
Obermayer-Straub P (*see* Vogel A et al). 2001;33:1047-1052
Ochoa B (*see* Fresnedo O et al). 2001;33: 662-667
Oda K (*see* Shoda J et al). 2001;33:1194-1205
Oda Y (*see* Shindo M et al). 2001;33:1299-1302
Ogawa M (*see* Okabe K et al). 2001;33: 877-886
Ogg GS (*see* Boni C et al). 2001;33:963-971
Ohshiro H (*see* Okabe K et al). 2001;33: 877-886
Okabe K, Yamaguchi Y, Takai E, Ohshiro H, Zhang J-L, Hidaka H, Ishihara K, Uchino S, Furuhashi T, Yamada S, Mori K, Ogawa M. CD45RC$^-\gamma\delta^+$ T-cell infiltration is associated with immunologic unresponsiveness induced by prior donor-specific blood transfusion in rat hepatic allografts. 2001;33:877-886
Okada K (*see* Shimizu M et al). 2001;33: 569-576
Okada S, Sato T, Yamamoto S. Adjuvant interferon for hepatocellular carcinoma. 2001;33:481-482 (Correspondence)
Okamoto H (*see* Harada K et al). 2001;33: 1036-1042
Okamoto M (*see* Auth MKH et al). 2001; 33:519-529
Okanoue T (*see* Orito E et al). 2001;33: 218-223
Okuno M (*see* Shimizu M et al). 2001;33: 569-576
Okuno T (*see* Shindo M et al). 2001;33: 1299-1302
Oldach D (*see* Chang K-M et al). 2001;33: 267-276
Oriola J (*see* Parés A et al). 2001;33:554-560
Orito E, Mizokami M, Sakugawa H, Michitaka K, Ishikawa K, Ichida T, Okanoue T, Yotsuyanagi H, Iino S, Japan HBV Genotype Research Group. A case-control study for clinical and molecular biological differences between hepatitis B viruses of genotypes B and C. 2001;33:218-223
Orland JR, Wright TL, Cooper S. Acute hepatitis C. 2001;33:321-327 (Concise Review)
Orpana A (*see* Järveläinen HA et al). 2001; 33:1148-1153
Ostapowicz G (*see* Teo E-K et al). 2001;33: 972-976
Ostrow JD (*see* Persico M et al). 2001;33: 627-632
Otani S (*see* Nishiguchi S et al). 2001;33: 241-247
Owen C (*see* Banerjee S et al). 2001;33: 1021-1028 (Concise Review)
Owens IS (*see* Sugatani J et al). 2001;33: 1232-1238

P

Pacati I (*see* Minola E et al). 2001;33:1341-1342 (Correspondence)
Pagès M (*see* Llovet JM et al). 2001;33: 1124-1129
Pahl HL (*see* Hoetzel A et al). 2001;33:925-937
Paku S (*see* Nagy P et al). 2001;33:339-345
Pallio S (*see* Schepis F et al). 2001;33:333-338
Pancholi P, Lee D-H, Liu Q, Tackney C, Taylor P, Perkus M, Andrus L, Brotman B, Prince AM. DNA prime canarypox boost-based immunotherapy of chronic hepatitis B virus infection in a chimpanzee. 2001;33:448-454
Panebianco R (*see* Boni C et al). 2001;33: 963-971
Panés J (*see* Peralta C et al). 2001;33:100-113
Pannen BHJ (*see* Hoetzel A et al). 2001;33: 925-937
Paola D (*see* Carini R et al). 2001;33:131-139
Paoletti V (*see* Musca A et al). 2001;33: 482-483 (Correspondence)
Paradiso M (*see* Musca A et al). 2001;33: 482-483 (Correspondence)
Paraná R, Codes L, Andrade Z. Is splenectomy a cause of antiviral treatment failure in hepatitis C virus infection? 2001;33:1340 (Correspondence)
Parc R (*see* Chignard N et al). 2001;33: 496-503
Pardo M (*see* Rico MA et al). 2001;33:295-300
Parés A, Guañabens N, Alvarez L, De Osaba MJM, Oriola J, Pons F, Caballería L, Monegal A, Salvador G, Jo J, Peris P, Rivera F, Ballesta AM, Rodés J. Collagen type Iα1 and vitamin D receptor gene polymorphisms and bone mass in primary biliary cirrhosis. 2001;33: 554-560
Parikh-Patel A, Gold EB, Worman H, Krivy KE, Gershwin ME. Risk factors for primary biliary cirrhosis in a cohort of patients from the United States. 2001; 33:16-21
Parlier D (*see* Guidotti J-E et al). 2001;33: 10-15 (Rapid Communication)
Pascale RM (*see* De Miglio MR et al). 2001; 33:1110-1117
Pasta L (*see* Schepis F et al). 2001;33:333-338
Pastacaldi S (*see* Efsen E et al). 2001;33: 713-721
Patel T (*see* Tadlock L et al). 2001;33:43-51
—. Increasing incidence and mortality of primary intrahepatic cholangiocarcinoma in the United States. 2001;33:1353-1357
Patrizia S (*see* Mazzella G et al). 2001;33: 504-508
Paul A (*see* Chignard N et al). 2001;33: 496-503
Paumgartner G (*see* Beuers U et al). 2001; 33:1206-1216
Pedder S (*see* Reddy KR et al). 2001;33: 433-438
Pediaditakis P (*see* Monga SPS et al). 2001; 33:1098-1109
Peek SF, Cote PJ, Jacob JR, Toshkov IA, Hornbuckle WE, Baldwin BH, Wells FV, Chu CK, Gerin JL, Tennant BC, Korba BE. Antiviral activity of clevudine [L-FMAU, (1-(2-fluoro-5-methyl-β, L-arabinofuranosyl) uracil)] against woodchuck hepatitis virus replication and gene expression in chronically infected woodchucks (*Marmota monax*). 2001;33:254-266
Pekny M (*see* Geerts A et al). 2001;33:177-188
Pemberton J (*see* Chang K-M et al). 2001; 33:267-276
Penna A (*see* Boni C et al). 2001;33:963-971
—(*see* Urbani S et al). 2001;33:1533-1543
Penner E (*see* Bachrich T et al). 2001;33: 1053-1059
Peny M-O (*see* Louis H et al). 2001;33: 1343 (Correction)
Peralta C, Fernández L, Panés J, Prats N, Sans M, Piqué JM, Gelpí E, Roselló-Catafau J. Preconditioning protects against systemic disorders associated with hepatic ischemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat. 2001;33:100-113
Perelson AS (*see* Bekkering FC et al). 2001; 33:419-423
Pérez-del-Pulgar S (*see* Castañeda B et al). 2001;33:821-825
Perez-Sanchez CJ (*see* Lucena MI et al). 2001;33:123-130
Peris P (*see* Parés A et al). 2001;33:554-560
Perkus M (*see* Pancholi P et al). 2001;33: 448-454
Perola M (*see* Järveläinen HA et al). 2001; 33:1148-1153
Perrillo RP (*see* Seeff LB et al). 2001;33: 455-463
—, Wright T, Rakela J, Levy G, Schiff E, Gish R, Martin P, Dienstag J, Adams P, Dickson R, Anschuetz G, Bell S, Condreay L, Brown N, Lamivudine North American Transplant Group. A multicenter United States-Canadian trial to assess lamivudine monotherapy before and after liver transplantation for chronic hepatitis B. 2001;33:424-432
Persico E (*see* Persico M et al). 2001;33: 627-632

Persico M, Persico E, Bakker CTM, Rigato I, Amoroso A, Torella R, Bosma PJ, Tiribelli C, Ostrow JD. Hepatic uptake of organic anions affects the plasma bilirubin level in subjects with Gilbert's syndrome mutations in *UGT1A1*. 2001;33:627-632
Pessayre D (*see* Haouzi D et al). 2001;33:1181-1188
Peters WHM (*see* te Morsche RHM et al). 2001;33:765 (Correspondence)
Petersen J (*see* Dandri M et al). 2001;33:981-988
Pham NQ (*see* Cheng SJ et al). 2001;33:231-240
Pihlajaniemi T (*see* Musso O et al). 2001;33:868-876
Piiper A (*see* Kroneberger B et al). 2001;33:1518-1526
Pilli M (*see* Boni C et al). 2001;33:963-971
Pimentel F (*see* Miquel JF et al). 2001;33:328-332; 1016 (Correction)
Pines M (*see* Burck R et al). 2001;33:379-386
Pinzani M (*see* Efsen E et al). 2001;33:713-721
Piqué JM (*see* Peralta C et al). 2001;33:100-113
Pizcueta P (*see* Castañeda B et al). 2001;33:821-825
Plevris J (*see* Bathgate A et al). 2001;33:1043-1046
Plumed C (*see* Lozeva V et al). 2001;33:1370-1376
Pockros PJ (*see* Reddy KR et al). 2001;33:433-438
Podevin P, Sabile A, Gajardo R, Delhem N, Abadie A, Lozach P-Y, Beretta L, Bréchot C. Expression of hepatitis C virus NS5A natural mutants in a hepatocytic cell line inhibits the antiviral effect of interferon in a PKR-independent manner. 2001;33:1503-1511
Pollok JM (*see* Dandri M et al). 2001;33:981-988
Pomier-Layrargues G (*see* Spahr L et al). 2001;33:28-31
Pons F (*see* Parés A et al). 2001;33:554-560
Poppema S (*see* Van Den Heuvel MC et al). 2001;33:1387-1393
Portmann B (*see* Gregorio GV et al). 2001;33:544-553
Poterucha JJ (*see* Kim WR et al). 2001;33:201-206
Poupon R (*see* Chignard N et al). 2001;33:496-503
Pradel G, Frevert U. Malaria sporozoites actively enter and pass through rat Kupffer cells prior to hepatocyte invasion. 2001;33:1154-1165
Prats N (*see* Peralta C et al). 2001;33:100-113
Prieto J (*see* Barajas M et al). 2001;33:52-61
Primi D (*see* Umemura T et al). 2001;33:1303-1311
Prince AM (*see* Pancholi P et al). 2001;33:448-454
Pronzato MA (*see* Carini R et al). 2001;33:131-139
Purdum PP III (*see* Reddy KR et al). 2001;33:433-438

Q

Qian C (*see* Barajas M et al). 2001;33:52-61
Qin W, Yamashita T, Shirota Y, Lin Y, Wei W, Murakami S. Mutational analysis of the structure and functions of hepatitis C virus RNA-dependent RNA polymerase. 2001;33:728-737
Quertinmont E (*see* Louis H et al). 2001;33:1343 (Correction)
Quiroga JA (*see* Rico MA et al). 2001;33:295-300

R

Radke C (*see* Jonas S et al). 2001;33:1080-1086
Raijmakers MTM (*see* te Morsche RHM et al). 2001;33:765 (Correspondence)
Raimondo G (*see* Schepis F et al). 2001;33:333-338
Rakela J (*see* Perrillo RP et al). 2001;33:424-432
Rancinan C (*see* Winnock M et al). 2001;33:1014 (Correspondence)
Rand EB (*see* Krasinskas AM et al). 2001;33:1141-1147
Rausch-Derra LC, Hartley DP, Meier PJ, Klaassen CD. Differential effects of microsomal enzyme-inducing chemicals on the hepatic expression of rat organic anion transporters, OATP1 and OATP2. 2001;33:1469-1478
Reddy KR (*see* Kato T et al). 2001;33:1336-1337 (Editorial)
—, Wright TL, Pockros PJ, Shiffman M, Everson G, Reindollar R, Fried MW, Purdum PP III, Jensen D, Smith C, Lee WM, Boyer TD, Lin A, Pedder S, DePamphilis J. Efficacy and safety of pegylated (40-kd) interferon α-2a compared with interferon α-2a in noncirrhotic patients with chronic hepatitis C. 2001;33:433-438
Rehn M (*see* Musso O et al). 2001;33:868-876
Reindel JF (*see* Bulera SJ et al). 2001;33:1239-1258
Reindollar R (*see* Reddy KR et al). 2001;33:433-438
Rejas MT (*see* Fresnedo O et al). 2001;33:662-667
Rice CM (*see* Grakoui A et al). 2001;33:489-495 (Concise Review)
Richman DD (*see* Stuyver LJ et al). 2001;33:751-757 (Special Article)
Rico MA, Quiroga JA, Subirá D, Castañón S, Esteban JM, Pardo M, Carreño V. Hepatitis B virus-specific T-cell proliferation and cytokine secretion in chronic hepatitis B e antibody-positive patients treated with ribavirin and interferon alfa. 2001;33:295-300
Ridolfi F (*see* Svegliati-Baroni G et al). 2001;33:1130-1140
Rigato I (*see* Persico M et al). 2001;33:627-632
Rippin SJ, Hagenbuch B, Meier PJ, Stieger B. Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes. 2001;33:776-782
Rivas MJG (*see* Furumoto K et al). 2001;33:189-195
Rivera F (*see* Parés A et al). 2001;33:554-560
Roberts JP (*see* Yao FY et al). 2001;33:1394-1403
Roccasecca RM (*see* Zucchelli S et al). 2001;33:692-703
Rodés J (*see* Bataller R et al). 2001;33:956-962
—(*see* Castañeda B et al). 2001;33:821-825
—(*see* Llovet JM et al). 2001;33:1124-1129
—(*see* Parés A et al). 2001;33:554-560
Roes E-M (*see* te Morsche RHM et al). 2001;33:765 (Correspondence)
Roffi L (*see* Scalori A et al). 2001;33:480 (Correspondence)
Rogiers X (*see* Dandri M et al). 2001;33:981-988
Rogler CE (*see* Dandri M et al). 2001;33:981-988
Rojkind M (*see* Nieto N et al). 2001;33:597-607
Ros JE, Schuetz JD, Geuken M, Streetz K, Moshage H, Kuipers F, Manns MP, Jansen PLM, Trautwein C, Müller M. Induction of *Mdr1b* expression by tumor necrosis factor-α in rat liver cells is independent of p53 but requires NF-κB signaling. 2001;33:1425-1431
Roselló-Catafau J (*see* Peralta C et al). 2001;33:100-113
Rosewicz S (*see* Murphy D et al). 2001;33:346-356
Roskams T (*see* Cassiman D et al). 2001;33:148-158
Ross MA (*see* Wack KE et al). 2001;33:363-378; 1016 (Correction)
Roth RA (*see* Barton CC et al). 2001;33:66-73
Roth WK (*see* Kroneberger B et al). 2001;33:1518-1526
Rouillard S, Lane NE. Hepatic osteodystrophy. 2001;33:301-307 (Clinical Challenge)
Roy A (*see* Fainboim L et al). 2001;33:1512-1517
Ruchelli ED (*see* Krasinskas AM et al). 2001;33:1141-1147
Rucheton M (*see* Stefas I et al). 2001;33:207-217
Rüdiger HA (*see* Clavien P-A et al). 2001;33:1555-1556 (Correspondence)
Rufat P (*see* Cadranel J et al). 2001;33:764 (Correspondence)
Ruggiero G (*see* Adinolfi LE et al). 2001;33:1358-1364

Rüster B (see Kroneberger B et al). 2001; 33:1518-1526
Ryan E (see Barrett S et al). 2001;33:1496-1502
Rychkov G, Brereton HM, Harland ML, Barritt GJ. Plasma membrane Ca^{2+} release-activated Ca^{2+} channels with a high selectivity for Ca^{2+} identified by patch clamp recording in rat liver cells. 2001;33:938-947

S

Saadeh S, Cammell G, Carey WD, Younossi Z, Barnes D, Easley K. The role of liver biopsy in chronic hepatitis C. 2001;33:196-200
Sabile A (see Podevin P et al). 2001;33: 1503-1511
Saccomanno S (see Svegliati-Baroni G et al). 2001;33:1130-1140
Saito H (see Saito Y et al). 2001;33:561-568
Saito Y, Kanai Y, Sakamoto M, Saito H, Ishii H, Hirohashi S. Expression of mRNA for DNA methyltransferases and methyl-CpG-binding proteins and DNA methylation status on CpG islands and pericentromeric satellite regions during human hepatocarcinogenesis. 2001;33:561-568
Saitta A (see Schepis F et al). 2001;33:333-338
Sakamoto M (see Saito Y et al). 2001;33: 561-568
—(see Takamura M et al). 2001;33:577-581
Sakisaka S (see Koga H et al). 2001;33: 1087-1097
Sakisaka S, Kawaguchi T, Taniguchi E, Hanada S, Sasatomi K, Koga H, Harada M, Kimura R, Sata M, Sawada N, Mori M, Todo S, Kurohiji T. Alterations in tight junctions differ between primary biliary cirrhosis and primary sclerosing cholangitis. 2001; 33:1460-1468
Sakugawa H (see Orito E et al). 2001;33: 218-223
Sala L (see Fainboim L et al). 2001;33: 1512-1517
Sala M (see Llovet JM et al). 2001;33:1124-1129
Salazar A (see Nieto N et al). 2001;33:597-607
Sallam I (see Habib M et al). 2001;33:248-253
Salmeron JM (see Llovet JM et al). 2001; 33:1124-1129
Salvador G (see Parés A et al). 2001;33: 554-560
Samanta A (see Seeff LB et al). 2001;33: 455-463
Sanchez A (see Nagy P et al). 2001;33:339-345
Sánchez-Madrid F (see Lara-Pezzi E et al). 2001;33:1270-1281
Sancho-Bru P (see Bataller R et al). 2001; 33:956-962
Sangro B (see Barajas M et al). 2001;33:52-61
Sano T (see Makino N et al). 2001;33:32-42
Sans M (see Peralta C et al). 2001;33:100-113
Santoro R (see Mangia A et al). 2001;33: 989-993
Sarasin FP, Majno PE, Llovet JM, Bruix J, Mentha G, Hadengue A. Living donor liver transplantation for early hepatocellular carcinoma: A life-expectancy and cost-effectiveness perspective. 2001;33:1073-1079
Sasatomi K (see Koga H et al). 2001;33: 1087-1097
—(see Sakisaka S et al). 2001;33:1460-1468
Sata M (see Koga H et al). 2001;33:1087-1097
—(see Sakisaka S et al). 2001;33:1460-1468
Sato T (see Okada S et al). 2001;33:481-482 (Correspondence)
Savolainen VT (see Järveläinen HA et al). 2001;33:1148-1153
Sawada N (see Sakisaka S et al). 2001;33: 1460-1468
Scalori A, Apale P, Roffi L. Psychological screening before interferon therapy. 2001;33:480 (Correspondence)
Schalla C (see Fuchs M et al). 2001;33: 1451-1459
Scheibner J (see Fuchs M et al). 2001;33: 1451-1459
Schepis F, Cammà C, Niceforo D, Magnano A, Pallio S, Cinquegrani M, D'Amico G, Pasta L, Craxí A, Saitta A, Raimondo G. Which patients with cirrhosis should undergo endoscopic screening for esophageal varices detection? 2001;33:333-338
Schiano TD, Kim-Schluger L, Gondolesi G, Miller CM. Adult living donor liver transplantation: The hepatologist's perspective. 2001;33:3-9 (Concise Review)
Schiff E (see Perrillo RP et al). 2001;33: 424-432
Schinazi RF (see Stuyver LJ et al). 2001;33: 751-757 (Special Article)
Schmidt F (see Kluge R et al). 2001;33: 1029-1035
Schmidtke G (see Moradpour D et al). 2001;33:1282-1287
Schmitt M, Kubitz R, Lizun S, Wettstein M, Häussinger D. Regulation of the dynamic localization of the rat Bsep gene-encoded bile salt export pump by anisoosmolarity. 2001;33:509-518
Schmitz V (see Barajas M et al). 2001;33: 52-61
Schnur J (see Nagy P et al). 2001;33:339-345
Schuetz JD (see Ros JE et al). 2001;33: 1425-1431
Schuppan D, Hahn EG. Clinical studies with silymarin: Fibrosis progression is the end point. 2001;33:483-484 (Correspondence)
Schuurmans MM, Hoffmann F, Lindberg RL, Meyer UA. Zinc mesoporphyrin represses induced hepatic 5-aminolevulinic acid synthase and reduces heme oxygenase activity in a mouse model of acute hepatic porphyria. 2001;33:1217-1222
Schwabe RF, Bennett BL, Manning AM, Brenner DA. Differential role of IκB kinase 1 and 2 in primary rat hepatocytes. 2001;33:81-90
Seddaiu MA (see De Miglio MR et al). 2001;33:1110-1117
Seeff LB, Hollinger FB, Alter HJ, Wright EC, Cain CMB, Buskell ZJ, Ishak KG, Iber FL, Toro D, Samanta A, Koretz RL, Perrillo RP. Long-term mortality and morbidity of transfusion-associated non-A, non-B, and type C hepatitis: A National Heart, Lung, and Blood Institute Collaborative Study. 2001;33:455-463
Seese A (see Kluge R et al). 2001;33:1029-1035
Seigneurin JM (see Stefas I et al). 2001;33: 207-217
Sekihara H (see Sobao Y et al). 2001;33: 287-294
Sell S. Heterogeneity and plasticity of hepatocyte lineage cells. 2001;33:738-750 (Special Article)
Selzner M (see Clavien P-A et al). 2001;33: 1555-1556 (Correspondence)
Senderowicz AM (see Bachrich T et al). 2001;33:1053-1059
Serrador JM (see Lara-Pezzi E et al). 2001; 33:1270-1281
Settmacher U (see Jonas S et al). 2001;33: 1080-1086
Shanahan F (see Fanning LJ et al). 2001; 33:224-230
Shiau A-L (see Fan Y-F et al). 2001;33:277-286
Shiffman M (see Reddy KR et al). 2001;33: 433-438
Shih JW-K (see Umemura T et al). 2001; 33:1303-1311
Shimada M (see Taguchi K-i et al). 2001; 33:1118-1123
Shimizu M, Hara A, Okuno M, Matsuno H, Okada K, Ueshima S, Matsuo O, Niwa M, Akita K, Yamada Y, Yoshimi N, Uematsu T, Kojima S, Friedman SL, Moriwaki H, Mori H. Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis. 2001;33: 569-576
Shimotohno K (see Fukuda K et al). 2001; 33:159-165
Shindo M, Hamada K, Oda Y, Okuno T. Long-term follow-up study of sustained biochemical responders with interferon therapy. 2001;33: 1299-1302
Shiomi S (see Makino N et al). 2001;33:32-42

—(*see* Nishiguchi S et al). 2001;33:241-247
Shirota Y (*see* Kawai HF et al). 2001;33:676-691
—(*see* Qin W et al). 2001;33:728-737
—, Kaneko S, Honda M, Kawai HF, Kobayashi K. Identification of differentially expressed genes in hepatocellular carcinoma with cDNA microarrays. 2001;33:832-840
Shoda J, Oda K, Suzuki H, Sugiyama Y, Ito K, Cohen DE, Feng L, Kamiya J, Nimura Y, Miyazaki H, Kano M, Matsuzaki Y, Tanaka N. Etiologic significance of defects in cholesterol, phospholipid, and bile acid metabolism in the liver of patients with intrahepatic calculi. 2001;33:1194-1205
Simile MM (*see* De Miglio MR et al). 2001;33:1110-1117
Simon F (*see* Fouassier L et al). 2001;33:166-176
Sinclair JF (*see* Sinclair PR et al). 2001;33:406-412
Sinclair PR, Gorman N, Walton HS, Bement WJ, Sinclair JF, Gerhard GS, Szakacs JG, Andrews NC, Levy JE. Uroporphyria in Hfe mutant mice given 5-aminolevulinate: A new model of Fe-mediated porphyria cutanea tarda. 2001;33:406-412
Sing GK, Li D, Chen X, Macnaughton T, Lichanska AM, Butterworth L, Ladhams A, Cooksley G. A molecular comparison of T lymphocyte populations infiltrating the liver and circulating in the blood of patients with chronic hepatitis B: Evidence for antigen-driven selection of a public complementarity-determining region 3 (CDR3) motif. 2001;33:1288-1298
Slooff MJH (*see* Van Den Heuvel MC et al). 2001;33:1387-1393
Smith C (*see* Reddy KR et al). 2001;33:433-438
Smith-Wilkaitis N (*see* Di Bisceglie AM et al). 2001;33:704-707
Sobao Y, Tomiyama H, Nakamura S, Sekihara H, Tanaka K, Takiguchi M. Visual demonstration of hepatitis C virus-specific memory $CD8^+$ T-cell expansion in patients with acute hepatitis C. 2001;33:287-294
Sokol RJ (*see* Yerushalmi B et al). 2001;33:616-626
Sola D (*see* Lozeva V et al). 2001;33:1370-1376
Solé M (*see* Llovet JM et al). 2001;33:1124-1129
Sommer G (*see* Dandri M et al). 2001;33:981-988
Soroka CJ, Lee JM, Azzaroli F, Boyer JL. Cellular localization and up-regulation of multidrug resistance-associated protein 3 in hepatocytes and cholangiocytes during obstructive cholestasis in rat liver. 2001;33:783-791
Sottini A (*see* Umemura T et al). 2001;33:1303-1311
Spahr L, Villeneuve J-P, Tran HK, Pomier-Layrargues G. Furosemide-induced natriuresis as a test to identify cirrhotic patients with refractory ascites. 2001;33:28-31
Splendore R (*see* Carini R et al). 2001;33:131-139
St-Pierre MV (*see* Noe J et al). 2001;33:1223-1231
Stalgis C (*see* Bekkering FC et al). 2001;33:419-423
Stange EF (*see* Fuchs M et al). 2001;33:1451-1459
Stauber RE (*see* Zollner G et al). 2001;33:633-646
Steegers EAP (*see* te Morsche RHM et al). 2001;33:765 (Correspondence)
Stefas I, Rucheton M, D'Angeac AD, Morel-Baccard C, Seigneurin JM, Zarski JP, Martin M, Cerutti M, Bossy JP, Missé D, Graafland H, Veas F. Hepatitis B virus Dane particles bind to human plasma apolipoprotein H. 2001;33:207-217
Steinmüller T (*see* Jonas S et al). 2001;33:1080-1086
Stenius U (*see* Hogberg J et al). 2001;33:480-481 (Correspondence)
Stevenson F (*see* Migliaccio C et al). 2001;33:792-801
Stieger B (*see* Cao J et al). 2001;33:140-147
—(*see* Rippin SJ et al). 2001;33:776-782
Stolz DB (*see* Monga SPS et al). 2001;33:1098-1109
—(*see* Wack KE et al). 2001;33:363-378; 1016 (Correction)
Strain AJ (*see* Auth MKH et al). 2001;33:519-529
Strassburg CP (*see* Vogel A et al). 2001;33:1047-1052
—(*see* Volkmann M et al). 2001;33:591-596
Strathdee SA (*see* Mehta SH et al). 2001;33:1554 (Correspondence)
Streetz K (*see* Ros JE et al). 2001;33:1425-1431
Strickland GT (*see* Habib M et al). 2001;33:248-253
Stumptner C (*see* Zollner G et al). 2001;33:633-646
Stutzin A (*see* Barros LF et al). 2001;33:114-122
Stuyver LJ, Locarnini SA, Lok A, Richman DD, Carman WF, Dienstag JL, Schinazi RF, HEP DART International Committee. Nomenclature for antiviral-resistant human hepatitis B virus mutations in the polymerase region. 2001;33:751-757 (Special Article)
Su I-J (*see* Fan Y-F et al). 2001;33:277-286
Subirá D (*see* Rico MA et al). 2001;33:295-300
Sudilovsky EC (*see* Sun M et al). 2001;33:1415-1424
Sudilovsky O (*see* Sun M et al). 2001;33:1415-1424
Sudo Y (*see* Harada K et al). 2001;33:530-536
Suematsu M (*see* Makino N et al). 2001;33:32-42
—(*see* Taniai H et al). 2001;33:894-901
Sueyoshi T (*see* Sugatani J et al). 2001;33:1232-1238
Sugatani J, Kojima H, Ueda A, Kakizaki S, Yoshinari K, Gong Q-H, Owens IS, Negishi M, Sueyoshi T. The phenobarbital response enhancer module in the human bilirubin UDP-glucuronosyltransferase *UGT1A1* gene and regulation by the nuclear receptor CAR. 2001;33:1232-1238
Sugimachi K (*see* Makino N et al). 2001;33:32-42
—(*see* Taguchi K-i et al). 2001;33:1118-1123
Sugimoto R (*see* Uchimura K et al). 2001;33:91-99
Sugiura Y (*see* Makino N et al). 2001;33:32-42
Sugiyama T (*see* Ichihara T et al). 2001;33:948-955
Sugiyama Y (*see* Shoda J et al). 2001;33:1194-1205
Sulkowski MS (*see* Mehta SH et al). 2001;33:1554 (Correspondence)
Sun M, Eshelman JR, Ferrell LD, Jacobs G, Sudilovsky EC, Tuthill R, Hussein MR, Sudilovsky O. An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region. 2001;33:1415-1424
Sutherland E (*see* Fouassier L et al). 2001;33:166-176
Suzuki H (*see* Shoda J et al). 2001;33:1194-1205
Suzuki T (*see* Taniai H et al). 2001;33:894-901
Svegliati-Baroni G, Ridolfi F, Di Sario A, Saccomanno S, Bendia E, Benedetti A, Greenwel P. Intracellular signaling pathways involved in acetaldehyde-induced collagen and fibronectin gene expression in human hepatic stellate cells. 2001;33:1130-1140
Sysko LR (*see* Wack KE et al). 2001;33:363-378; 1016 (Corrections)
Szakacs JG (*see* Sinclair PR et al). 2001;33:406-412
Szklo M (*see* Mehta SH et al). 2001;33:1554 (Correspondence)

T

Tackney C (*see* Pancholi P et al). 2001;33:448-454
Tadlock L, Patel T. Involvement of p38 mitogen-activated protein kinase signaling in transformed growth of a cholangiocarcinoma cell line. 2001;33:43-51
Tafi R (*see* Zucchelli S et al). 2001;33:692-703
Tag CG (*see* Breitkopf K et al). 2001;33:387-396

Taguchi K-i, Aishima S-i, Asayama Y, Kajiyama K, Kinukawa N, Shimada M, Sugimachi K, Tsuneyoshi M. The role of p27kip1 protein expression on the biological behavior of intrahepatic cholangiocarcinoma. 2001;33:1118-1123
Taioli E (see Fracanzani AL et al). 2001;33:647-651
Takagi T (see Koga H et al). 2001;33:1087-1097
Takahashi C (see Furumoto K et al). 2001;33:189-195
Takai E (see Okabe K et al). 2001;33:877-886
Takamura M, Sakamoto M, Genda T, Ichida T, Asakura H, Hirohashi S. Inhibition of intrahepatic metastasis of human hepatocellular carcinoma by Rho-associated protein kinase inhibitor Y-27632. 2001;33:577-581
Takao T (see Haruna Y et al). 2001;33:977-980
Takasawa S (see Harada K et al). 2001;33:1036-1042
Takeda T (see Nishiguchi S et al). 2001;33:241-247
Takiguchi M (see Sobao Y et al). 2001;33:287-294
Tam SP (see Tangkivanich P et al). 2001;33:74-80
Tamori A (see Nishiguchi S et al). 2001;33:241-247
Tanaka K (see Sobao Y et al). 2001;33:287-294
Tanaka M (see Nishiguchi S et al). 2001;33:241-247
Tanaka N (see Shoda J et al). 2001;33:1194-1205
Tanaka Y (see Umemura T et al). 2001;33:1303-1311
Tang J (see Yee LJ et al). 2001;33:708-712
Tangkivanich P, Tam SP, Yee HF Jr. Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton. 2001;33:74-80
Taniai H, Suematsu M, Suzuki T, Norimizu S, Hori R, Ishimura Y, Nimura Y. Endothelin B receptor-mediated protection against anoxia-reoxygenation injury in perfused rat liver: Nitric oxide-dependent and -independent mechanisms. 2001;33:894-901
Taniguchi E (see Koga H et al). 2001;33:1087-1097
—(see Sakisaka S et al). 2001;33:1460-1468
Tatsumi N (see Nishiguchi S et al). 2001;33:241-247
Taub R (see DeAngelis RA et al). 2001;33:915-924
—(see Li W et al). 2001;33:1377-1386
Tavill AS. Diagnosis and management of hemochromatosis. 2001;33:1321-1328 (AASLD Practice Guidelines)
Taylor DR. Hepatitis C virus and interferon resistance: It's more than just PKR. 2001;33:1547-1549 (Editorial)
Taylor P (see Pancholi P et al). 2001;33:448-454
te Morsche RHM, Zusterzeel PLM, Raijmakers MTM, Roes E-M, Steegers EAP, Peters WHM. Polymorphisms in the promoter region of the bilirubin UDP-glucuronosyltransferase (Gilbert's syndrome) in healthy Dutch subjects. 2001;33:765 (Correspondence)
Tebar F (see Calvo M et al). 2001;33:1259-1269
Tennant BC (see Nakamura I et al). 2001;33:439-447
—(see Peek SF et al). 2001;33:254-266
Teo E-K, Ostapowicz G, Hussain M, Lee WM, Fontana RJ, Lok ASF, US ALF Study Group. Hepatitis B infection in patients with acute liver failure in the United States. 2001;33:972-976
Teramoto T (see Nagy P et al). 2001;33:339-345
Terrault N, Ma M. Adding to the hepatitis B virus treatment arsenal: α-glucosidase inhibitor derivatives. 2001;33:1544-1546 (Editorial)
Testa R (see Giannini E et al). 2001;33:313 (Correspondence)
Thalhammer T (see Bachrich T et al). 2001;33:1053-1059
Theiler G (see Fainboim L et al). 2001;33:1512-1517
Theret N (see Musso O et al). 2001;33:868-876
Therneau TM (see Kamath PS et al). 2001;33:464-470 (Special Article)
Thimme R (see Chang K-M et al). 2001;33:267-276
Thomas DL. Microbial rank. 2001;33:1334-1335 (Editorial)
—(see Mehta SH et al). 2001;33:1554 (Correspondence)
Thompson J (see Di Bisceglie AM et al). 2001;33:704-707
Thompson RK (see Migliaccio C et al). 2001;33:792-801
Thorgeirsson SS (see Nagy P et al). 2001;33:339-345
Tinel M (see Haouzi D et al). 2001;33:1181-1188
Tiribelli C (see Persico M et al). 2001;33:627-632
Todo S (see Sakisaka S et al). 2001;33:1460-1468
Tomiyama H (see Sobao Y et al). 2001;33:287-294
Torella R (see Persico M et al). 2001;33:627-632
Toro D (see Seeff LB et al). 2001;33:455-463
Tõrõk E (see Dandri M et al). 2001;33:981-988
Toshkov IA (see Peek SF et al). 2001;33:254-266
Tosti-Guerra C (see Efsen E et al). 2001;33:713-721
Tran A (see Ferret P-J et al). 2001;33:1173-1180
Tran HK (see Spahr L et al). 2001;33:28-31
Trauner M (see Zollner G et al). 2001;33:633-646
Trautwein C (see Ros JE et al). 2001;33:1425-1431
—(see Volkmann M et al). 2001;33:591-596
Trébéden H (see Ferret P-J et al). 2001;33:1173-1180
Trevisani F (see Vendemiale G et al). 2001;33:808-815
Tripodi M-F (see Adinolfi LE et al). 2001;33:1358-1364
Tseng C-TK, Miskovsky E, Houghton M, Klimpel GR. Characterization of liver T-cell receptor $\gamma\delta^+$ T cells obtained from individuals chronically infected with hepatitis C virus (HCV): Evidence for these T cells playing a role in the liver pathology associated with HCV infections. 2001;33:1312-1320
Tsolas O (see Bairaktari E et al). 2001;33:1365-1369
Tsubouchi H (see Nakama T et al). 2001;33:1441-1450
Tsuchihara K (see Fukuda K et al). 2001;33:159-165
Tsujinoue H (see Yoshiji H et al). 2001;33:841-847
Tsuneyama K (see Harada K et al). 2001;33:530-536
Tsuneyoshi M (see Taguchi K-i et al). 2001;33:1118-1123
Tulliez M (see Ferret P-J et al). 2001;33:1173-1180
Tuomisto L (see Lozeva V et al). 2001;33:1370-1376
Turlin B (see Musso O et al). 2001;33:868-876
Tuthill R (see Sun M et al). 2001;33:1415-1424

U

Uchida T (see Ueno Y et al). 2001;33:357-362
Uchimura K, Nakamuta M, Enjoji M, Irie T, Sugimoto R, Muta T, Iwamoto H, Nawata H. Activation of retinoic X receptor and peroxisome proliferator-activated receptor-γ inhibits nitric oxide and tumor necrosis factor-α production in rat Kupffer cells. 2001;33:91-99
Uchino S (see Okabe K et al). 2001;33:877-886
Ueda A (see Sugatani J et al). 2001;33:1232-1238
Ueda T (see Nishiguchi S et al). 2001;33:241-247
Uematsu T (see Shimizu M et al). 2001;33:569-576
Ueno T (see Koga H et al). 2001;33:1087-1097
Ueno Y, Moriyama M, Uchida T, Arakawa Y. Irregular regeneration of

hepatocytes is an important factor in the hepatocarcinogenesis of liver disease. 2001;33:357-362
Ueshima S (see Shimizu M et al). 2001;33:569-576
Uezato T (see Ichihara T et al). 2001;33:948-955
Uggeri J (see Urbani S et al). 2001;33:1533-1543
Umemura T, Yeo AET, Sottini A, Moratto D, Tanaka Y, Wang RY-H, Shih JW-K, Donahue P, Primi D, Alter HJ. SEN virus infection and its relationship to transfusion-associated hepatitis. 2001;33:1303-1311
Urbani S (see Boni C et al). 2001;33:963-971
—, Uggeri J, Matsuura Y, Miyamura T, Penna A, Boni C, Ferrari C. Identification of immunodominant hepatitis C virus (HCV)-specific cytotoxic T-cell epitopes by stimulation with endogenously synthesized HCV antigens. 2001;33:1533-1543
US ALF Study Group (see Teo E-K et al). 2001;33:972-976
Utili R (see Adinolfi LE et al). 2001;33:1358-1364

V

Vadrot N (see Haouzi D et al). 2001;33:1181-1188
Vaeyens F (see Geerts A et al). 2001;33:177-188
Vagts DA (see Hoetzel A et al). 2001;33:925-937
Valente AJ (see Efsen E et al). 2001;33:713-721
Valenzuela YM (see Yagi T et al). 2001;33:1432-1440
Van de Water J (see Migliaccio C et al). 2001;33:792-801
—, Ishibashi H, Coppel RL, Gershwin ME. Molecular mimicry and primary biliary cirrhosis: Premises not promises. 2001;33:771-775 (Concise Review)
Van Den Heuvel MC, Slooff MJH, Visser L, Muller M, De Jong KP, Poppema S, Gouw ASH. Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers. 2001;33:1387-1393
van der Putten J (see Miquel JF et al). 2001;33:328-332; 1016 (Correction)
van Leeuwen DJ (see Yee LJ et al). 2001;33:708-712
Vay D (see Carini R et al). 2001;33:131-139
Veas F (see Stefas I et al). 2001;33:207-217
Veissière D (see Chignard N et al). 2001;33:496-503
Velasco MCC (see Fainboim L et al). 2001;33:1512-1517
Vendemiale G, Grattagliano I, Caraceni P, Caraccio G, Domenicali M, Dall'Agata M, Trevisani F, Guerrieri F, Bernardi M, Altomare E. Mitochondrial oxidative injury and energy metabolism alteration in rat fatty liver: Effect of the nutritional status. 2001;33:808-815
Venook A (see Yao FY et al). 2001;33:1394-1403
Ventrella F (see Mangia A et al). 2001;33:989-993
Vergani D (see Gregorio GV et al). 2001;33:544-553
Vilana R (see Llovet JM et al). 2001;33:1124-1129
Villani MR (see Mangia A et al). 2001;33:989-993
Villeneuve J-P (see Spahr L et al). 2001;33:28-31
Virdis P (see De Miglio MR et al). 2001;33:1110-1117
Visser L (see Van Den Heuvel MC et al). 2001;33:1387-1393
Vogel A, Liermann H, Harms A, Strassburg CP, Manns MP, Obermayer-Straub P. Autoimmune regulator AIRE: Evidence for genetic differences between autoimmune hepatitis and hepatitis as part of the autoimmune polyglandular syndrome type 1. 2001;33:1047-1052
Voit T (see Auth MKH et al). 2001;33:519-529
Volkmann M, Martin L, Bäurle A, Heid H, Strassburg CP, Trautwein C, Fiehn W, Manns MP. Soluble liver antigen: Isolation of a 35-kd recombinant protein (SLA-p35) specifically recognizing sera from patients with autoimmune hepatitis. 2001;33:591-596
Vore M (see Cao J et al). 2001;33:140-147

W

Wack KE, Ross MA, Zegarra V, Sysko LR, Watkins SC, Stolz DB. Sinusoidal ultrastructure evaluated during the revascularization of regenerating rat liver. 2001;33:363-378; 1016 (Correction)
Walton HS (see Sinclair PR et al). 2001;33:406-412
Wang H-C (see Fan Y-F et al). 2001;33:277-286
Wang RY-H (see Umemura T et al). 2001;33:1303-1311
Wang S-S (see Chan C-C et al). 2001;33:816-820
Wang X, Hung N-J, Costa RH. Earlier expression of the transcription factor HFH-11B diminishes induction of $p21^{CIP1/WAF1}$ levels and accelerates mouse hepatocyte entry into S-phase following carbon tetrachloride liver injury. 2001;33:1404-1414
Watkins SC (see Wack KE et al). 2001;33:363-378; 1016 (Correction)
Watson JJ (see Yao FY et al). 2001;33:1394-1403
Webb DJ (see Helmy A et al). 2001;33:826-831
Weber S (see Kroneberger B et al). 2001;33:1518-1526
Webster CRL, Anwer MS. Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection agaisnt bile acid-induced apoptosis in cultured rat hepatocytes. 2001;33:608-615
Wei W (see Qin W et al). 2001;33:728-737
Weill B (see Ferret P-J et al). 2001;33:1173-1180
Wells FV (see Peek SF et al). 2001;33:254-266
Welzel M (see Murphy D et al). 2001;33:346-356
Wenzel UO (see Efsen E et al). 2001;33:713-721
Wettstein M (see Schmitt M et al). 2001;33:509-518
Whelton M (see Fanning LJ et al). 2001;33:224-230
Wiedenmann B (see Murphy D et al). 2001;33:346-356
Wielant A (see Geerts A et al). 2001;33:177-188
Wiesner RH (see Kamath PS et al). 2001;33:464-470 (Special Article)
Will H (see Dandri M et al). 2001;33:981-988
Winnock M, Rancinan C, de Ledinghen V, Couzigou P, Chêne G. What hides behind an intention-to-treat analysis? 2001;33:1014 (Correspondence)
Wong JB (see Cheng SJ et al). 2001;33:231-240
Woodward J, Neuberger J. Autoimmune overlap syndromes. 2001;33:994-1002 (Clinical Challenge)
Worman H (see Parikh-Patel A et al). 2001;33:16-21
Wright EC (see Seeff LB et al). 2001;33:455-463
Wright T (see Perrillo RP et al). 2001;33:424-432
Wright TL (see Orland JR et al). 2001;33:321-327 (Concise Review)
—(see Reddy KR et al). 2001;33:433-438
Wu P-C (see Leung NWY et al). 2001;33:1527-1532
Wu V. Beefing up replication of the hepatitis C virus. 2001;33:1550-1551 (Hepatology Elsewhere)

Y

Yagi T, Hardin JA, Valenzuela YM, Miyoshi H, Gores GJ, Nyberg SL. Caspase inhibition reduces apoptotic death of cryopreserved porcine hepatocytes. 2001;33:1432-1440
Yamada S (see Okabe K et al). 2001;33:877-886
Yamada Y (see Shimizu M et al). 2001;33:569-576
Yamaguchi Y (see Okabe K et al). 2001;33:877-886

Yamamoto S (*see* Okada S et al). 2001;33: 481-482 (Correspondence)
Yamashita T (*see* Qin W et al). 2001;33: 728-737
Yamazaki K, Gleich GJ, Kita H. Bile acids induce eosinophil degranulation by two different mechanisms. 2001;33: 582-590
Yáñez-Mó M (*see* Lara-Pezzi E et al). 2001; 33:1270-1281
Yang J, Chen S, Huang L, Michalopoulos GK, Liu Y. Sustained expression of naked plasmid DNA encoding hepatocyte growth factor in mice promotes liver and overall body growth. 2001;33:848-859
Yang X-L (*see* Ichihara T et al). 2001;33: 948-955
Yano H (*see* Koga H et al). 2001;33:1087-1097
Yao FY, Ferrell L, Bass NM, Watson JJ, Bacchetti P, Venook A, Ascher NL, Roberts JP. Liver transplantation for hepatocellular carcinoma: Expansion of the tumor size limits does not adversely impact survival. 2001;33: 1394-1403
Yao W-J (*see* Fan Y-F et al). 2001;33:277-286
Yee HF Jr (*see* Tangkivanich P et al). 2001; 33:74-80
—. Ca^{2+} and Rho signaling pathways: Two paths to hepatic stellate cell contraction. 2001;33:1007-1008 (Editorial)
Yee LJ, Tang J, Gibson AW, Kimberly R, van Leeuwen DJ, Kaslow RA. Interleukin 10 polymorphisms as predictors of sustained response in antiviral therapy for chronic hepatitis C infection. 2001;33:708-712
Yeh T-S (*see* Harada K et al). 2001;33: 1036-1042
Yeo AET (*see* Umemura T et al). 2001;33: 1303-1311
Yerushalmi B, Dahl R, Devereaux MW, Gumpricht E, Sokol RJ. Bile acid-induced rat hepatocyte apoptosis is inhibited by antioxidants and blockers of the mitochondrial permeability transition. 2001;33:616-626
Yin Z-L (*see* Le Couteur DG et al). 2001; 33:537-543
Yoshii J (*see* Yoshiji H et al). 2001;33:841-847
Yoshiji H, Kuriyama S, Hicklin DJ, Huber J, Yoshii J, Ikenaka Y, Noguchi R, Nakatani T, Tsujinoue H, Fukui H. The vascular endothelial growth factor receptor KDR/Flk-1 is a major regulator of malignant ascites formation in the mouse hepatocellular carcinoma model. 2001;33:841-847
Yoshimi N (*see* Shimizu M et al). 2001;33: 569-576
Yoshinari K (*see* Sugatani J et al). 2001;33: 1232-1238
Yotsuyanagi H (*see* Orito E et al). 2001;33: 218-223
Younossi Z (*see* Saadeh S et al). 2001;33: 196-200
Yun CHC (*see* Fouassier L et al). 2001;33: 166-176

Z

Zamora D (*see* Lara-Pezzi E et al). 2001;33: 1270-1281
Zanlungo S, Nervi F. The ACAT2 gene encodes a gatekeeper of intestinal cholesterol absorption that regulates cholesterolemia and gallstone disease. 2001;33:760-761 (Hepatology *Elsewhere*)
Zarski JP (*see* Stefas I et al). 2001;33:207-217
Zatloukal K (*see* Zollner G et al). 2001;33: 633-646
Zegarra V (*see* Wack KE et al). 2001;33: 363-378; 1016 (Correction)
Zelazko M (*see* Fainboim L et al). 2001;33: 1512-1517
Zen Y (*see* Harada K et al). 2001;33:1036-1042
Zenz R (*see* Zollner G et al). 2001;33:633-646
Zerrahn J (*see* Emoto M et al). 2001;33: 887-893
Zeuzem S (*see* Kroneberger B et al). 2001; 33:1518-1526
Zhang J-L (*see* Okabe K et al). 2001;33: 877-886
Zhang M (*see* Liu L et al). 2001;33:722-727
Zhang Y (*see* Zhou W et al). 2001;33:902-914
Zhou W, Zhang Y, Hosch MS, Lang A, Zwacka RM, Engelhardt JF. Subcellular site of superoxide dismutase expression differentially controls AP-1 activity and injury in mouse liver following ischemia/reperfusion. 2001;33:902-914
Zollner G, Fickert P, Zenz R, Fuchsbichler A, Stumptner C, Kenner L, Ferenci P, Stauber RE, Krejs GJ, Denk H, Zatloukal K, Trauner M. Hepatobiliary transporter expression in percutaneous liver biopsies of patients with cholestatic liver diseases. 2001;33:633-646
Zucchelli S, Roccasecca RM, Meola A, Ercole BB, Tafi R, Dubuisson J, Galfré G, Cortese R, Nicosia A. Mimotypes of the hepatitis C virus hypervariable region 1, but not the natural sequences, induce cross-reactive antibody response by genetic immunization. 2001;33:692-703
Zusterzeel PLM (*see* te Morsche RHM et al). 2001;33:765 (Correspondence)
Zwacka RM (*see* Zhou W et al). 2001;33: 902-914

Subject Index to Volume 33*

A

ACAT2 gene
The ACAT2 gene encodes a gatekeeper of intestinal cholesterol absorption that regulated cholesterolemia and gallstone disease (Zanlungo and Nervi). 2001;33:760-761 (Hepatology *Elsewhere*)

Acetaminophen toxicity
Detoxification of reactive oxygen species by a nonpeptidyl mimic of superoxide dismutase cures acetaminophen-induced acute liver failure in the mouse (Ferret et al). 2001;33:1173-1180

Acto-myosin cytoskeleton
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80

Acute liver disease
Acute hepatitis C (Orland et al). 2001; 33:321-327 (Concise Review)
Detoxification of reactive oxygen species by a nonpeptidyl mimic of superoxide dismutase cures acetaminophen-induced acute liver failure in the mouse (Ferret et al). 2001;33:1173-1180
Hepatitis B infection in patients with acute liver failure in the United States (Teo et al). 2001;33:972-976

Adenoviruses
Cytochrome P450 regulation by hepatocyte nuclear factor 4 in human hepatocytes: A study using adenovirus-mediated antisense targeting (Jover et al). 2001;33:668-675
Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12 (Barajas et al). 2001; 33:52-61

Aflatoxin B_1
Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α (Barton et al). 2001;33:66-73

Aging
Pseudocapillarization and associated energy limitation in the aged rat liver (Le Couteur et al). 2001;33: 537-543

Alanine aminotransferase
Chronic hepatitis C in different populations: Similar patterns of alanine aminotransferase alteration characterize similar clinical subgroups (Giannini and Testa). 2001;33:313 (Correspondence)

Alcohol-related liver disease
Promoter polymorphism of the CD14 endotoxin receptor gene as a risk factor for alcoholic liver disease (Järveläinen et al). 2001;33:1148-1153
The CYP2E1 knockout delivers another punch: First ASH, now NASH (Maher). 2001;33:311-312 (Hepatology *Elsewhere*)

Allograft rejection
Central venulitis in liver allografts: Considerations of differential diagnosis (Demetris). 2001;33:1329-1330 (Editorial)
Central venulitis in pediatric liver allografts (Krasinskas et al). 2001; 33:1141-1147
Contact sensitization pretransplantation predicts acute hepatic allograft rejection (Bathgate et al). 2001;33: 1043-1046

Alpha-fetoprotein
α-fetoprotein-producing hepatoma cell lines share common expression profiles of genes in various categories demonstrated by cDNA microarray analysis (Kawai et al). 2001;33:676-691

Amantadine
A randomized trial of amantadine and interferon versus interferon alone as initial treatment for chronic hepatitis C (Mangia et al). 2001;33: 989-993

American Association for the Study of Liver Diseases (AASLD)
Diagnosis and management of hemochromatosis (Tavill). 2001;33: 1321-1328 (AASLD Practice Guidelines)

Aminolevulinate, 5-
Uroporphyria in *Hfe* mutant mice given 5-aminolevulinate: A new model of Fe-mediated porphyria cutanea tarda (Sinclair et al). 2001;33:406-412
Zinc mesoporphyrin represses induced hepatic 5-aminolevulinic acid synthase and reduces heme oxygenase activity in a mouse model of acute hepatic porphyria (Schuurmans et al). 2001;33:1217-1222

Amniocentesis
Amniocentesis as a possible risk factor for mother-to-infant transmission of hepatitis C virus (Minola et al). 2001;33:1341 (Correspondence)

Anions, organic
Differential effects of microsomal enzyme-inducing chemicals on the hepatic expression of rat organic anion transporters, OATP1 and OATP2 (Rausch-Derra et al). 2001; 33:1469-1479
Differential regulation of hepatic bile salt and organic anion transported in pregnant and postpartum rats and the role of prolactin (Cao et al). 2001;33:140-147
Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes (Rippin et al). 2001;33:776-782
Hepatic uptake of organic anions affects the plasma bilirubin level in subjects with Gilbert's syndrome mutations in *UGT1A1* (Persico et al). 2001;33: 627-632
Tauroursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver (Beuers et al). 2001;33:1206-1216

Anti-N-CAM antibody
Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393

Anti-OV6 antibody
Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393

Antigens
Soluble liver antigen: Isolation of a 35-kd recombinant protein (SLA-p35) specifically recognizing sera from patients with autoimmune hepatitis (Volkmann et al). 2001;33:591-596

Antimitochondrial autoantibodies
Heterogeneous response of antimitochondrial autoantibodies and bile duct apical staining

*January, 1-318; February, 319-486; March, 487-768; April, 769-1018; May, 1019-1346; June, 1347-1602.

monoclonal antibodies to pyruvate dehydrogenase complex E2: The molecule versus the mimic (Migliaccio et al). 2001;33:792-801

Antioxidants
Bile acid-induced rat hepatocyte apoptosis is inhibited by antioxidants and blockers of the mitochondrial permeability transition (Yerushalmi et al). 2001; 33:616-626

Apolipoproteins
Hepatitis B virus Dane particles bind to human plasma apolipoprotein H (Stefas et al). 2001;33:207-217

Apoptosis
Bile acid-induced rat hepatocyte apoptosis is inhibited by antioxidants and blockers of the mitochondrial permeability transition (Yerushalmi et al). 2001; 33:616-626
Caspase inhibition reduces apoptotic death of cryopreserved porcine hepatocytes (Yagi et al). 2001;33: 1432-1440
Etoposide prevents apoptosis in mouse liver with D-galactosamine/ lipopolysaccharide-induced fulminant hepatic failure resulting in reduction of lethality (Nakama et al). 2001;33:1441-1450
Fas-induced apoptosis in mouse hepatocytes is dependent on C/EBPβ (Mukherjee et al). 2001;33:1166-1172
Mechanism of cell death during warm hepatic ischemia-reperfusion in rats: Apoptosis or necrosis? (Gujral et al). 2001;33:397-405
Mechanism of hepatocyte death after ischemia: Apoptosis versus necrosis (Clavien et al). 2001;33:1555-1556 (Letter);(Jaeschke et al). 2001;33: 1556-1557 (Reply)
Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis (Shimizu et al). 2001;33:569-576
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615
Prolonged, but not acute, glutathione depletion promotes Fas-mediated mitochondrial permeability transition and apoptosis in mice (Haouzi et al). 2001;33:1181-1188

Ascites
Furosemide-induced natriuresis as a test to identify cirrhotic patients with refractory ascites (Spahr et al). 2001; 33:28-31
The vascular endothelial growth factor receptor KDR/Flk-1 is a major regulator of malignant ascites formation in the mouse hepatocellular carcinoma model (Yoshiji et al). 2001;33:841-847
Treatment of refractory ascites: TIPS or TAPS? (Garcia-Tsao). 2001;33:477-479 (Hepatology *Elsewhere*)

Autoantibodies
Characterization of autoantibodies against uridine-diphosphate glucuronosyltransferase in patients with inflammatory liver diseases (Bachrich et al). 2001;33:1053-1059

Autoimmune hepatitis
Autoimmune hepatitis/sclerosing cholangitis overlap syndrome in childhood: A 16-year prospective study (Gregorio et al). 2001;33:544-553
Autoimmune overlap syndromes (Woodward and Neuberger). 2001; 33:994-1002 (Clinical Challenge)
Autoimmune regulator AIRE: Evidence for genetic differences between autoimmune hepatitis and hepatitis as part of the autoimmune polyglandular syndrome type 1 (Vogel et al). 2001;33:1047-1052
Protracted, but not acute, hepatitis A virus infection is strongly associated with HLA-DRB1*1301, a marker for pediatric autoimmune hepatitis (Fainboim et al). 2001;33:1512-1517
Soluble liver antigen: Isolation of a 35-kd recombinant protein (SLA-p35) specifically recognizing sera from patients with autoimmune hepatitis (Volkmann et al). 2001;33:591-596

Autoimmune polyglandular syndrome type 1
Autoimmune regulator AIRE: Evidence for genetic differences between autoimmune hepatitis and hepatitis as part of the autoimmune polyglandular syndrome type 1 (Vogel et al). 2001;33:1047-1052

Autoimmune regulator AIRE
Autoimmune regulator AIRE: Evidence for genetic differences between autoimmune hepatitis and hepatitis as part of the autoimmune polyglandular syndrome type 1 (Vogel et al). 2001;33:1047-1052

Autonomic deficit
Autonomic deficit in early cirrhosis (Musca et al). 2001;33:482-483 (Correspondence)

B

Bacteria
Molecular identification of bacterial 16S ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is *Propionibacterium acnes* involved in granuloma formation? (Harada et al). 2001;33:530-536

Bacterial endotoxins
Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α (Barton et al). 2001;33:66-73

Baculovirus system
Characterization of the mouse bile salt export pump overexpressed in the baculovirus system (Noe et al). 2001;33:1223-1231

Band ligation
A prospective, randomized trial of butyl cyanoacrylate injection versus band ligation in the management of bleeding gastric varices (Lo et al). 2001;33:1060-1064

Basement membrane
Tumor hepatocytes and basement membrane-producing cells specifically express two different forms of the endostatin precursor, collagen XVIII, in human liver cancers (Musso et al). 2001;33:868-876

Bile
Advancing the bile-ology of cholestatic liver disease (Boyer JL). 2001;33: 758-759 (Editorial)
Detection of hepatitis C virus in the bile and bile duct epithelial cells of hepatitis C virus-infected patients (Haruna et al). 2001;33:977-980
Got bile? (Denson). 2001;33:476 (Hepatology *Elsewhere*)
Mice and men: Are they bile-ologically different? (Arrese and Ananthanarayanan). 2001;33:1551-1553 (Hepatology *Elsewhere*)

Bile acids
Bile acid-induced rat hepatocyte apoptosis is inhibited by antioxidants and blockers of the mitochondrial permeability transition (Yerushalmi et al). 2001; 33:616-626
Bile acids induce eosinophil degranulation by two different mechanisms (Yamazaki et al). 2001; 33:582-590
Bile acid transport and regulating functions in the human biliary epithelium (Chignard et al). 2001; 33:496-503
Effects of treatment with deoxycholic acid and chenodeoxycholic acid on the hepatic synthesis of cholesterol and bile acids in healthy subjects (Einarrson et al). 2001;33:1189-1193
Etiologic significance of defects in cholesterol, phospholipid, and bile acid metabolism in the liver of patients with intrahepatic calculi (Shoda et al). 2001;33:1194-1205
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection

against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615
Short-term regulation of bile acid uptake by microfilament-dependent translocation of rat NTCP to the plasma membrane (Dranoff et al). 2001;33:1558 (Correction)
Ursodeoxycholic acid administration in patients with cholestasis of pregnancy: Effects on primary bile acids in babies and mothers (Mazzella et al). 2001;33:504-508

Bile ducts
Detection of hepatitis C virus in the bile and bile duct epithelial cells of hepatitis C virus-infected patients (Haruna et al). 2001;33:977-980
Heterogeneous response of antimitochondrial autoantibodies and bile duct apical staining monoclonal antibodies to pyruvate dehydrogenase complex E2: The molecule versus the mimic (Migliaccio et al). 2001;33:792-801
Positron emission tomography with [^{18}F]fluoro-2-deoxy-D-glucose for diagnosis and staging of bile duct cancer (Kluge et al). 2001;33:1029-1035

Bile salts
Characterization of the mouse bile salt export pump overexpressed in the baculovirus system (Noe et al). 2001;33:1223-1231
Differential regulation of hepatic bile salt and organic anion transported in pregnant and postpartum rats and the role of prolactin (Cao et al). 2001;33:140-147
Regulation of the dynamic localization of the rat Bsep gene-encoded bile salt export pump by anisoosmolarity (Schmitt et al). 2001;33:509-519

Biliary cirrhosis, primary
Alterations in tight junctions differ between primary biliary cirrhosis and primary sclerosing cholangitis (Sakisaka et al). 2001;33:1460-1468
Collagen type Iα1 and vitamin D receptor gene polymorphisms and bone mass in primary biliary cirrhosis (Parés et al). 2001;33:554-560
Molecular identification of bacterial 16S ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is *Propionibacterium acnes* involved in granuloma formation? (Harada et al). 2001;33:530-536
Molecular mimicry and primary biliary cirrhosis: Premises not promises (Van de Water et al). 2001;33:771-775 (Concise Review)
Risk factors for primary biliary cirrhosis in a cohort of patients from the United States (Parikh-Patel et al). 2001;33:16-21
Transplantation for primary biliary cirrhosis: Retrospective analysis of 400 patients in a single center (Garcia et al). 2001;33:22-27

Biliary cyst fluid
Biliary cyst fluid from common bile duct-ligated rats stimulates endothelial nitric oxide synthase in pulmonary artery endothelial cells: A potential role in hepatopulmonary syndrome (Liu et al). 2001;33:722-727

Biliary tract
Bile acid transport and regulating functions in the human biliary epithelium (Chignard et al). 2001;33:496-503
Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes (Rippin et al). 2001;33:776-782
Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393
Human REG I gene is up-regulated in intrahepatic cholangiocarcinoma and its precursor lesions (Harada et al). 2001;33:1036-1042
Increased activity in the biliary Con A-binding fraction accounts for the difference in crystallization behavior in bile from Chilean gallstone patients compared with Dutch gallstone patients (Miquel et al). 2001;33:328-332; 1016 (Correction)
Morphogenesis of primary human biliary epithelial cells: Induction in high-density culture or by coculture with autologous human hepatocytes (Auth et al). 2001;33:519-529
Regulation of the dynamic localization of the rat Bsep gene-encoded bile salt export pump by anisoosmolarity (Schmitt et al). 2001;33:509-519

Bilirubin
Hepatic uptake of organic anions affects the plasma bilirubin level in subjects with Gilbert's syndrome mutations in *UGT1A1* (Persico et al). 2001;33:627-632
Polymorphisms in the promoter region of the bilirubin UDP-glucuronosyltransferase (Gilbert's syndrome) in healthy Dutch subjects (te Morsche et al). 2001;33:765 (Correspondence)
The phenobarbital response enhancer module in the human bilirubin UDP-glucuronosyltransferase *UGT1A1* gene and regulation by the nuclear receptor CAR (Sugatani et al). 2001;33:1232-1238

Biopsy, liver
Hepatobiliary transporter expression in percutaneous liver biopsies of patients with cholestatic liver diseases (Zollner et al). 2001;33:633-646
Intrahepatic hepatitis C viral RNA status of serum polymerase chain reaction-negative individuals with histological changes on liver biopsy (Barrett et al). 2001;33:1496-1502
The risks of percutaneous liver biopsy (Falck-Ytter and McCullough). 2001;33:764 (Letter); (Cadranel et al). 2001;33:764 (Reply)
The role of liver biopsy in chronic hepatitis C (Saadeh et al). 2001;33:196-200

Bsep gene
Regulation of the dynamic localization of the rat Bsep gene-encoded bile salt export pump by anisoosmolarity (Schmitt et al). 2001;33:509-519

Butyl cyanoacrylate
A prospective, randomized trial of butyl cyanoacrylate injection versus band ligation in the management of bleeding gastric varices (Lo et al). 2001;33:1060-1064

C

C/EBPβ
Fas-induced apoptosis in mouse hepatocytes is dependent on C/EBPβ (Mukherjee et al). 2001;33:1166-1172

Calcium channels
In vitro and *in vivo* activation of rat hepatic stellate cells results in *de novo* expression of L-type voltage-operated calcium channels (Bataller et al). 2001;33:956-962
Plasma membrane Ca^{2+} release-activated Ca^{2+} channels with a high selectivity for Ca^{2+} identified by patch clamp recording in rat liver cells (Rychkov et al). 2001;33:938-947

Calcium signaling pathway
Ca^{2+} and Rho signaling pathways: Two paths to hepatic stellate cell contraction (Yee). 2001;33:1007-1008 (Editorial)

Calculi, intrahepatic
Etiologic significance of defects in cholesterol, phospholipid, and bile acid metabolism in the liver of patients with intrahepatic calculi (Shoda et al). 2001;33:1194-1205

Calveolae
Morphologic and functional characterization of caveolae in rat liver hepatocytes (Calvo et al). 2001;33:1259-1269

Canalicular plasma membrane
Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes (Rippin et al). 2001;33:776-782
Taurursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and

stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver (Beuers et al). 2001;33:1206-1216

Cancer

Adjuvant interferon for hepatocellular carcinoma (Okada et al). 2001;33: 481-482 (Letter); (Ikeda and Kumada). 2001;33:482 (Reply)

An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region (Sun et al). 2001; 33:1415-1424

Expression of mRNA for DNA methyltransferases and methyl-CpG-binding proteins and DNA methylation status on CpG islands and pericentromeric satellite regions during human hepatocarcinogenesis (Saito et al). 2001;33:561-568

Frequent loss of heterozygosity at the Hcr1 (*hepatocarcinogenesis resistance*) locus on chromosome 10 in primary hepatocellular carcinomas from LFF1 rat strain (De Miglio et al). 2001;33:1110-1117

Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12(Barajas et al). 2001; 33:52-61

Human REG I gene is up-regulated in intrahepatic cholangiocarcinoma and its precursor lesions (Harada et al). 2001;33:1036-1042

Identification of differentially expressed genes in hepatocellular carcinoma with cDNA microarrays (Shirota et al). 2001;33:832-840

Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-iron-related chronic liver disease (Fracanzani et al). 2001;33:647-651

Increased risk of tumor seeding after percutaneous radiofrequency ablation for single hepatocellular carcinoma (Llovet et al). 2001;33: 1124-1129

Increasing incidence and mortality of primary intrahepatic cholangiocarcinoma in the United States (Patel). 2001;33:1353-1357

Inhibition of intrahepatic metastasis of human hepatocellular carcinoma by Rho-associated protein kinase inhibitor Y-27632 (Takamura et al). 2001;33:577-581

Interferon-α delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases (Murphy et al). 2001;33:346-356

Involvement of $p21^{WAF1/Cip1}$, $p27^{Kip1}$, and $p18^{INK4c}$ in troglitazone-induced cell-cycle arrest in human hepatoma cell lines (Koga et al). 2001;33: 1087-1097

Involvement of p38 mitogen-activated protein kinase signaling in transformed growth of a cholangiocarcinoma cell line (Tadlock and Patel). 2001;33:43-51

Irregular regeneration of hepatocytes is an important factor in the hepatocarcinogenesis of liver disease (Ueno et al). 2001;33:357-362

Liver transplantation for hepatocellular carcinoma: Expansion of the tumor size limits does not adversely impact survival (Yao et al). 2001;33:1394-1403

Living donor liver transplantation for early hepatocellular carcinoma: A life-expectancy and cost-effectiveness perspective (Sarasin et al). 2001;33:1073-1079

Positron emission tomography with [^{18}F]fluoro-2-deoxy-D-glucose for diagnosis and staging of bile duct cancer (Kluge et al). 2001;33:1029-1035

Radiofrequency ablation for hepatocellular carcinoma: Help or hazard? (Kato and Reddy). 2001;33: 1336-1337 (Editorial)

Reck gene expression in hepatocellular carcinoma: Correlation with invasion-related clinicopathologic factors and its clinical significance (Furumoto et al). 2001;33:189-195

The role of $p27^{kip1}$ protein expression on the biological behavior of intrahepatic cholangiocarcinoma (Taguchi et al). 2001;33:1118-1123

The vascular endothelial growth factor receptor KDR/Flk-1 is a major regulator of malignant ascites formation in the mouse hepatocellular carcinoma model (Yoshiji et al). 2001;33:841-847

Trends in survival of patients with hepatocellular carcinoma between 1977 and 1996 in the United States (El-Serag et al). 2001;33:62-65

Tumor hepatocytes and basement membrane-producing cells specifically express two different forms of the endostatin precursor, collagen XVIII, in human liver cancers (Musso et al). 2001;33:868-876

Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33: 1080-1086

Carcinogenesis

An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region (Sun et al). 2001; 33:1415-1424

Expression of mRNA for DNA methyltransferases and methyl-CpG-binding proteins and DNA methylation status on CpG islands and pericentromeric satellite regions during human hepatocarcinogenesis (Saito et al). 2001;33:561-568

Heterogeneity and plasticity of hepatocyte lineage cells (Sell). 2001; 33:738-750 (Special Article)

Irregular regeneration of hepatocytes is an important factor in the hepatocarcinogenesis of liver disease (Ueno et al). 2001;33:357-362

Caspase

Caspase inhibition reduces apoptotic death of cryopreserved porcine hepatocytes (Yagi et al). 2001;33: 1432-1440

Catalase

Induction of catalase, alpha, and microsomal glutathione S-transferase in CYP2E1 overexpressing HepG2 cells and protection against short-term oxidative stress (Mari and Cedarbaum). 2001;33:652-661

Catenins

Changes in Wnt/β-catenin pathway during regulated growth in rat liver regeneration (Monga et al). 2001;33: 1098-1109

Cation channels

Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis (Barros et al). 2001;33:114-122

CD14 endotoxin receptor gene

Promoter polymorphism of the CD14 endotoxin receptor gene as a risk factor for alcoholic liver disease (Jarvelainen et al). 2001;33:1148-1153

CD45RC$^-$ $\gamma\delta^+$ T cells

CD45RC$^-$ $\gamma\delta^+$ T-cell infiltration is associated with immunologic unresponsiveness induced by prior donor-specific blood transfusion in rat hepatic allografts (Okabe et al). 2001;33:877-886

CD56

Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393

CD81

Interferon alfa down-regulates CD81 in patients with chronic hepatitis C (Kroneberger et al). 2001;33:1518-1526

cDNA microarray analysis

α-fetoprotein-producing hepatoma cell lines share common expression profiles of genes in various categories demonstrated by cDNA microarray analysis (Kawai et al). 2001;33:676-691

Identification of differentially expressed genes in hepatocellular carcinoma with cDNA microarrays (Shirota et al). 2001;33:832-840

Central venulitis

Central venulitis in liver allografts: Considerations of differential diagnosis (Demetris). 2001;33:1329-1330 (Editorial)

Central venulitis in pediatric liver allografts (Krasinskas et al). 2001; 33:1141-1147

Chenodeoxycholic acid

Effects of treatment with deoxycholic acid and chenodeoxycholic acid on the hepatic synthesis of cholesterol and bile acids in healthy subjects (Einarrson et al). 2001;33:1189-1193

Childhood liver disease

Autoimmune hepatitis/sclerosing cholangitis overlap syndrome in childhood: A 16-year prospective study (Gregorio et al). 2001;33:544-553

Central venulitis in pediatric liver allografts (Krasinskas et al). 2001; 33:1141-1147

Protracted, but not acute, hepatitis A virus infection is strongly associated with HLA-DRB1*1301, a marker for pediatric autoimmune hepatitis (Fainboim et al). 2001;33:1512-1517

Cholangiocarcinoma

Human REG I gene is up-regulated in intrahepatic cholangiocarcinoma and its precursor lesions (Harada et al). 2001;33:1036-1042

Increasing incidence and mortality of primary intrahepatic cholangiocarcinoma in the United States (Patel). 2001;33:1353-1357

Involvement of p38 mitogen-activated protein kinase signaling in transformed growth of a cholangiocarcinoma cell line (Tadlock and Patel). 2001;33:43-51

The role of $p27^{kip1}$ protein expression on the biological behavior of intrahepatic cholangiocarcinoma (Taguchi et al). 2001;33:1118-1123

Cholangiocytes

Cellular localization and up-regulation of multidrug resistance-associated protein 3 in hepatocytes and cholangiocytes during obstructive cholestasis in rat liver (Soroka et al). 2001;33:783-791

Cholangitis

Alterations in tight junctions differ between primary biliary cirrhosis and primary sclerosing cholangitis (Sakisaka et al). 2001;33:1460-1468

Autoimmune hepatitis/sclerosing cholangitis overlap syndrome in childhood: A 16-year prospective study (Gregorio et al). 2001;33:544-553

Cholestasis

Cellular localization and up-regulation of multidrug resistance-associated protein 3 in hepatocytes and cholangiocytes during obstructive cholestasis in rat liver (Soroka et al). 2001;33:783-791

Tauroursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver (Beuers et al). 2001;33:1206-1216

Ursodeoxycholic acid administration in patients with cholestasis of pregnancy: Effects on primary bile acids in babies and mothers (Mazzella et al). 2001;33:504-508

Cholestatic liver disease

Advancing the bile-ology of cholestatic liver disease (Boyer JL). 2001;33: 758-759 (Editorial)

Hepatobiliary transporter expression in percutaneous liver biopsies of patients with cholestatic liver diseases (Zollner et al). 2001;33: 633-646

Cholesterol

Biliary cholesterol hypersecretion in gallstone-susceptible mice is associated with hepatic up-regulation of the high-density lipoprotein receptor SRBI (Fuchs et al). 2001;33:1451-1459

Effects of treatment with deoxycholic acid and chenodeoxycholic acid on the hepatic synthesis of cholesterol and bile acids in healthy subjects (Einarrson et al). 2001;33:1189-1193

Etiologic significance of defects in cholesterol, phospholipid, and bile acid metabolism in the liver of patients with intrahepatic calculi (Shoda et al). 2001;33:1194-1205

Cholesterolemia

The ACAT2 gene encodes a gatekeeper of intestinal cholesterol absorption that regulated cholesterolemia and gallstone disease (Zanlungo and Nervi). 2001;33:760-761 (Hepatology *Elsewhere*)

Cholesteryl ester hydrolase

Immunolocalization of a novel cholesteryl ester hydrolase in the endoplasmic reticulum of murine and human hepatocytes (Fresnedo et al). 2001;33:662-667

Chronic liver disease

Altered expression of heme oxygenase-1 in the livers of patients with portal hypertensive diseases (Makino et al). 2001;33:32-42

Altered peripheral vascular responses to exogenous and endogenous endothelin-1 in patients with well-compensated cirrhosis (Helmy et al). 2001;33:826-831

A meta-analysis of endoscopic variceal ligation for primary prophylaxis of esophageal variceal bleeding (Imperiale and Chalasani). 2001;33: 802-807

A model to predict survival in patients with end-stage liver disease (Kamath et al). 2001;33:464-470 (Special Article)

A prospective, randomized trial of butyl cyanoacrylate injection versus band ligation in the management of bleeding gastric varices (Lo et al). 2001;33:1060-1064

Characterization of autoantibodies against uridine-diphosphate glucuronosyltransferase in patients with inflammatory liver diseases (Bachrich et al). 2001;33:1053-1059

Contact sensitization pretransplantation predicts acute hepatic allograft rejection (Bathgate et al). 2001;33: 1043-1046

Effects of blood volume restitution following a portal hypertensive-related bleeding in anesthetized cirrhotic rats (Castañeda et al). 2001;33:821-825

Endothelin-1 induces vasoconstriction on portal-systemic collaterals of portal hypertensive rats (Chan et al). 2001;33:816-820

Furosemide-induced natriuresis as a test to identify cirrhotic patients with refractory ascites (Spahr et al). 2001; 33:28-31

Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-iron-related chronic liver disease (Fracanzani et al). 2001;33:647-651

MadCAM-1 expressed in chronic inflammatory liver disease supports mucosal lymphocyte adhesion to hepatic endothelium (MAdCAM-1 in chronic inflammatory liver disease) (Grant et al). 2001;33:1065-1072

Mitochondrial oxidative injury and energy metabolism alteration in rat fatty liver: Effect of the nutritional status (Vendemiale et al). 2001;33: 808-815

Partially reversible renal tubular damage in patients with obstructive jaundice (Bairaktari et al). 2001;33:1365-1369

Predicting the prognosis of chronic liver disease: An evolution from Child to MELD(Forman and Lucey). 2001; 33:473-475 (Editorial)

Pseudocapillarization and associated energy limitation in the aged rat liver (Le Couteur et al). 2001;33: 537-543

Risk factors for primary biliary cirrhosis in a cohort of patients from the United States (Parikh-Patel et al). 2001;33:16-21
Steatosis accelerates the progression of liver damage of chronic hepatitis C patients and correlates with specific HCV genotype and visceral obesity (Adinolfi et al). 2001;33:1358-1364
The role of liver biopsy in chronic hepatitis C (Saadeh et al). 2001;33: 196-200
Transplantation for primary biliary cirrhosis: Retrospective analysis of 400 patients in a single center (Garcia et al). 2001;33:22-27

Cirrhosis
Alterations in tight junctions differ between primary biliary cirrhosis and primary sclerosing cholangitis (Sakisaka et al). 2001;33:1460-1468
Altered peripheral vascular responses to exogenous and endogenous endothelin-1 in patients with well-compensated cirrhosis (Helmy et al). 2001;33:826-831
An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region (Sun et al). 2001; 33:1415-1424
Autonomic deficit in early cirrhosis (Musca et al). 2001;33:482-483 (Correspondence)
Collagen type Iα1 and vitamin D receptor gene polymorphisms and bone mass in primary biliary cirrhosis (Parés et al). 2001;33:554-560
Effects of blood volume restitution following a portal hypertensive-related bleeding in anesthetized cirrhotic rats (Castañeda et al). 2001;33:821-825
Furosemide-induced natriuresis as a test to identify cirrhotic patients with refractory ascites (Spahr et al). 2001; 33:28-31
Increased density of brain histamine H_1 receptors in rats with portocaval anastomosis and in cirrhotic patients with chronic hepatic encephalopathy (Lozeva et al). 2001; 33:1370-1376
Molecular identification of bacterial 16S ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is *Propionibacterium acnes* involved in granuloma formation? (Harada et al). 2001;33:530-536
Molecular mimicry and primary biliary cirrhosis: Premises not promises (Van de Water et al). 2001;33:771-775 (Concise Review)
Primary prevention of variceal bleeding: What's new? (Lebrec). 2001;33: 1003-1004 (Editorial)
Risk factors for primary biliary cirrhosis in a cohort of patients from the United States (Parikh-Patel et al). 2001;33:16-21
Transplantation for primary biliary cirrhosis: Retrospective analysis of 400 patients in a single center (Garcia et al). 2001;33:22-27
Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33: 1080-1086
Which patients with cirrhosis should undergo endoscopic screening for esophageal varices detection? (Schepis et al). 2001;33:333-338

Clevudine
Antiviral activity of clevudine [L-FMAU, (1-(2-fluoro-5-methyl-β, L-arabinofuranosyl) uracil)] against woodchuck hepatitis virus replication and gene expression in chronically infected woodchucks (*Marmota monax*) (Peek et al). 2001; 33:254-266

Clinical Challenge
Autoimmune overlap syndromes (Woodward and Neuberger). 2001; 33:994-1002
Hepatic osteodystrophy (Rouillard and Lane). 2001;33:301-307

Clofibrate
The peroxisomal proliferator clofibrate enhances the hepatic cytoplasmic movement of fatty acids in rats (Milliano and Luxon). 2001;33:413-418

Collagen
Collagen type Iα1 and vitamin D receptor gene polymorphisms and bone mass in primary biliary cirrhosis (Parés et al). 2001;33:554-560
Intracellular signaling pathways involved in acetaldehyde-induced collagen and fibronectin gene expression in human hepatic stellate cells (Svegliati-Baroni et al). 2001;33: 1130-1140
Rat hepatic stellate cells contribute to the acute-phase response with increased expression of α1(1) and α1(IV) collagens, tissue inhibitor of metalloproteinase-1, and matrix metalloproteinase-2 messenger RNAs (Nieto et al). 2001;33:597-607
Tumor hepatocytes and basement membrane-producing cells specifically express two different forms of the endostatin precursor, collagen XVIII, in human liver cancers (Musso et al). 2001;33:868-876

Complementarity-determining region
A molecular comparison of T lymphocyte populations infiltrating the liver and circulating in the blood of patients with chronic hepatitis B: Evidence for antigen-driven selection of a public complementarity-determining region 3 (CDR3) motif (Sing et al). 2001;33:1288-1298

Concanavalin A
Repeated concanavalin A challenge in mice induces an interleukin 10-producing phenotype and liver fibrosis (Louis et al). 2001;33:1343 (Correction)

Concise Reviews
Acute hepatitis C (Orland et al). 2001; 33:321-327
Adult living donor liver transplantation: The hepatologist's perspective (Schiano et al). 2001;33:3-10
Bad time for Bonzo? Experimental models of hepatitis C virus infection, replication, and pathogenesis (Grakoui et al). 2001; 33:489-495
Liver cell volume regulation: size matters (Dunkelberg et al). 2001;33:1349-1352
Molecular mimicry and primary biliary cirrhosis: Premises not promises (Van de Water et al). 2001;33:771-775
Sickle cell hepatopathy (Banerjee et al). 2001;33:1021-1028

Contact sensitization
Contact sensitization pretransplantation predicts acute hepatic allograft rejection (Bathgate et al). 2001;33: 1043-1046

Cyclin
Interferon-α delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases (Murphy et al). 2001;33:346-356

Cyclooxygenase
Agonist-specific regulation of monocyte chemoattractant protein-1 expression by cyclooxygenase metabolites in hepatic stellate cells (Efsen et al). 2001;33:713-721
Expression of cyclooxygenase-2 promotes the release of matrix metalloproteinase-2 and -9 in fetal rat hepatocytes (Callejas et al). 2001;33:860-867

Cytochrome P450
Cytochrome P450 regulation by hepatocyte nuclear factor 4 in human hepatocytes: A study using adenovirus-mediated antisense targeting (Jover et al). 2001;33:668-675
The CYP2E1 knockout delivers another punch: First ASH, now NASH (Maher). 2001;33:311-312 (Hepatology *Elsewhere*)

Cytokines
Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α (Barton et al). 2001;33:66-73

Differential role of IκB kinase 1 and 2 in primary rat hepatocytes (Schwabe et al). 2001;33:81-90
Hepatitis B virus-specific T-cell proliferation and cytokine secretion in chronic hepatitis B e antibody-positive patients treated with ribavirin and interferon alfa(Rico et al). 2001;33:295-300
Induction of *Mdr1b* expression by tumor necrosis factor-α in liver cells is independent of p53 but requires NF-κB signaling (Ros et al). 2001; 33:1425-1431
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80

D

Dane particles
Hepatitis B virus Dane particles bind to human plasma apolipoprotein H (Stefas et al). 2001;33:207-217
Deoxycholic acid
Effects of treatment with deoxycholic acid and chenodeoxycholic acid on the hepatic synthesis of cholesterol and bile acids in healthy subjects (Einarrson et al). 2001;33:1189-1193
Desmin
Formation of normal desmin intermediate filaments in mouse hepatic stellate cells requires vimentin (Geerts et al). 2001;33: 177-188
Diabetes
A confluence of epidemics: Does hepatitis C cause type 2 diabetes? (Everhart). 2001;33:762-763 (Hepatology *Elsewhere*)
Prevalence of type 2 diabetes mellitus among persons with hepatitis C virus infection in the United States (Mehta et al). 2001;33:1554 (Correspondence)
DNA methylation
Expression of mRNA for DNA methyltransferases and methyl-CpG-binding proteins and DNA methylation status on CpG islands and pericentromeric satellite regions during human hepatocarcinogenesis (Saito et al). 2001;33:561-568
Drug hepatotoxicity
Causality assessment versus guilt-by-association in drug hepatotoxicity (Kaplowitz). 2001;33:308-310 (Editorial)
Drug-induced liver injury: Mechanisms and test systems (Bissell et al). 2001; 33:1009-1013 (Meeting Report)
Dysplastic nodules
An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region (Sun et al). 2001; 33:1415-1424

E

Editorials
Adding to the hepatitis B virus treatment arsenal: α-glucosidase inhibitor derivatives (Terrault and Ma). 2001; 33:1544-1546
Advancing the bile-ology of cholestatic liver disease (Boyer). 2001;33:758-759
Ca^{2+} and Rho signaling pathways: Two paths to hepatic stellate cell contraction (Yee). 2001;33:1007-1008
Causality assessment versus guilt-by-association in drug hepatotoxicity (Kaplowitz). 2001;33:308-310
Central venulitis in liver allografts: Considerations of differential diagnosis (Demetris). 2001;33:1329-1330
Hepatic Kupffer cells: The portal that permits infection of hepatocytes by malarial sporozoites? (Barnwell). 2001;33:1331-1333
Hepatitis C virus and interferon resistance: It's more than just PKR (Taylor). 2001;33:1547-1549
Microbial rank (Thomas). 2001;33:1334-1335
Mouse liver goes human: A new tool in experimental hepatology (Grompe). 2001;33:1005-1006
Predicting the prognosis of chronic liver disease: An evolution from Child to MELD (Forman and Lucey). 2001; 33:473-475
Primary prevention of variceal bleeding. What's New? (Lebrec). 2001;33: 1003-1004
Radiofrequency ablation for hepatocellular carcinoma: Help or hazard? (Kato and Reddy). 2001;33: 1336-1337
To scope or not to scope: Still a question (Fleig). 2001;33:471-472
ELK-1 transcription factor
Hepatitis C virus core protein enhances the activation of the transcription factor, Elk1, in response to mitogenic stimuli (Fukuda et al). 2001;33:159-165
Encephalopathy, hepatic
Increased density of brain histamine H_1 receptors in rats with portocaval anastomosis and in cirrhotic patients with chronic hepatic encephalopathy (Lozeva et al). 2001; 33:1370-1376
Endoplasmic reticulum
Immunolocalization of a novel cholesteryl ester hydrolase in the endoplasmic reticulum of murine and human hepatocytes (Fresnedo et al). 2001;33:662-667
Endoscopy
A meta-analysis of endoscopic variceal ligation for primary prophylaxis of esophageal variceal bleeding (Imperiale and Chalasani). 2001;33: 802-807
To scope or not to scope: Still a question (Fleig). 2001;33:471-472 (Editorial)
Which patients with cirrhosis should undergo endoscopic screening for esophageal varices detection? (Schepis et al). 2001;33:333-338
Endostatin
Tumor hepatocytes and basement membrane-producing cells specifically express two different forms of the endostatin precursor, collagen XVIII, in human liver cancers (Musso et al). 2001;33:868-876
Endothelial cells
Biliary cyst fluid from common bile duct-ligated rats stimulates endothelial nitric oxide synthase in pulmonary artery endothelial cells: A potential role in hepatopulmonary syndrome (Liu et al). 2001;33:722-727
Endothelin-1
Altered peripheral vascular responses to exogenous and endogenous endothelin-1 in patients with well-compensated cirrhosis (Helmy et al). 2001;33:826-831
Endothelin-1 induces vasoconstriction on portal-systemic collaterals of portal hypertensive rats (Chan et al). 2001;33:816-820
Endothelin B receptor-mediated protection against anoxia-reoxygenation injury in perfused rat liver: Nitric oxide-dependent and -independent mechanisms (Taniai et al). 2001;33:894-901
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80
Endotoxins
Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α (Barton et al). 2001;33:66-73
End-stage liver disease
A model to predict survival in patients with end-stage liver disease (Kamath et al). 2001;33:464-470 (Special Article)
Predicting the prognosis of chronic liver disease: An evolution from Child to MELD(Forman and Lucey). 2001; 33:473-475 (Editorial)
Eosinophils
Bile acids induce eosinophil degranulation by two different

mechanisms (Yamazaki et al). 2001; 33:582-590

Epithelial cells
Morphogenesis of primary human biliary epithelial cells: Induction in high-density culture or by coculture with autologous human hepatocytes (Auth et al). 2001;33:519-529

Esophageal varices
A meta-analysis of endoscopic variceal ligation for primary prophylaxis of esophageal variceal bleeding (Imperiale and Chalasani). 2001;33: 802-807
Primary prevention of variceal bleeding: What's new? (Lebrec). 2001;33: 1003-1004 (Editorial)
Which patients with cirrhosis should undergo endoscopic screening for esophageal varices detection? (Schepis et al). 2001;33:333-338

Etoposide
Etoposide prevents apoptosis in mouse liver with D-galactosamine/ lipopolysaccharide-induced fulminant hepatic failure resulting in reduction of lethality (Nakama et al). 2001;33:1441-1450

Ezrin-radixin-moesin-binding phosphoprotein 50
Ezrin-radixin-moesin-binding phosphoprotein 50 is expressed at the apical membrane of rat liver epithelia (Fouassier et al). 2001;33: 166-176

F

Failure, liver, acute
Detoxification of reactive oxygen species by a nonpeptidyl mimic of superoxide dismutase cures acetaminophen-induced acute liver failure in the mouse (Ferret et al). 2001;33:1173-1180
Hepatitis B infection in patients with acute liver failure in the United States (Teo et al). 2001;33:972-976

Fas
Fas-induced apoptosis in mouse hepatocytes is dependent on C/EBPβ (Mukherjee et al). 2001;33:1166-1172
Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis (Shimizu et al). 2001;33:569-576
Prolonged, but not acute, glutathione depletion promotes Fas-mediated mitochondrial permeability transition and apoptosis in mice (Haouzi et al). 2001;33:1181-1188

Fas/CD95 pathway
Fas/CD95 pathway induces mouse liver regeneration and allows for highly efficient retrovirus-mediated gene transfer (Guidotti et al). 2001;33:10-15 (Rapid Communication)

Fatty acids
The peroxisomal proliferator clofibrate enhances the hepatic cytoplasmic movement of fatty acids in rats (Milliano and Luxon). 2001;33:413-418

Fatty liver
Mitochondrial oxidative injury and energy metabolism alteration in rat fatty liver: Effect of the nutritional status (Vendemiale et al). 2001;33: 808-815

Fibronectin
Intracellular signaling pathways involved in acetaldehyde-induced collagen and fibronectin gene expression in human hepatic stellate cells (Svegliati-Baroni et al). 2001;33: 1130-1140

Fibrosis
Clinical studies with silymarin: Fibrosis progression is the end point (Schuppan and Hahn). 2001;33:483-484 (Correspondence)
Expression and matrix deposition of latent transforming growth factor β binding proteins in normal and fibrotic rat liver and transdifferentiating hepatic stellate cells in culture (Breitkopf et al). 2001;33:387-396
Halofuginone to prevent and treat thioacetamide-induced liver fibrosis in rats (Burck et al). 2001;33:379-386
Repeated concanavalin A challenge in mice induces an interleukin 10-producing phenotype and liver fibrosis (Louis et al). 2001;33:1343 (Correction)

Free radicals
Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis (Barros et al). 2001;33:114-122

Fulminant liver failure
Etoposide prevents apoptosis in mouse liver with D-galactosamine/ lipopolysaccharide-induced fulminant hepatic failure resulting in reduction of lethality (Nakama et al). 2001;33:1441-1450

Fulminant hepatitis
Resistance to fulminant hepatitis and carcinogenesis conferred by overexpression of retinoblastoma protein in mouse liver (Ichihara et al). 2001;33:948-955

Furosemide
Furosemide-induced natriuresis as a test to identify cirrhotic patients with refractory ascites (Spahr et al). 2001; 33:28-31

G

Galactosamine
Etoposide prevents apoptosis in mouse liver with D-galactosamine/ lipopolysaccharide-induced fulminant hepatic failure resulting in reduction of lethality (Nakama et al). 2001;33:1441-1450

Gallstones
Biliary cholesterol hypersecretion in gallstone-susceptible mice is associated with hepatic up-regulation of the high-density lipoprotein receptor SRBI (Fuchs et al). 2001;33:1451-1459
Increased activity in the biliary Con A-binding fraction accounts for the difference in crystallization behavior in bile from Chilean gallstone patients compared with Dutch gallstone patients (Miquel et al). 2001;33:328-332; 1016 (Correction)
The ACAT2 gene encodes a gatekeeper of intestinal cholesterol absorption that regulated cholesterolemia and gallstone disease (Zanlungo and Nervi). 2001;33:760-761 (Hepatology *Elsewhere*)

Gamma/delta cells
A critical role of T-cell receptor γ/δ cells in antibacterial protection against mice in early life (Emoto et al). 2001;33:887-893
CD45RC- $\gamma\delta^+$ T-cell infiltration is associated with immunologic unresponsiveness induced by prior donor-specific blood transfusion in rat hepatic allografts (Okabe et al). 2001;33:877-886
Characterization of liver T-cell receptor γδ+ T cells obtained from individuals chronically infected with hepatitis C virus (HCV): Evidence for these T cells playing a role in the liver pathology associated with HCV infections (Tseng et al). 2001;33: 1312-1320

Gastric varices
A prospective, randomized trial of butyl cyanoacrylate injection versus band ligation in the management of bleeding gastric varices (Lo et al). 2001;33:1060-1064

Genetic diseases
Diagnosis and management of hemochromatosis (Tavill). 2001;33: 1321-1328 (AASLD Practice Guidelines)
Hepatic uptake of organic anions affects the plasma bilirubin level in subjects with Gilbert's syndrome mutations in *UGT1A1* (Persico et al). 2001;33: 627-632
Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-

iron-related chronic liver disease (Fracanzani et al). 2001;33:647-651
Polymorphisms in the promoter region of the bilirubin UDP-glucuronosyltransferase (Gilbert's syndrome) in healthy Dutch subjects (te Morsche et al). 2001;33: 765 (Correspondence)
Uroporphyria in *Hfe* mutant mice given 5-aminolevulinate: A new model of Fe-mediated porphyria cutanea tarda (Sinclair et al). 2001;33:406-412
Zinc mesoporphyrin represses induced hepatic 5-aminolevulinic acid synthase and reduces heme oxygenase activity in a mouse model of acute hepatic porphyria (Schuurmans et al). 2001;33:1217-1222

Gene therapy
Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12(Barajas et al). 2001; 33:52-61

Gene transfer
Fas/CD95 pathway induces mouse liver regeneration and allows for highly efficient retrovirus-mediated gene transfer (Guidotti et al). 2001;33:10-15 (Rapid Communication)

Gilbert's syndrome
Hepatic uptake of organic anions affects the plasma bilirubin level in subjects with Gilbert's syndrome mutations in *UGT1A1* (Persico et al). 2001;33: 627-632
Polymorphisms in the promoter region of the bilirubin UDP-glucuronosyltransferase (Gilbert's syndrome) in healthy Dutch subjects (te Morsche et al). 2001;33: 765 (Correspondence)

α-Glucosidase
Adding to the hepatitis B virus treatment arsenal: α-glucosidase inhibitor derivatives (Terrault and Ma). 2001; 33:1544-1546 (Editorial)

Glutathione
Prolonged, but not acute, glutathione depletion promotes Fas-mediated mitochondrial permeability transition and apoptosis in mice (Haouzi et al). 2001;33:1181-1188

Glutathione S-transferase
Induction of catalase, alpha, and microsomal glutathione S-transferase in CYP2E1 overexpressing HepG2 cells and protection against short-term oxidative stress (Mari and Cedarbaum). 2001;33:652-661

Granuloma
Molecular identification of bacterial 16S ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is *Propionibacterium acnes* involved in granuloma formation? (Harada et al). 2001;33:530-536

Growth factors
Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis (Shimizu et al). 2001;33:569-576
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615
Sustained expression of naked plasmid DNA encoding hepatocyte growth factor in mice promotes liver and overall body growth (Yang et al). 2001;33:848-859
The vascular endothelial growth factor receptor KDR/Flk-1 is a major regulator of malignant ascites formation in the mouse hepatocellular carcinoma model (Yoshiji et al). 2001;33:841-847

Growth regulation
Changes in Wnt/β-catenin pathway during regulated growth in rat liver regeneration (Monga et al). 2001;33: 1098-1109
Earlier expression of the transcription factor HFH-11B diminishes induction of $p21^{CIP1/WAF1}$ levels and accelerates mouse hepatocyte entry into S-phase following carbon tetrachloride liver injury (Wang et al). 2001;33:1404-1414
Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393
Global changes in interleukin-6-dependent gene expression patterns in mouse livers after partial hepatectomy (Li et al). 2001;33: 1377-1386
Interferon-α delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases (Murphy et al). 2001;33:346-356
Involvement of p38 mitogen-activated protein kinase signaling in transformed growth of a cholangiocarcinoma cell line (Tadlock and Patel). 2001;33:43-51
Reconstitution of liver mass via cellular hypertrophy in the rat (Nagy et al). 2001;33:339-345

H

Halofuginone
Halofuginone to prevent and treat thioacetamide-induced liver fibrosis in rats (Burck et al). 2001;33:379-386

Heme oxygenase-1
Altered expression of heme oxygenase-1 in the livers of patients with portal hypertensive diseases (Makino et al). 2001;33:32-42
Effect of nitric oxide on shock-induced hepatic heme oxygenase-1 expression in the rat (Hoetzel et al). 2001;33:925-937
Zinc mesoporphyrin represses induced hepatic 5-aminolevulinic acid synthase and reduces heme oxygenase activity in a mouse model of acute hepatic porphyria (Schuurmans et al). 2001;33:1217-1222

Hemochromatosis
Diagnosis and management of hemochromatosis (Tavill). 2001;33: 1321-1328 (AASLD Practice Guidelines)
Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-iron-related chronic liver disease (Fracanzani et al). 2001;33:647-651

Hepatectomy
Global changes in interleukin-6-dependent gene expression patterns in mouse livers after partial hepatectomy (Li et al). 2001;33: 1377-1386

Hepatic encephalopathy
Increased density of brain histamine H_1 receptors in rats with portocaval anastomosis and in cirrhotic patients with chronic hepatic encephalopathy (Lozeva et al). 2001; 33:1370-1376

Hepatic stellate cells
Agonist-specific regulation of monocyte chemoattractant protein-1 expression by cyclooxygenase metabolites in hepatic stellate cells (Efsen et al). 2001;33:713-721
Ca^{2+} and Rho signaling pathways: Two paths to hepatic stellate cell contraction (Yee). 2001;33:1007-1008 (Editorial)
Expression and matrix deposition of latent transforming growth factor β binding proteins in normal and fibrotic rat liver and transdifferentiating hepatic stellate cells in culture (Breitkopf et al). 2001;33:387-396
Formation of normal desmin intermediate filaments in mouse hepatic stellate cells requires vimentin (Geerts et al). 2001;33: 177-188
Human and rat hepatic stellate cells express neurotrophins and neurotrophin receptors (Cassiman et al). 2001;33:148-158
In vitro and *in vivo* activation of rat

hepatic stellate cells results in *de novo* expression of L-type voltage-operated calcium channels (Bataller et al). 2001;33:956-962
Intracellular signaling pathways involved in acetaldehyde-induced collagen and fibronectin gene expression in human hepatic stellate cells (Svegliati-Baroni et al). 2001;33: 1130-1140
Rat hepatic stellate cells contribute to the acute-phase response with increased expression of α1(1) and α1(IV) collagens, tissue inhibitor of metalloproteinase-1, and matrix metalloproteinase-2 messenger RNAs (Nieto et al). 2001;33:597-607
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80

Hepatitis
Autoimmune regulator AIRE: Evidence for genetic differences between autoimmune hepatitis and hepatitis as part of the autoimmune polyglandular syndrome type 1 (Vogel et al). 2001;33:1047-1052
Resistance to fulminant hepatitis and carcinogenesis conferred by overexpression of retinoblastoma protein in mouse liver (Ichihara et al). 2001;33:948-955
SEN virus infection and its relationship to transfusion-associated hepatitis (Umemura et al). 2001;33:1303-1311

Hepatitis A
Protracted, but not acute, hepatitis A virus infection is strongly associated with HLA-DRB1*1301, a marker for pediatric autoimmune hepatitis (Fainboim et al). 2001;33:1512-1517

Hepatitis B
A case-control study for clinical and molecular biological differences between hepatitis B viruses of genotypes B and C (Orito et al). 2001;33:218-223
Adding to the hepatitis B virus treatment arsenal: α-glucosidase inhibitor derivatives (Terrault and Ma). 2001; 33:1544-1546 (Editorial)
A molecular comparison of T lymphocyte populations infiltrating the liver and circulating in the blood of patients with chronic hepatitis B: Evidence for antigen-driven selection of a public complementarity-determining region 3 (CDR3) motif (Sing et al). 2001;33:1288-1298
A multicenter United States-Canadian trial to assess lamivudine monotherapy before and after liver transplantation for chronic hepatitis B (Perrillo et al). 2001;33:424-432
DNA prime canarypox boost-based immunotherapy of chronic hepatitis B virus infection in a chimpanzee (Pancholi et al). 2001;33:448-454
Extended lamivudine treatment in patients with chronic hepatitis B enhances hepatitis B e antigen seroconversion rates: Results after 3 years of therapy (Leung et al). 2001; 33:1527-1532
Hepatitis B infection in patients with acute liver failure in the United States (Teo et al). 2001;33:972-976
Hepatitis B virus Dane particles bind to human plasma apolipoprotein H (Stefas et al). 2001;33:207-217
Hepatitis B virus-specific T-cell proliferation and cytokine secretion in chronic hepatitis B e antibody-positive patients treated with ribavirin and interferon alfa(Rico et al). 2001;33:295-300
Inhibition of hepatitis B virus DNA replication by imino sugars without the inhibition of the DNA polymerase: Therapeutic implications (Mehta et al). 2001;33:1488-1495
Lamivudine treatment can overcome cytotoxic T-cell hyporesponsiveness in chronic hepatitis B: New perspectives for immune therapy (Boni et al). 2001;33:963-971
Nomenclature for antiviral-resistant human hepatitis B virus mutations in the polymerase region (Stuyver et al). 2001;33:751-757 (Special Article)
Prevalence and significance of hepatitis B virus (HBV) pre-S mutants in serum and liver at different replicative stages of chronic HBV infection (Fan et al). 2001;33:277-286
Repopulation of mouse liver with human hepatocytes and *in vivo* infection with hepatitis B virus (Dandri et al). 2001;33:981-988
The hepatitis B virus X protein (HBx) induces a migratory phenotype in a CD44-dependent manner: Possible role of HBx in invasion and metastasis (Lara-Pezzi et al). 2001; 33:1270-1281

Hepatitis C
A confluence of epidemics: Does hepatitis C cause type 2 diabetes? (Everhart). 2001;33:762-763 (Hepatology *Elsewhere*)
Acute hepatitis C (Orland et al). 2001; 33:321-327 (Concise Review)
A randomized trial of amantadine and interferon versus interferon alone as initial treatment for chronic hepatitis C (Mangia et al). 2001;33:989-993
Amniocentesis as a possible risk factor for mother-to-infant transmission of hepatitis C virus (Minola et al). 2001;33:1341 (Correspondence)
Bad time for Bonzo? Experimental models of hepatitis C virus infection, replication, and pathogenesis (Grakoui et al). 2001; 33:489-495 (Concise Review)
Beefing up replication of the hepatitis C virus (Wu). 2001;33:1550-1551 (Hepatology *Elsewhere*)
Characterization of liver T-cell receptor γδ+ T cells obtained from individuals chronically infected with hepatitis C virus (HCV): Evidence for these T cells playing a role in the liver pathology associated with HCV infections (Tseng et al). 2001;33: 1312-1320
Chronic hepatitis C in different populations: Similar patterns of alanine aminotransferase alteration characterize similar clinical subgroups (Giannini and Testa). 2001;33:313 (Correspondence)
Combination of interferon and ribavirin in chronic hepatitis C: Re-treatment of nonresponders to interferon (Di Bisceglie et al). 2001;33:704-707
Detection of hepatitis C virus in the bile and bile duct epithelial cells of hepatitis C virus-infected patients (Haruna et al). 2001;33:977-980
Differential $CD4^+$ and $CD8^+$ T-cell responsiveness in hepatitis C virus infection (Chang et al). 2001;33: 267-276
Efficacy and safety of pegylated (40-kd) interferon α-2a compared with interferon α-2a in noncirrhotic patients with chronic hepatitis C (Reddy et al). 2001;33:433-438
Estimation of early hepatitis C viral clearance in patients receiving daily interferon and ribavirin therapy using a mathematical model (Bekkering et al). 2001;33:419-423
Expression of hepatitis C virus NS5A natural mutants in a hepatocytic cell line inhibits the antiviral effect of interferon in a PKR-independent manner (Podevin et al). 2001;33: 1503-1511
HLA class II genes determine the natural variance of hepatitis C viral load (Fanning et al). 2001;33:224-230
Hepatitis C virus and interferon resistance: It's more than just PKR (Taylor). 2001;33:1547-1549 (Editorial)
Hepatitis C virus core protein enhances the activation of the transcription factor, Elk1, in response to mitogenic stimuli(Fukuda et al). 2001;33:159-165
Hepatitis C virus infection in a community in the Nile delta: Risk factors for seropositivity (Habib et al). 2001;33:248-253
Identification of immunodominant hepatitis C virus (HCV)-specific cytotoxic T-cell epitopes by

stimulation with endogenously synthesized HCV antigens (Urbani et al). 2001;33:1533-1543
Interferon alfa down-regulates CD81 in patients with chronic hepatitis C (Kroneberger et al). 2001;33:1518-1526
Interferon and ribavirin for patients with chronic hepatitis C who did not responde to previous interferon therapy: A meta-analysis of controlled and uncontrolled trials (Cheng et al). 2001;33:231-240
Interleukin 10 polymorphisms as predictors of sustained response in antiviral therapy for chronic hepatitis C infection (Yee et al). 2001;33:708-712
Intrahepatic hepatitis C viral RNA status of serum polymerase chain reaction-negative individuals with histological changes on liver biopsy (Barrett et al). 2001;33:1496-1502
Is splenectomy a cause of antiviral treatment failure in hepatitis C virus infection? (Paraná et al). 2001;33: 1340 (Correspondence)
Long-term mortality and morbidity of transfusion-associated non-A, non-B, and type C hepatitis: A National Heart, Lung, and Blood Institute Collaborative Study (Seeff et al). 2001;33:455-463
Expression of hepatitis C virus proteins does not interfere with major histocompatability complex class I processing and presentation *in vitro* (Moradpour et al). 2001;33:1282-1287
Method to detect substitutions in the interferon-sensitivity-determining region of hepatitis C virus 1b for prediction of response to interferon therapy (Nishiguchi et al). 2001;33: 241-247
Mimotypes of the hepatitis C virus hypervariable region 1, but not the natural sequences, induce cross-reactive antibody response by genetic immunization (Zucchelli et al). 2001;33:692-703
Mutational analysis of the structure and functions of hepatitis C virus RNA-dependent RNA polymerase (Qin et al). 2001;33:728-737
Outcome of hospital care of liver disease associated with hepatitis C in the United States (Kim et al). 2001;33: 201-206
Prevalence of type 2 diabetes mellitus among persons with hepatitis C virus infection in the United States (Mehta et al). 2001;33:1554 (Correspondence)
Protective immune response to hepatitis C virus in chimpanzees rechallenged following clearance of primary infection (Bassett et al). 2001;33: 1479-1487
Steatosis accelerates the progression of liver damage of chronic hepatitis C patients and correlates with specific HCV genotype and visceral obesity (Adinolfi et al). 2001;33:1358-1364
The role of liver biopsy in chronic hepatitis C (Saadeh et al). 2001;33: 196-200
Visual demonstration of hepatitis C virus-specific memory $CD8^+$ T-cell expansion in patients with acute hepatitis C (Sobao et al). 2001;33: 287-294

Hepatitis, autoimmune

Autoimmune hepatitis/sclerosing cholangitis overlap syndrome in childhood: A 16-year prospective study (Gregorio et al). 2001;33:544-553
Autoimmune overlap syndromes (Woodward and Neuberger). 2001; 33:994-1002 (Clinical Challenge)
Autoimmune regulator AIRE: Evidence for genetic differences between autoimmune hepatitis and hepatitis as part of the autoimmune polyglandular syndrome type 1 (Vogel et al). 2001;33:1047-1052
Protracted, but not acute, hepatitis A virus infection is strongly associated with HLA-DRB1*1301, a marker for pediatric autoimmune hepatitis (Fainboim et al). 2001;33:1512-1517
Soluble liver antigen: Isolation of a 35-kd recombinant protein (SLA-p35) specifically recognizing sera from patients with autoimmune hepatitis (Volkmann et al). 2001;33:591-596

Hepatitis, non-A, non-B

Long-term mortality and morbidity of transfusion-associated non-A, non-B, and type C hepatitis: A National Heart, Lung, and Blood Institute Coilaborative Study (Seeff et al). 2001;33:455-463

Hepatitis, woodchuck

Antiviral activity of clevudine [L-FMAU, (1-(2-fluoro-5-methyl-β, L-arabinofuranosyl) uracil)] against woodchuck hepatitis virus replication and gene expression in chronically infected woodchucks (*Marmota monax*) (Peek et al). 2001; 33:254-266
Pathogenesis of experimental neonatal woodchuck hepatitis virus infection: Chronicity as an outcome of infection is associated with a diminshed acute hepatitis that is temporally deficient for the expression of interferon gamma and tumor necrosis factor-alpha messenger RNAs (Nakamura et al). 2001;33:439-447

Hepatocarcinogenesis

An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region (Sun et al). 2001;33:1415-1424
Expression of mRNA for DNA methyltransferases and methyl-CpG-binding proteins and DNA methylation status on CpG islands and pericentromeric satellite regions during human hepatocarcinogenesis (Saito et al). 2001;33:561-568
Heterogeneity and plasticity of hepatocyte lineage cells (Sell). 2001; 33:738-750 (Special Article)
Irregular regeneration of hepatocytes is an important factor in the hepatocarcinogenesis of liver disease (Ueno et al). 2001;33:357-362

Hepatocellular carcinoma

Adjuvant interferon for hepatocellular carcinoma (Okada et al). 2001;33: 481-482 (Letter); (Ikeda and Kumada). 2001;33:482 (Reply)
Frequent loss of heterozygosity at the Hcr1 (*hepatocarcinogenesis resistance*) locus on chromosome 10 in primary hepatocellular carcinomas from LFF1 rat strain (De Miglio et al). 2001;33:1110-1117
Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12(Barajas et al). 2001; 33:52-61
Identification of differentially expressed genes in hepatocellular carcinoma with cDNA microarrays (Shirota et al). 2001;33:832-840
Increased risk of tumor seeding after percutaneous radiofrequency ablation for single hepatocellular carcinoma (Llovet et al). 2001;33: 1124-1129
Inhibition of intrahepatic metastasis of human hepatocellular carcinoma by Rho-associated protein kinase inhibitor Y-27632 (Takamura et al). 2001;33:577-581
Interferon-α delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases (Murphy et al). 2001;33:346-356
Liver transplantation for hepatocellular carcinoma: Expansion of the tumor size limits does not adversely impact survival (Yao et al). 2001;33:1394-1403
Living donor liver transplantation for early hepatocellular carcinoma: A life-expectancy and cost-effectiveness perspective (Sarasin et al). 2001;33:1073-1079
Radiofrequency ablation for hepatocellular carcinoma: Help or hazard? (Kato and Reddy). 2001;33: 1336-1337 (Editorial)
Reck gene expression in hepatocellular carcinoma: Correlation with invasion-related clinicopathologic

factors and its clinical significance (Furumoto et al). 2001;33:189-195
The vascular endothelial growth factor receptor KDR/Flk-1 is a major regulator of malignant ascites formation in the mouse hepatocellular carcinoma model (Yoshiji et al). 2001;33:841-847
Trends in survival of patients with hepatocellular carcinoma between 1977 and 1996 in the United States (El-Serag et al). 2001;33:62-65
Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33: 1080-1086

Hepatocyte growth factor
Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis (Shimizu et al). 2001;33:569-576
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615
Sustained expression of naked plasmid DNA encoding hepatocyte growth factor in mice promotes liver and overall body growth (Yang et al). 2001;33:848-859
Resistance to fulminant hepatitis and carcinogenesis conferred by overexpression of retinoblastoma protein in mouse liver (Ichihara et al). 2001;33:948-955

Hepatocyte nuclear factor 4
Cytochrome P450 regulation by hepatocyte nuclear factor 4 in human hepatocytes: A study using adenovirus-mediated antisense targeting (Jover et al). 2001;33:668-675

Hepatocytes
Bile acid-induced rat hepatocyte apoptosis is inhibited by antioxidants and blockers of the mitochondrial permeability transition (Yerushalmi et al). 2001;33:616-626
Caspase inhibition reduces apoptotic death of cryopreserved porcine hepatocytes (Yagi et al). 2001;33: 1432-1440
Cellular localization and up-regulation of multidrug resistance-associated protein 3 in hepatocytes and cholangiocytes during obstructive cholestasis in rat liver (Soroka et al). 2001;33:783-791
Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes (Rippin et al). 2001;33:776-782
Differential role of IκB kinase 1 and 2 in primary rat hepatocytes (Schwabe et al). 2001;33:81-90
Earlier expression of the transcription factor HFH-11B diminishes induction of $p21^{CIP1/WAF1}$ levels and accelerates mouse hepatocyte entry into S-phase following carbon tetrachloride liver injury (Wang et al). 2001;33:1404-1414
Expression of cyclooxygenase-2 promotes the release of matrix metalloproteinase-2 and -9 in fetal rat hepatocytes (Callejas et al). 2001;33:860-867
Fas-induced apoptosis in mouse hepatocytes is dependent on C/EBPβ (Mukherjee et al). 2001;33:1166-1172
Hepatic Kupffer cells: The portal that permits infection of hepatocytes by malarial sporozoites? (Barnwell). 2001;33:1331-1333 (Editorial)
Heterogeneity and plasticity of hepatocyte lineage cells (Sell). 2001; 33:738-750 (Special Article)
Immunolocalization of a novel cholesteryl ester hydrolase in the endoplasmic reticulum of murine and human hepatocytes (Fresnedo et al). 2001;33:662-667
Irregular regeneration of hepatocytes is an important factor in the hepatocarcinogenesis of liver disease (Ueno et al). 2001;33:357-362
Lowered nuclear levels of p53 in preneoplastic rat hepatocytes (Högberg and Stenius). 2001;33: 480-481 (Correspondence)
Malaria sporozoites actively enter and pass through rat Kupffer cells prior to hepatocyte invasion (Pradel and Frevert). 2001;33:1154-1165
Mechanism of hepatocyte death after ischemia: Apoptosis versus necrosis (Clavien et al). 2001;33:1555-1556 (Letter);(Jaeschke et al). 2001;33: 1556-1557 (Reply)
Morphogenesis of primary human biliary epithelial cells: Induction in high-density culture or by coculture with autologous human hepatocytes (Auth et al). 2001;33:519-529
Morphologic and functional characterization of caveolae in rat liver hepatocytes (Calvo et al). 2001; 33:1259-1269
Mouse liver goes human: A new tool in experimental hepatology (Grompe). 2001;33:1005-1006 (Editorial)
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615
Repopulation of mouse liver with human hepatocytes and *in vivo* infection with hepatitis B virus (Dandri et al). 2001;33:981-988
Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes (Carini et al). 2001;33:131-139

Hepatology *Elsewhere*
A confluence of epidemics: Does hepatitis C cause type 2 diabetes? (Everhart). 2001;33:762-763
Antidiabetic treatment for NASH? (Maher). 2001;33:1338-1339
Beefing up replication of the hepatitis C virus (Wu). 2001;33:1550-1551
Got bile? (Denson). 2001;33:476
Mice and men: Are they bile-ologically different? (Arrese and Ananthanarayanan). 2001;33:1551-1553
The ACAT2 gene encodes a gatekeeper of intestinal cholesterol absorption that regulated cholesterolemia and gallstone disease (Zanlungo and Nervi). 2001;33:760-761
The CYP2E1 knockout delivers another punch: First ASH, now NASH (Maher). 2001;33:311-312
Treatment of refractory ascites: TIPS or TAPS? (Garcia-Tsao). 2001;33:477-479 (Hepatology *Elsewhere*)

Hepatology Highlights
Hepatology Highlights (Boyer JL). 2001; 33:1-2, 319-320, 487-488, 769-770, 1019-1020, 1347-1348

Hepatoma
α-fetoprotein-producing hepatoma cell lines share common expression profiles of genes in various categories demonstrated by cDNA microarray analysis (Kawai et al). 2001;33:676-691
Involvement of $p21^{WAF1/Cip1}$, $p27^{Kip1}$, and $p18^{INK4c}$ in troglitazone-induced cell-cycle arrest in human hepatoma cell lines (Koga et al). 2001;33: 1087-1097

Hepatopulmonary syndrome
Biliary cyst fluid from common bile duct-ligated rats stimulates endothelial nitric oxide synthase in pulmonary artery endothelial cells: A potential role in hepatopulmonary syndrome (Liu et al). 2001;33:722-727

Hepatotoxicity
Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α (Barton et al). 2001;33:66-73
Causality assessment versus guilt-by-association in drug hepatotoxicity (Kaplowitz). 2001;33:308-310 (Editorial)
Comparison of two clinical scales for causality assessment in

hepatotoxicity (Lucena et al). 2001; 33:123-130
RNA expression in the early characterization of hepatoxicants in Wistar rats by high-density DNA microarrays (Bulera et al). 2001;33: 1239-1258
HFH-11B transcription factor
Earlier expression of the transcription factor HFH-11B diminishes induction of $p21^{CIP1/WAF1}$ levels and accelerates mouse hepatocyte entry into S-phase following carbon tetrachloride liver injury (Wang et al). 2001;33:1404-1414
High-density lipoprotein
Biliary cholesterol hypersecretion in gallstone-susceptible mice is associated with hepatic up-regulation of the high-density lipoprotein receptor SRBI (Fuchs et al). 2001;33:1451-1459
Histamine H_1 receptors
Increased density of brain histamine H_1 receptors in rats with portocaval anastomosis and in cirrhotic patients with chronic hepatic encephalopathy (Lozeva et al). 2001; 33:1370-1376
Histological studies
Intrahepatic hepatitis C viral RNA status of serum polymerase chain reaction-negative individuals with histological changes on liver biopsy (Barrett et al). 2001;33:1496-1502
Histopathologic studies
Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33: 1080-1086
HLA class II genes
HLA class II genes determine the natural variance of hepatitis C viral load (Fanning et al). 2001;33:224-230
HLA-DRB1*1301
Protracted, but not acute, hepatitis A virus infection is strongly associated with HLA-DRB1*1301, a marker for pediatric autoimmune hepatitis (Fainboim et al). 2001;33:1512-1517
Hospital care
Outcome of hospital care of liver disease associated with hepatitis C in the United States (Kim et al). 2001;33: 201-206
Hypertension, portal
Altered expression of heme oxygenase-1 in the livers of patients with portal hypertensive diseases (Makino et al). 2001;33:32-42
Effects of blood volume restitution following a portal hypertensive-related bleeding in anesthetized cirrhotic rats (Castañeda et al). 2001;33:821-825
Endothelin-1 induces vasoconstriction on portal-systemic collaterals of portal hypertensive rats (Chan et al). 2001;33:816-820
Hypertrophy, cellular
Reconstitution of liver mass via cellular hypertrophy in the rat (Nagy et al). 2001;33:339-345
Hypoxia
Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes (Carini et al). 2001;33:131-139

I

IκB kinase
Differential role of IκB kinase 1 and 2 in primary rat hepatocytes (Schwabe et al). 2001;33:81-90
Immino sugars
Inhibition of hepatitis B virus DNA replication by imino sugars without the inhibition of the DNA polymerase: Therapeutic implications (Mehta et al). 2001;33: 1488-1495
Immune response
Protective immune response to hepatitis C virus in chimpanzees rechallenged following clearance of primary infection (Bassett et al). 2001;33: 1479-1487
Immunization
Mimotypes of the hepatitis C virus hypervariable region 1, but not the natural sequences, induce cross-reactive antibody response by genetic immunization (Zucchelli et al). 2001;33:692-703
Immunological studies
Immunolocalization of a novel cholesteryl ester hydrolase in the endoplasmic reticulum of murine and human hepatocytes (Fresnedo et al). 2001;33:662-667
Immunotherapy
DNA prime canarypox boost-based immunotherapy of chronic hepatitis B virus infection in a chimpanzee (Pancholi et al). 2001;33:448-454
Lamivudine treatment can overcome cytotoxic T-cell hyporesponsiveness in chronic hepatitis B: New perspectives for immune therapy (Boni et al). 2001;33:963-971
Infection
Hepatic Kupffer cells: The portal that permits infection of hepatocytes by malarial sporozoites? (Barnwell). 2001;33:1331-1333 (Editorial)
Microbial rank (Thomas). 2001;33:1334-1335 (Editorial)
Inflammation
Characterization of autoantibodies against uridine-diphosphate glucuronosyltransferase in patients with inflammatory liver diseases (Bachrich et al). 2001;33:1053-1059
MadCAM-1 expressed in chronic inflammatory liver disease supports mucosal lymphocyte adhesion to hepatic endothelium (MAdCAM-1 in chronic inflammatory liver disease) (Grant et al). 2001;33:1065-1072
Injury, liver cell
Comparison of two clinical scales for causality assessment in hepatotoxicity (Lucena et al). 2001; 33:123-130
Drug-induced liver injury: Mechanisms and test systems (Bissell et al). 2001; 33:1009-1013 (Meeting Report)
Endothelin B receptor-mediated protection against anoxia-reoxygenation injury in perfused rat liver: Nitric oxide-dependent and -independent mechanisms (Taniai et al). 2001;33:894-901
Heterogeneity and plasticity of hepatocyte lineage cells (Sell). 2001; 33:738-750 (Special Article)
Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis (Barros et al). 2001;33:114-122
Normal liver regeneration in p50/nuclear factor κB1 knockout mice (DeAngelis et al). 2001;33:915-924
Preconditioning protects against systemic disorders associated with hepatic ishchemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat (Peralta et al). 2001;33:100-113
Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes (Carini et al). 2001;33:131-139
Subcellular site of superoxide dismutase expression differentially controls AP-1 activity and injury in mouse liver following ischemia/reperfusion (Zhou et al). 2001;33:902-914
Intention-to-treat analysis
What hides behind an intention-to-treat analysis? (Winnock et al). 2001;33: 1014 (Letter);(Brillanti and Levantesi). 2001;33:1014-1015 (Reply)
Interferon
Adjuvant interferon for hepatocellular carcinoma (Okada et al). 2001;33: 481-482 (Letter); (Ikeda and Kumada). 2001;33:482 (Reply)
A randomized trial of amantadine and interferon versus interferon alone as initial treatment for chronic hepatitis C (Mangia et al). 2001;33: 989-993
Combination of interferon and ribavirin in chronic hepatitis C: Re-treatment of nonresponders to interferon (Di Bisceglie et al). 2001;33:704-707
Estimation of early hepatitis C viral clearance in patients receiving daily

interferon and ribavirin therapy using a mathematical model (Bekkering et al). 2001;33:419-423
Expression of hepatitis C virus NS5A natural mutants in a hepatocytic cell line inhibits the antiviral effect of interferon in a PKR-independent manner (Podevin et al). 2001;33: 1503-1511
Hepatitis C virus and interferon resistance: It's more than just PKR (Taylor). 2001; 33:1547-1549 (Editorial)
Interferon and ribavirin for patients with chronic hepatitis C who did not responde to previous interferon therapy: A meta-analysis of controlled and uncontrolled trials (Cheng et al). 2001;33:231-240
Long-term follow-up study of sustained biochemical responders with interferon therapy (Shindo et al). 2001;33:1299-1302
Method to detect substitutions in the interferon-sensitivity-determining region of hepatitis C virus 1b for prediction of response to interferon therapy (Nishiguchi et al). 2001;33: 241-247
Psychological screening before interferon therapy (Scalori et al). 2001;33:480 (Correspondence)

Interferon alfa
Efficacy and safety of pegylated (40-kd) interferon α-2a compared with interferon α-2a in noncirrhotic patients with chronic hepatitis C (Reddy et al). 2001;33:433-438
Hepatitis B virus-specific T-cell proliferation and cytokine secretion in chronic hepatitis B e antibody-positive patients treated with ribavirin and interferon alfa(Rico et al). 2001;33:295-300
Interferon-α delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases (Murphy et al). 2001;33:346-356
Interferon alfa down-regulates CD81 in patients with chronic hepatitis C (Kroneberger et al). 2001;33:1518-1526

Interferon gamma
Pathogenesis of experimental neonatal woodchuck hepatitis virus infection: Chronicity as an outcome of infection is associated with a diminshed acute hepatitis that is temporally deficient for the expression of interferon gamma and tumor necrosis factor-alpha messenger RNAs (Nakamura et al). 2001;33:439-447

Interleukin-6
Global changes in interleukin-6-dependent gene expression patterns in mouse livers after partial hepatectomy (Li et al). 2001;33: 1377-1386

Interleukin-10
Interleukin 10 polymorphisms as predictors of sustained response in antiviral therapy for chronic hepatitis C infection (Yee et al). 2001;33:708-712
Repeated concanavalin A challenge in mice induces an interleukin 10-producing phenotype and liver fibrosis (Louis et al). 2001;33:1343 (Correction)

Interleukin-12
Gene therapy of orthotopic hepatocellular carcinoma in rats using adenovirus coding for interleukin 12(Barajas et al). 2001;33:52-61

Iron, hepatic
Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-iron-related chronic liver disease (Fracanzani et al). 2001;33:647-651
Uroporphyria in *Hfe* mutant mice given 5-aminolevulinate: A new model of Fe-mediated porphyria cutanea tarda (Sinclair et al). 2001;33:406-412

Ischemia-reperfusion
Mechanism of cell death during warm hepatic ischemia-reperfusion in rats: Apoptosis or necrosis? (Gujral et al). 2001;33:397-405
Mechanism of hepatocyte death after ischemia: Apoptosis versus necrosis (Clavien et al). 2001;33:1555-1556 (Letter);(Jaeschke et al). 2001;33: 1556-1557 (Reply)
Preconditioning protects against systemic disorders associated with hepatic ischemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat (Peralta et al). 2001;33:100-113
Subcellular site of superoxide dismutase expression differentially controls AP-1 activity and injury in mouse liver following ischemia/reperfusion (Zhou et al). 2001;33:902-914

Ischemic preconditioning
Preconditioning protects against systemic disorders associated with hepatic ischemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat (Peralta et al). 2001;33:100-113
Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes (Carini et al). 2001;33:131-139

J

Jaundice
Partially reversible renal tubular damage in patients with obstructive jaundice (Bairaktari et al). 2001;33:1365-1369

K

Kinases
Differential role of IκB kinase 1 and 2 in primary rat hepatocytes (Schwabe et al). 2001;33:81-90
Expression of hepatitis C virus NS5A natural mutants in a hepatocytic cell line inhibits the antiviral effect of interferon in a PKR-independent manner (Podevin et al). 2001;33: 1503-1511
Hepatitis C virus and interferon resistance: It's more than just PKR (Taylor). 2001;33:1547-1549 (Editorial)
Interferon-α delays S-phase progression in human hepatocellular carcinoma cells via inhibition of specific cyclin-dependent kinases (Murphy et al). 2001;33:346-356
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80

Kupffer cells
Activation of retinoic X receptor and peroxisome proliferator-activated receptor-γ inhibits nitric oxide and tumor necrosis factor-α production in rat Kupffer cells (Uchimura et al). 2001;33:91-99
Hepatic Kupffer cells: The portal that permits infection of hepatocytes by malarial sporozoites? (Barnwell). 2001;33:1331-1333 (Editorial)
Malaria sporozoites actively enter and pass through rat Kupffer cells prior to hepatocyte invasion (Pradel and Frevert). 2001;33:1154-1165

L

Lamivudine
A multicenter United States-Canadian trial to assess lamivudine monotherapy before and after liver transplantation for chronic hepatitis B (Perrillo et al). 2001;33:424-432
Extended lamivudine treatment in patients with chronic hepatitis B enhances hepatitis B e antigen seroconversion rates: Results after 3 years of therapy (Leung et al). 2001; 33:1527-1532
Lamivudine treatment can overcome cytotoxic T-cell hyporesponsiveness in chronic hepatitis B: New perspectives for immune therapy (Boni et al). 2001;33:963-971

Lineage, biliary
Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393
Lineage, hepatic
Heterogeneity and plasticity of hepatocyte lineage cells (Sell). 2001; 33:738-750 (Special Article)
Lipopolysaccharide
Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α (Barton et al). 2001;33:66-73
Etoposide prevents apoptosis in mouse liver with D-galactosamine/ lipopolysaccharide-induced fulminant hepatic failure resulting in reduction of lethality (Nakama et al). 2001;33:1441-1450
Lipoprotein
Biliary cholesterol hypersecretion in gallstone-susceptible mice is associated with hepatic up-regulation of the high-density lipoprotein receptor SRBI (Fuchs et al). 2001;33:1451-1459
Liver biopsy
Hepatobiliary transporter expression in percutaneous liver biopsies of patients with cholestatic liver diseases (Zollner et al). 2001;33: 633-646
Intrahepatic hepatitis C viral RNA status of serum polymerase chain reaction-negative individuals with histological changes on liver biopsy (Barrett et al). 2001;33:1496-1502
The risks of percutaneous liver biopsy (Falck-Ttter and McCullough). 2001;33:764 (Letter); (Cadranel et al). 2001;33:764 (Reply)
The role of liver biopsy in chronic hepatitis C (Saadeh et al). 2001;33: 196-200
Liver cell injury
Comparison of two clinical scales for causality assessment in hepatotoxicity (Lucena et al). 2001; 33:123-130
Drug-induced liver injury: Mechanisms and test systems (Bissell et al). 2001; 33:1009-1013 (Meeting Report)
Endothelin B receptor-mediated protection against anoxia-reoxygenation injury in perfused rat liver: Nitric oxide-dependent and -independent mechanisms (Taniai et al). 2001;33:894-901
Heterogeneity and plasticity of hepatocyte lineage cells (Sell). 2001; 33:738-750 (Special Article)
Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis (Barros et al). 2001;33:114-122
Normal liver regeneration in p50/nuclear factor κB1 knockout mice (DeAngelis et al). 2001;33:915-924
Preconditioning protects against systemic disorders associated with hepatic ishchemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat (Peralta et al). 2001;33:100-113
Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes (Carini et al). 2001;33:131-139
Subcellular site of superoxide dismutase expression differentially controls AP-1 activity and injury in mouse liver following ischemia/reperfusion (Zhou et al). 2001;33:902-914
Liver failure
Detoxification of reactive oxygen species by a nonpeptidyl mimic of superoxide dismutase cures acetaminophen-induced acute liver failure in the mouse (Ferret et al). 2001;33:1173-1180
Etoposide prevents apoptosis in mouse liver with D-galactosamine/ lipopolysaccharide-induced fulminant hepatic failure resulting in reduction of lethality (Nakama et al). 2001;33:1441-1450
Hepatitis B infection in patients with acute liver failure in the United States (Teo et al). 2001;33:972-976
Liver transplantation
Adult living donor liver transplantation: The hepatologist's perspective (Schiano et al). 2001;33:3-10 (Concise Review)
A multicenter United States-Canadian trial to assess lamivudine monotherapy before and after liver transplantation for chronic hepatitis B (Perrillo et al). 2001;33:424-432
Central venulitis in pediatric liver allografts (Krasinskas et al). 2001; 33:1141-1147
Contact sensitization pretransplantation predicts acute hepatic allograft rejection (Bathgate et al). 2001;33: 1043-1046
Living donor liver transplantation for early hepatocellular carcinoma: A life-expectancy and cost-effectiveness perspective (Sarasin et al). 2001;33:1073-1079
Liver transplantation for hepatocellular carcinoma: Expansion of the tumor size limits does not adversely impact survival (Yao et al). 2001;33:1394-1403
Transplantation for primary biliary cirrhosis: Retrospective analysis of 400 patients in a single center (Garcia et al). 2001;33:22-27
Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33: 1080-1086
Living donor liver transplantation
Adult living donor liver transplantation: The hepatologist's perspective (Schiano et al). 2001;33:3-10 (Concise Review)
Living donor liver transplantation for early hepatocellular carcinoma: A life-expectancy and cost-effectiveness perspective (Sarasin et al). 2001;33:1073-1079
Loss of heterozygosity
An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region (Sun et al). 2001; 33:1415-1424
Frequent loss of heterozygosity at the Hcr1 (*hepatocarcinogenesis resistance*) locus on chromosome 10 in primary hepatocellular carcinomas from LFF1 rat strain (De Miglio et al). 2001;33:1110-1117

M

MadCAM-1
MadCAM-1 expressed in chronic inflammatory liver disease supports mucosal lymphocyte adhesion to hepatic endothelium (MAdCAM-1 in chronic inflammatory liver disease) (Grant et al). 2001;33:1065-1072
Major histocompatability complex
Expression of hepatitis C virus proteins does not interfere with major histocompatability complex class I processing and presentation *in vitro* (Moradpour et al). 2001;33:1282-1287
Malaria
Hepatic Kupffer cells: The portal that permits infection of hepatocytes by malarial sporozoites? (Barnwell). 2001;33:1331-1333 (Editorial)
Malaria sporozoites actively enter and pass through rat Kupffer cells prior to hepatocyte invasion (Pradel and Frevert). 2001;33:1154-1165
Matrix metalloproteinases
Expression of cyclooxygenase-2 promotes the release of matrix metalloproteinase-2 and -9 in fetal rat hepatocytes (Callejas et al). 2001;33:860-867
Rat hepatic stellate cells contribute to the acute-phase response with increased expression of α1(I) and α1(IV) collagens, tissue inhibitor of metalloproteinase-1, and matrix metalloproteinase-2 messenger RNAs (Nieto et al). 2001;33:597-607
Mayo End-Stage Liver Disease (MELD) score
A model to predict survival in patients with end-stage liver disease (Kamath

et al). 2001;33:464-470 (Special Article)
Predicting the prognosis of chronic liver disease: An evolution from Child to MELD(Forman and Lucey). 2001; 33:473-475 (Editorial)

Mdr1b
Induction of *Mdr1b* expression by tumor necrosis factor-α in liver cells is independent of p53 but requires NF-κB signaling (Ros et al). 2001; 33:1425-1431

Meeting Report
Drug-induced liver injury: Mechanisms and test systems (Bissell et al). 2001; 33:1009-1013

Metabolism
Etiologic significance of defects in cholesterol, phospholipid, and bile acid metabolism in the liver of patients with intrahepatic calculi (Shoda et al). 2001;33:1194-1205
Mitochondrial oxidative injury and energy metabolism alteration in rat fatty liver: Effect of the nutritional status (Vendemiale et al). 2001;33:808-815

Metastasis
Inhibition of intrahepatic metastasis of human hepatocellular carcinoma by Rho-associated protein kinase inhibitor Y-27632 (Takamura et al). 2001;33:577-581
The hepatitis B virus X protein (HBx) induces a migratory phenotype in a CD44-dependent manner: Possible role of HBx in invasion and metastasis (Lara-Pezzi et al). 2001; 33:1270-1281

Methylation, DNA
Expression of mRNA for DNA methyltransferases and methyl-CpG-binding proteins and DNA methylation status on CpG islands and pericentromeric satellite regions during human hepatocarcinogenesis (Saito et al). 2001;33:561-568

Microarray analysis
α-fetoprotein-producing hepatoma cell lines share common expression profiles of genes in various categories demonstrated by cDNA microarray analysis (Kawai et al). 2001;33:676-691
Identification of differentially expressed genes in hepatocellular carcinoma with cDNA microarrays (Shirota et al). 2001;33:832-840
RNA expression in the early characterization of hepatoxicants in Wistar rats by high-density DNA microarrays (Bulera et al). 2001;33: 1239-1258

Microbes
Microbial rank (Thomas). 2001;33:1334-1335 (Editorial)

Mitochondrial oxidative injury
Mitochondrial oxidative injury and energy metabolism alteration in rat fatty liver: Effect of the nutritional status (Vendemiale et al). 2001;33: 808-815

Mitochondrial permeability transition
Bile acid-induced rat hepatocyte apoptosis is inhibited by antioxidants and blockers of the mitochondrial permeability transition (Yerushalmi et al). 2001; 33:616-626
Prolonged, but not acute, glutathione depletion promotes Fas-mediated mitochondrial permeability transition and apoptosis in mice (Haouzi et al). 2001;33:1181-1188

Mitogen-activated protein kinase
Hepatitis C virus core protein enhances the activation of the transcription factor, Elk1, in response to mitogenic stimuli(Fukuda et al). 2001;33:159-165
Involvement of p38 mitogen-activated protein kinase signaling in transformed growth of a cholangiocarcinoma cell line (Tadlock and Patel). 2001;33:43-51
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615

Molecular cell biology
α-fetoprotein-producing hepatoma cell lines share common expression profiles of genes in various categories demonstrated by cDNA microarray analysis (Kawai et al). 2001;33:676-691
A case-control study for clinical and molecular biological differences between hepatitis B viruses of genotypes B and C (Orito et al). 2001;33:218-223
A molecular comparison of T lymphocyte populations infiltrating the liver and circulating in the blood of patients with chronic hepatitis B: Evidence for antigen-driven selection of a public complementarity-determining region 3 (CDR3) motif (Sing et al). 2001;33:1288-1298
Cytochrome P450 regulation by hepatocyte nuclear factor 4 in human hepatocytes: A study using adenovirus-mediated antisense targeting (Jover et al). 2001;33:668-675
Ezrin-radixin-moesin-binding phosphoprotein 50 is expressed at the apical membrane of rat liver epithelia (Fouassier et al). 2001;33: 166-176
Formation of normal desmin intermediate filaments in mouse hepatic stellate cells requires vimentin (Geerts et al). 2001;33: 177-188
Hepatitis C virus core protein enhances the activation of the transcription factor, Elk1, in response to mitogenic stimuli(Fukuda et al). 2001;33:159-165
Human and rat hepatic stellate cells express neurotrophins and neurotrophin receptors (Cassiman et al). 2001;33:148-158
In vitro and *in vivo* activation of rat hepatic stellate cells results in *de novo* expression of L-type voltage-operated calcium channels (Bataller et al). 2001;33:956-962
Molecular mimicry and primary biliary cirrhosis: Premises not promises (Van de Water et al). 2001;33:771-775
Morphologic and functional characterization of caveolae in rat liver hepatocytes (Calvo et al). 2001; 33:1259-1269
Plasma membrane Ca^{2+} release-activated Ca^{2+} channels with a high selectivity for Ca^{2+} identified by patch clamp recording in rat liver cells (Rychkov et al). 2001;33:938-947
Reck gene expression in hepatocellular carcinoma: Correlation with invasion-related clinicopathologic factors and its clinical significance (Furumoto et al). 2001;33:189-195
Resistance to fulminant hepatitis and carcinogenesis conferred by overexpression of retinoblastoma protein in mouse liver (Ichihara et al). 2001;33:948-955
RNA expression in the early characterization of hepatoxicants in Wistar rats by high-density DNA microarrays (Bulera et al). 2001;33: 1239-1258

Monoclonal antibodies
Heterogeneous response of antimitochondrial autoantibodies and bile duct apical staining monoclonal antibodies to pyruvate dehydrogenase complex E2: The molecule versus the mimic (Migliaccio et al). 2001;33:792-801

Monocyte chemoattractant protein-1
Agonist-specific regulation of monocyte chemoattractant protein-1 expression by cyclooxygenase metabolites in hepatic stellate cells (Efsen et al). 2001;33:713-721

Morphogenesis
Morphogenesis of primary human biliary epithelial cells: Induction in high-density culture or by coculture with autologous human hepatocytes (Auth et al). 2001;33:519-529

Mrp2
Tauroursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in

cholestatic rat liver (Beuers et al). 2001;33:1206-1216

Multidrug resistance-associated protein 3
Cellular localization and up-regulation of multidrug resistance-associated protein 3 in hepatocytes and cholangiocytes during obstructive cholestasis in rat liver (Soroka et al). 2001;33:783-791

Mutations
Mutational analysis of the structure and functions of hepatitis C virus RNA-dependent RNA polymerase (Qin et al). 2001;33:728-737
Nomenclature for antiviral-resistant human hepatitis B virus mutations in the polymerase region (Stuyver et al). 2001;33:751-757 (Special Article)

N

Naked plasma DNA
Sustained expression of naked plasmid DNA encoding hepatocyte growth factor in mice promotes liver and overall body growth (Yang et al). 2001;33:848-859

Natriuresis
Furosemide-induced natriuresis as a test to identify cirrhotic patients with refractory ascites (Spahr et al). 2001;33:28-31

Necrosis
Mechanism of cell death during warm hepatic ischemia-reperfusion in rats: Apoptosis or necrosis? (Gujral et al). 2001;33:397-405
Mechanism of hepatocyte death after ischemia: Apoptosis versus necrosis (Clavien et al). 2001;33:1555-1556 (Letter);(Jaeschke et al). 2001;33:1556-1557 (Reply)
Nonselective cation channels as effectors of free radical-induced rat liver cell necrosis (Barros et al). 2001;33:114-122

Neurotrophins
Human and rat hepatic stellate cells express neurotrophins and neurotrophin receptors (Cassiman et al). 2001;33:148-158

Nitric oxide
Activation of retinoic X receptor and peroxisome proliferator-activated receptor-γ inhibits nitric oxide and tumor necrosis factor-α production in rat Kupffer cells (Uchimura et al). 2001;33:91-99
Biliary cyst fluid from common bile duct-ligated rats stimulates endothelial nitric oxide synthase in pulmonary artery endothelial cells: A potential role in hepatopulmonary syndrome (Liu et al). 2001;33:722-727
Effect of nitric oxide on shock-induced hepatic heme oxygenase-1 expression in the rat (Hoetzel et al). 2001;33:925-937
Endothelin B receptor-mediated protection against anoxia-reoxygenation injury in perfused rat liver: Nitric oxide-dependent and -independent mechanisms (Taniai et al). 2001;33:894-901

Nodules
An early lesion in hepatic carcinogenesis: Loss of heterozygosity in human cirrhotic livers and dysplastic nodules at the 1p36-p34 region (Sun et al). 2001;33:1415-1424

Non-A, non-B hepatitis
Long-term mortality and morbidity of transfusion-associated non-A, non-B, and type C hepatitis: A National Heart, Lung, and Blood Institute Collaborative Study (Seeff et al). 2001;33:455-463

Nonalcoholic steatohepatitis
Antidiabetic treatment for NASH? (Maher). 2001;33:1338-1339 (Hepatology *Elsewhere*)
The CYP2E1 knockout delivers another punch: First ASH, now NASH (Maher). 2001;33:311-312 (Hepatology *Elsewhere*)

Nuclear factor κB
Induction of *Mdr1b* expression by tumor necrosis factor-α in liver cells is independent of p53 but requires NF-κB signaling (Ros et al). 2001;33:1425-1431
Normal liver regeneration in p50/nuclear factor κB1 knockout mice (DeAngelis et al). 2001;33:915-924

Nuclear receptor CAR
The phenobarbital response enhancer module in the human bilirubin UDP-glucuronosyltransferase *UGT1A1* gene and regulation by the nuclear receptor CAR (Sugatani et al). 2001;33:1232-1238

Nutritional status
Mitochondrial oxidative injury and energy metabolism alteration in rat fatty liver: Effect of the nutritional status (Vendemiale et al). 2001;33:808-815

O

OATP1/OATP2
Differential effects of microsomal enzyme-inducing chemicals on the hepatic expression of rat organic anion transporters, OATP1 and OATP2 (Rausch-Derra et al). 2001;33:1469-1479

Obesity
Steatosis accelerates the progression of liver damage of chronic hepatitis C patients and correlates with specific HCV genotype and visceral obesity (Adinolfi et al). 2001;33:1358-1364

Obstructive cholestasis
Cellular localization and up-regulation of multidrug resistance-associated protein 3 in hepatocytes and cholangiocytes during obstructive cholestasis in rat liver (Soroka et al). 2001;33:783-791

Obstructive jaundice
Partially reversible renal tubular damage in patients with obstructive jaundice (Bairaktari et al). 2001;33:1365-1369

Organic anion
Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes (Rippin et al). 2001;33:776-782
Differential effects of microsomal enzyme-inducing chemicals on the hepatic expression of rat organic anion transporters, OATP1 and OATP2 (Rausch-Derra et al). 2001;33:1469-1479
Differential regulation of hepatic bile salt and organic anion transported in pregnant and postpartum rats and the role of prolactin (Cao et al). 2001;33:140-147
Hepatic uptake of organic anions affects the plasma bilirubin level in subjects with Gilbert's syndrome mutations in *UGT1A1* (Persico et al). 2001;33:627-632
Tauroursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver (Beuers et al). 2001;33:1206-1216

Osteodystrophy
Hepatic osteodystrophy (Rouillard and Lane). 2001;33:301-307 (Clinical Challenge)

Oval cells
Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393

Oxidative stress
Induction of catalase, alpha, and microsomal glutathione S-transferase in CYP2E1 overexpressing HepG2 cells and protection against short-term oxidative stress (Mari and Cedarbaum). 2001;33:652-661

Outcomes
Long-term mortality and morbidity of transfusion-associated non-A, non-B, and type C hepatitis: A National Heart, Lung, and Blood Institute Collaborative Study (Seeff et al). 2001;33:455-463
Outcome of hospital care of liver disease associated with hepatitis C in the

United States (Kim et al). 2001;33: 201-206
Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33: 1080-1086

Overlap syndrome
Autoimmune hepatitis/sclerosing cholangitis overlap syndrome in childhood: A 16-year prospective study (Gregorio et al). 2001;33:544-553
Autoimmune overlap syndromes (Woodward and Neuberger). 2001; 33:994-1002 (Clinical Challenge)

P

$p18^{INK4c}$
Involvement of $p21^{WAF1/Cip1}$, $p27^{Kip1}$, and $p18^{INK4c}$ in troglitazone-induced cell-cycle arrest in human hepatoma cell lines (Koga et al). 2001;33: 1087-1097

$p21^{WAF1/Cip1}$
Earlier expression of the transcription factor HFH-11B diminishes induction of $p21^{CIP1/WAF1}$ levels and accelerates mouse hepatocyte entry into S-phase following carbon tetrachloride liver injury (Wang et al). 2001;33:1404-1414
Involvement of $p21^{WAF1/Cip1}$, $p27^{Kip1}$, and $p18^{INK4c}$ in troglitazone-induced cell-cycle arrest in human hepatoma cell lines (Koga et al). 2001;33: 1087-1097

$p27^{Kip1}$
Involvement of $p21^{WAF1/Cip1}$, $p27^{Kip1}$, and $p18^{INK4c}$ in troglitazone-induced cell-cycle arrest in human hepatoma cell lines (Koga et al). 2001;33: 1087-1097
The role of p27kip1 protein expression on the biological behavior of intrahepatic cholangiocarcinoma (Taguchi et al). 2001;33:1118-1123

p38 mitogen-activated protein kinase
Involvement of p38 mitogen-activated protein kinase signaling in transformed growth of a cholangiocarcinoma cell line (Tadlock and Patel). 2001;33:43-51

p50
Normal liver regeneration in p50/nuclear factor κB1 knockout mice (DeAngelis et al). 2001;33:915-924

p53
Induction of *Mdr1b* expression by tumor necrosis factor-α in liver cells is independent of p53 but requires NF-κB signaling (Ros et al). 2001; 33:1425-1431
Lowered nuclear levels of p53 in preneoplastic rat hepatocytes (Högberg and Stenius). 2001;33: 480-481 (Correspondence)

P-selectin
Preconditioning protects against systemic disorders associated with hepatic ischemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat (Peralta et al). 2001;33:100-113

Peroxisome proliferator-activated receptor-γ
Activation of retinoic X receptor and peroxisome proliferator-activated receptor-γ inhibits nitric oxide and tumor necrosis factor-α production in rat Kupffer cells (Uchimura et al). 2001;33:91-99

Phenobarbital
The phenobarbital response enhancer module in the human bilirubin UDP-glucuronosyltransferase *UGT1A1* gene and regulation by the nuclear receptor CAR (Sugatani et al). 2001;33:1232-1238

Phosphoinositide 3-kinase
Phosphoinositide 3-kinase, but not mitogen-activated protein kinase, pathway is involved in hepatocyte growth factor-mediated protection against bile acid-induced apoptosis in cultured rat hepatocytes (Webster and Anwer). 2001;33:608-615

Phospholipid
Etiologic significance of defects in cholesterol, phospholipid, and bile acid metabolism in the liver of patients with intrahepatic calculi (Shoda et al). 2001;33:1194-1205

PKR kinase
Expression of hepatitis C virus NS5A natural mutants in a hepatocytic cell line inhibits the antiviral effect of interferon in a PKR-independent manner (Podevin et al). 2001;33: 1503-1511
Hepatitis C virus and interferon resistance: It's more than just PKR (Taylor). 2001;33:1547-1549 (Editorial)

Plasminogen activator
Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis (Shimizu et al). 2001;33:569-576
Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis (Shimizu et al). 2001;33:569-576

Porphyria
Zinc mesoporphyrin represses induced hepatic 5-aminolevulinic acid synthase and reduces heme oxygenase activity in a mouse model of acute hepatic porphyria (Schuurmans et al). 2001;33:1217-1222

Porphyria cutanea tarda
Uroporphyria in *Hfe* mutant mice given 5-aminolevulinate: A new model of Fe-mediated porphyria cutanea tarda (Sinclair et al). 2001;33:406-412

Portal hypertension
Altered expression of heme oxygenase-1 in the livers of patients with portal hypertensive diseases (Makino et al). 2001;33:32-42
Effects of blood volume restitution following a portal hypertensive-related bleeding in anesthetized cirrhotic rats (Castañeda et al). 2001;33:821-825
Endothelin-1 induces vasoconstriction on portal-systemic collaterals of portal hypertensive rats (Chan et al). 2001;33:816-820

Portacaval anastomosis
Increased density of brain histamine H_1 receptors in rats with portacaval anastomosis and in cirrhotic patients with chronic hepatic encephalopathy (Lozeva et al). 2001; 33:1370-1376

Positron emission tomography
Positron emission tomography with [^{18}F]fluoro-2-deoxy-D-glucose for diagnosis and staging of bile duct cancer (Kluge et al). 2001;33:1029-1035

Preconditioning
Preconditioning protects against systemic disorders associated with hepatic ischemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat (Peralta et al). 2001;33:100-113

Pregnancy
Amniocentesis as a possible risk factor for mother-to-infant transmission of hepatitis C virus (Minola et al). 2001;33:1341 (Correspondence)
Differential regulation of hepatic bile salt and organic anion transported in pregnant and postpartum rats and the role of prolactin (Cao et al). 2001;33:140-147
Ursodeoxycholic acid administration in patients with cholestasis of pregnancy: Effects on primary bile acids in babies and mothers (Mazzella et al). 2001;33:504-508

Primary biliary cirrhosis
Alterations in tight junctions differ between primary biliary cirrhosis and primary sclerosing cholangitis (Sakisaka et al). 2001;33:1460-1468
Collagen type Iα1 and vitamin D receptor gene polymorphisms and bone mass in primary biliary cirrhosis (Parés et al). 2001;33:554-560
Molecular identification of bacterial 16S

ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is *Propionibacterium acnes* involved in granuloma formation? (Harada et al). 2001;33:530-536
Molecular mimicry and primary biliary cirrhosis: Premises not promises (Van de Water et al). 2001;33:771-775 (Concise Review)
Risk factors for primary biliary cirrhosis in a cohort of patients from the United States (Parikh-Patel et al). 2001;33:16-21
Transplantation for primary biliary cirrhosis: Retrospective analysis of 400 patients in a single center (Garcia et al). 2001;33:22-27

Primary intrahepatic cholangiocarcinoma
Increasing incidence and mortality of primary intrahepatic cholangiocarcinoma in the United States (Patel). 2001;33:1353-1357

Prognosis
Predicting the prognosis of chronic liver disease: An evolution from Child to MELD(Forman and Lucey). 2001;33:473-475 (Editorial)

Prolactin
Differential regulation of hepatic bile salt and organic anion transported in pregnant and postpartum rats and the role of prolactin (Cao et al). 2001;33:140-147

Propionibacterium acnes
Molecular identification of bacterial 16S ribosomal RNA gene in liver tissue of primary biliary cirrhosis: Is *Propionibacterium acnes* involved in granuloma formation? (Harada et al). 2001;33:530-536

Protein kinase C
Tauroursodeoxycholic acid inserts the apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver (Beuers et al). 2001;33:1206-1216

Psychological screening
Psychological screening before interferon therapy (Scalori et al). 2001;33:480 (Correspondence)

Pyruvate dehydrogenase complex E2
Heterogeneous response of antimitochondrial autoantibodies and bile duct apical staining monoclonal antibodies to pyruvate dehydrogenase complex E2: The molecule versus the mimic (Migliaccio et al). 2001;33:792-801

R

Radiofrequency ablation
Increased risk of tumor seeding after percutaneous radiofrequency ablation for single hepatocellular carcinoma (Llovet et al). 2001;33:1124-1129
Radiofrequency ablation for hepatocellular carcinoma: Help or hazard? (Kato and Reddy). 2001;33:1336-1337 (Editorial)

Rapid communications
Fas/CD95 pathway induces mouse liver regeneration and allows for highly efficient retrovirus-mediated gene transfer (Guidotti et al). 2001;33:10-

Reck gene
Reck gene expression in hepatocellular carcinoma: Correlation with invasion-related clinicopathologic factors and its clinical significance (Furumoto et al). 2001;33:189-195

REG I gene
Human REG I gene is up-regulated in intrahepatic cholangiocarcinoma and its precursor lesions (Harada et al). 2001;33:1036-1042

Regeneration, liver
Changes in Wnt/β-catenin pathway during regulated growth in rat liver regeneration (Monga et al). 2001;33:1098-1109
Expression of anti-OV6 antibody and anti-N-CAM antibody along the biliary line of normal and diseased human livers (Van Den Heuvel et al). 2001;33:1387-1393
Fas/CD95 pathway induces mouse liver regeneration and allows for highly efficient retrovirus-mediated gene transfer (Guidotti et al). 2001;33:10-15 (Rapid Communication)
Irregular regeneration of hepatocytes is an important factor in the hepatocarcinogenesis of liver disease (Ueno et al). 2001;33:357-362
Mechanisms of retarded liver regeneration in plasminogen activator-deficient mice: Impaired activation of hepatocyte growth factor after Fas-mediated massive hepatic apoptosis (Shimizu et al). 2001;33:569-576
Normal liver regeneration in p50/nuclear factor κB1 knockout mice (DeAngelis et al). 2001;33:915-924
Sinusoidal ultrastructure evaluated during the revascularization of regenerating rat liver (Wack et al). 2001;33:363-378; 1016 (Correction)

Rejection, allograft
Contact sensitization pretransplantation predicts acute hepatic allograft rejection (Bathgate et al). 2001;33:1043-1046

Reperfusion
Subcellular site of superoxide dismutase expression differentially controls AP-1 activity and injury in mouse liver following ischemia/reperfusion (Zhou et al). 2001;33:902-914

Research design
What hides behind an intention-to-treat analysis? (Winnock et al). 2001;33:1014 (Letter);(Brillanti and Levantesi). 2001;33:1014-1015 (Reply)

Retinoblastoma protein
Resistance to fulminant hepatitis and carcinogenesis conferred by overexpression of retinoblastoma protein in mouse liver (Ichihara et al). 2001;33:948-955

Retinoic X receptor
Activation of retinoic X receptor and peroxisome proliferator-activated receptor-γ inhibits nitric oxide and tumor necrosis factor-α production in rat Kupffer cells (Uchimura et al). 2001;33:91-99

Rho-associated protein kinase inhibitor Y-27632
Inhibition of intrahepatic metastasis of human hepatocellular carcinoma by Rho-associated protein kinase inhibitor Y-27632 (Takamura et al). 2001;33:577-581

Rho-kinase
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80

Rho signaling pathway
Ca^{2+} and Rho signaling pathways: Two paths to hepatic stellate cell contraction (Yee). 2001;33:1007-1008 (Editorial)

Ribavirin
Combination of interferon and ribavirin in chronic hepatitis C: Re-treatment of nonresponders to interferon (Di Bisceglie et al). 2001;33:704-707
Estimation of early hepatitis C viral clearance in patients receiving daily interferon and ribavirin therapy using a mathematical model (Bekkering et al). 2001;33:419-423
Hepatitis B virus-specific T-cell proliferation and cytokine secretion in chronic hepatitis B e antibody-positive patients treated with ribavirin and interferon alfa (Rico et al). 2001;33:295-300
Interferon and ribavirin for patients with chronic hepatitis C who did not responde to previous interferon therapy: A meta-analysis of controlled and uncontrolled trials (Cheng et al). 2001;33:231-240

Risk factors
Hepatitis C virus infection in a community in the Nile delta: Risk factors for seropositivity (Habib et al). 2001;33:248-253
Increased cancer risk in a cohort of 230 patients with hereditary hemochromatosis in comparison to matched control patients with non-iron-related chronic liver disease (Fracanzani et al). 2001;33:647-651
Promoter polymorphism of the CD14

endotoxin receptor gene as a risk factor for alcoholic liver disease (Jarveläinen et al). 2001;33:1148-1153

S

Sclerosing cholangitis
Alterations in tight junctions differ between primary biliary cirrhosis and primary sclerosing cholangitis (Sakisaka et al). 2001;33:1460-1468
Autoimmune hepatitis/sclerosing cholangitis overlap syndrome in childhood: A 16-year prospective study (Gregorio et al). 2001;33:544-553
SEN virus infection
SEN virus infection and its relationship to transfusion-associated hepatitis (Umemura et al). 2001;33:1303-1311
Sickle cell disease
Sickle cell hepatopathy (Banerjee et al). 2001;33:1021-1028 (Concise Review)
Signal pathways
Signal pathway involved in the development of hypoxic preconditioning in rat hepatocytes (Carini et al). 2001;33:131-139
Silymarin
Clinical studies with silymarin: Fibrosis progression is the end point (Schuppan and Hahn). 2001;33:483-484 (Correspondence)
Sinusoidal endothelial cells
Sinusoidal ultrastructure evaluated during the revascularization of regenerating rat liver (Wack et al). 2001;33:363-378; 1016 (Correction)
Sinusoidal plasma membrane
Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes (Rippin et al). 2001;33:776-782
Soluble liver antigen
Soluble liver antigen: Isolation of a 35-kd recombinant protein (SLA-p35) specifically recognizing sera from patients with autoimmune hepatitis (Volkmann et al). 2001;33:591-596
Splenectomy
Is splenectomy a cause of antiviral treatment failure in hepatitis C virus infection? (Paraná et al). 2001;33:1340 (Correspondence)
SRBI receptor
Biliary cholesterol hypersecretion in gallstone-susceptible mice is associated with hepatic up-regulation of the high-density lipoprotein receptor SRBI (Fuchs et al). 2001;33:1451-1459
Steatohepatitis, nonalcoholic
Antidiabetic treatment for NASH? (Maher). 2001;33:1338-1339 (Hepatology *Elsewhere*)
The CYP2E1 knockout delivers another punch: First ASH, now NASH (Maher). 2001;33:311-312 (Hepatology *Elsewhere*)
Steatosis
Steatosis accelerates the progression of liver damage of chronic hepatitis C patients and correlates with specific HCV genotype and visceral obesity (Adinolfi et al). 2001;33:1358-1364
Stellate cells, hepatic
Agonist-specific regulation of monocyte chemoattractant protein-1 expression by cyclooxygenase metabolites in hepatic stellate cells (Efsen et al). 2001;33:713-721
Ca^{2+} and Rho signaling pathways: Two paths to hepatic stellate cell contraction (Yee). 2001;33:1007-1008 (Editorial)
Expression and matrix deposition of latent transforming growth factor β binding proteins in normal and fibrotic rat liver and transdifferentiating hepatic stellate cells in culture (Breitkopf et al). 2001;33:387-396
Formation of normal desmin intermediate filaments in mouse hepatic stellate cells requires vimentin (Geerts et al). 2001;33:177-188
Human and rat hepatic stellate cells express neurotrophins and neurotrophin receptors (Cassiman et al). 2001;33:148-158
In vitro and *in vivo* activation of rat hepatic stellate cells results in *de novo* expression of L-type voltage-operated calcium channels (Bataller et al). 2001;33:956-962
Intracellular signaling pathways involved in acetaldehyde-induced collagen and fibronectin gene expression in human hepatic stellate cells (Svegliati-Baroni et al). 2001;33:1130-1140
Rat hepatic stellate cells contribute to the acute-phase response with increased expression of α1(1) and α1(IV) collagens, tissue inhibitor of metalloproteinase-1, and matrix metalloproteinase-2 messenger RNAs (Nieto et al). 2001;33:597-607
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80
Superoxide dismutase
Detoxification of reactive oxygen species by a nonpeptidyl mimic of superoxide dismutase cures acetaminophen-induced acute liver failure in the mouse (Ferret et al). 2001;33:1173-1180
Subcellular site of superoxide dismutase expression differentially controls AP-1 activity and injury in mouse liver following ischemia/reperfusion (Zhou et al). 2001;33:902-914
Survival
Trends in survival of patients with hepatocellular carcinoma between 1977 and 1996 in the United States (El-Serag et al). 2001;33:62-65

T

T cells
A critical role of T-cell receptor γ/δ cells in antibacterial protection against mice in early life (Emoto et al). 2001;33:887-893
$CD45RC^{-}$ $\gamma\delta^{+}$ T-cell infiltration is associated with immunologic unresponsiveness induced by prior donor-specific blood transfusion in rat hepatic allografts (Okabe et al). 2001;33:877-886
Characterization of liver T-cell receptor $\gamma\delta$+ T cells obtained from individuals chronically infected with hepatitis C virus (HCV): Evidence for these T cells playing a role in the liver pathology associated with HCV infections (Tseng et al). 2001;33:1312-1320
Differential $CD4^{+}$ and $CD8^{+}$ T-cell responsiveness in hepatitis C virus infection (Chang et al). 2001;33:267-276
Hepatitis B virus-specific T-cell proliferation and cytokine secretion in chronic hepatitis B e antibody-positive patients treated with ribavirin and interferon alfa (Rico et al). 2001;33:295-300
Identification of immunodominant hepatitis C virus (HCV)-specific cytotoxic T-cell epitopes by stimulation with endogenously synthesized HCV antigens (Urbani et al). 2001;33:1533-1543
Lamivudine treatment can overcome cytotoxic T-cell hyporesponsiveness in chronic hepatitis B: New perspectives for immune therapy (Boni et al). 2001;33:963-971
Visual demonstration of hepatitis C virus-specific memory $CD8^{+}$ T-cell expansion in patients with acute hepatitis C (Sobao et al). 2001;33:287-294
T lymphocytes
A molecular comparison of T lymphocyte populations infiltrating the liver and circulating in the blood of patients with chronic hepatitis B: Evidence for antigen-driven selection of a public complementarity-determining region 3 (CDR3) motif (Sing et al). 2001;33:1288-1298
Tauroursodeoxycholic acid
Tauroursodeoxycholic acid inserts the

apical conjugate export pump, Mrp2, into canalicular membranes and stimulates organic anion secretion by protein kinase C-dependent mechanisms in cholestatic rat liver (Beuers et al). 2001;33:1206-1216

Thioacetamide
Halofuginone to prevent and treat thioacetamide-induced liver fibrosis in rats (Burck et al). 2001;33:379-386

Tight junctions
Alterations in tight junctions differ between primary biliary cirrhosis and primary sclerosing cholangitis (Sakisaka et al). 2001;33:1460-1468

Tissue inhibitor of metalloproteinase-1
Rat hepatic stellate cells contribute to the acute-phase response with increased expression of α1(I) and α1(IV) collagens, tissue inhibitor of metalloproteinase-1, and matrix metalloproteinase-2 messenger RNAs (Nieto et al). 2001;33:597-607

Transcription factors
Earlier expression of the transcription factor HFH-11B diminishes induction of $p21^{CIP1/WAF1}$ levels and accelerates mouse hepatocyte entry into S-phase following carbon tetrachloride liver injury (Wang et al). 2001;33:1404-1414
Hepatitis C virus core protein enhances the activation of the transcription factor, Elk1, in response to mitogenic stimuli(Fukuda et al). 2001;33:159-165

Transduction, liver
Fas/CD95 pathway induces mouse liver regeneration and allows for highly efficient retrovirus-mediated gene transfer (Guidotti et al). 2001;33:10-15 (Rapid Communication)

Transforming growth factor β
Expression and matrix deposition of latent transforming growth factor β binding proteins in normal and fibrotic rat liver and transdifferentiating hepatic stellate cells in culture (Breitkopf et al). 2001;33:387-396

Transfusions
$CD45RC^{-}$ $\gamma\delta^{+}$ T-cell infiltration is associated with immunologic unresponsiveness induced by prior donor-specific blood transfusion in rat hepatic allografts (Okabe et al). 2001;33:877-886
Long-term mortality and morbidity of transfusion-associated non-A, non-B, and type C hepatitis: A National Heart, Lung, and Blood Institute Collaborative Study (Seeff et al). 2001;33:455-463
SEN virus infection and its relationship to transfusion-associated hepatitis (Umemura et al). 2001;33:1303-1311

Transjugular intrahepatic portosystemic shunting (TIPS)
Treatment of refractory ascites: TIPS or TAPS? (Garcia-Tsao). 2001;33:477-479 (Hepatology *Elsewhere*)

Transmission electron microscopy
Sinusoidal ultrastructure evaluated during the revascularization of regenerating rat liver (Wack et al). 2001;33:363-378; 1016 (Correction)

Transplantation, liver
Adult living donor liver transplantation: The hepatologist's perspective (Schiano et al). 2001;33:3-10 (Concise Review)
A multicenter United States-Canadian trial to assess lamivudine monotherapy before and after liver transplantation for chronic hepatitis B (Perrillo et al). 2001;33:424-432
Central venulitis in pediatric liver allografts (Krasinskas et al). 2001;33:1141-1147
Contact sensitization pretransplantation predicts acute hepatic allograft rejection (Bathgate et al). 2001;33:1043-1046
Living donor liver transplantation for early hepatocellular carcinoma: A life-expectancy and cost-effectiveness perspective (Sarasin et al). 2001;33:1073-1079
Liver transplantation for hepatocellular carcinoma: Expansion of the tumor size limits does not adversely impact survival (Yao et al). 2001;33:1394-1403
Transplantation for primary biliary cirrhosis: Retrospective analysis of 400 patients in a single center (Garcia et al). 2001;33:22-27
Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33:1080-1086

Transport
Bile acid transport and regulating functions in the human biliary epithelium (Chignard et al). 2001;33:496-503
Cholestatic expression pattern of sinusoidal and canalicular organic anion transport systems in primary cultured rat hepatocytes (Rippin et al). 2001;33:776-782
Differential effects of microsomal enzyme-inducing chemicals on the hepatic expression of rat organic anion transporters, OATP1 and OATP2 (Rausch-Derra et al). 2001;33:1469-1479
Differential regulation of hepatic bile salt and organic anion transported in pregnant and postpartum rats and the role of prolactin (Cao et al). 2001;33:140-147
Hepatobiliary transporter expression in percutaneous liver biopsies of patients with cholestatic liver diseases (Zollner et al). 2001;33:633-646
Short-term regulation of bile acid transport by microfilament-dependent translocation of rat NTCP to the plasma membrane (Dranoff et al). 2001;33:1558 (Correction)
The peroxisomal proliferator clofibrate enhances the hepatic cytoplasmic movement of fatty acids in rats (Milliano and Luxon). 2001;33:413-418

Troglitazone
Involvement of $p21^{WAF1/Cip1}$, $p27^{Kip1}$, and $p18^{INK4c}$ in troglitazone-induced cell-cycle arrest in human hepatoma cell lines (Koga et al). 2001;33:1087-1097

Tubular defects, renal
Partially reversible renal tubular damage in patients with obstructive jaundice (Bairaktari et al). 2001;33:1365-1369

Tumor necrosis factor α
Activation of retinoic X receptor and peroxisome proliferator-activated receptor-γ inhibits nitric oxide and tumor necrosis factor-α production in rat Kupffer cells (Uchimura et al). 2001;33:91-99
Bacterial lipopolysaccharide enhances aflatoxin B_1 hepatotoxicity in rats by a mechanism that depends on tumor necrosis factor α (Barton et al). 2001;33:66-73
Induction of *Mdr1b* expression by tumor necrosis factor-α in liver cells is independent of p53 but requires NF-κB signaling (Ros et al). 2001;33:1425-1431
Pathogenesis of experimental neonatal woodchuck hepatitis virus infection: Chronicity as an outcome of infection is associated with a diminshed acute hepatitis that is temporally deficient for the expression of interferon gamma and tumor necrosis factor-alpha messenger RNAs (Nakamura et al). 2001;33:439-447
Preconditioning protects against systemic disorders associated with hepatic ischemia-reperfusion through blockade of tumor necrosis factor-induced P-selectin up-regulation in the rat (Peralta et al). 2001;33:100-113

U

Ultrastructural studies
Sinusoidal ultrastructure evaluated during the revascularization of regenerating rat liver (Wack et al). 2001;33:363-378; 1016 (Correction)

Uridine-diphosphate glucuronosyltransferase
Characterization of autoantibodies against uridine-diphosphate glucuronosyltransferase in patients with inflammatory liver diseases (Bachrich et al). 2001;33:1053-1059
Uroporphyria
Uroporphyria in *Hfe* mutant mice given 5-aminolevulinate: A new model of Fe-mediated porphyria cutanea tarda (Sinclair et al). 2001;33:406-412
Ursodeoxycholic acid
Ursodeoxycholic acid administration in patients with cholestasis of pregnancy: Effects on primary bile acids in babies and mothers (Mazzella et al). 2001;33:504-508

V

Varices
A meta-analysis of endoscopic variceal ligation for primary prophylaxis of esophageal variceal bleeding (Imperiale and Chalasani). 2001;33:802-807
A prospective, randomized trial of butyl cyanoacrylate injection versus band ligation in the management of bleeding gastric varices (Lo et al). 2001;33:1060-1064
Primary prevention of variceal bleeding: What's new? (Lebrec). 2001;33:1003-1004 (Editorial)
Which patients with cirrhosis should undergo endoscopic screening for esophageal varices detection? (Schepis et al). 2001;33:333-338
Vascular endothelial growth factor
The vascular endothelial growth factor receptor KDR/Flk-1 is a major regulator of malignant ascites formation in the mouse hepatocellular carcinoma model (Yoshiji et al). 2001;33:841-847
Vascular invasion
Vascular invasion and histopathologic grading determine outcome after liver transplantation for hepatocellular carcinoma in cirrhosis (Jonas et al). 2001;33:1080-1086
Vasoconstriction
Endothelin-1 induces vasoconstriction on portal-systemic collaterals of portal hypertensive rats (Chan et al). 2001;33:816-820
Venulitis
Central venulitis in liver allografts: Considerations of differential diagnosis (Demetris). 2001;33:1329-1330 (Editorial)
Central venulitis in pediatric liver allografts (Krasinskas et al). 2001;33:1141-1147
Vimentin
Formation of normal desmin intermediate filaments in mouse hepatic stellate cells requires vimentin (Geerts et al). 2001;33:177-188
Viral hepatitis
A case-control study for clinical and molecular biological differences between hepatitis B viruses of genotypes B and C (Orito et al). 2001;33:218-223
A confluence of epidemics: Does hepatitis C cause type 2 diabetes? (Everhart). 2001;33:762-763 (Hepatology *Elsewhere*)
Acute hepatitis C (Orland et al). 2001;33:321-327 (Concise Review)
Adding to the hepatitis B virus treatment arsenal: α-glucosidase inhibitor derivatives (Terrault and Ma). 2001;33:1544-1546 (Editorial)
Amended extended lamivudine treatment in patients with chronic hepatitis B enhances hepatitis B e antigen seroconversion rates: Results after 3 years of therapy (Leung et al). 2001;33:1527-1532
A molecular comparison of T lymphocyte populations infiltrating the liver and circulating in the blood of patients with chronic hepatitis B: Evidence for antigen-driven selection of a public complementarity-determining region 3 (CDR3) motif (Sing et al). 2001;33:1288-1298
A multicenter United States-Canadian trial to assess lamivudine monotherapy before and after liver transplantation for chronic hepatitis B (Perrillo et al). 2001;33:424-432
Antiviral activity of clevudine [L-FMAU, (1-(2-fluoro-5-methyl-β, L-arabinofuranosyl) uracil)] against woodchuck hepatitis virus replication and gene expression in chronically infected woodchucks (*Marmota monax*) (Peek et al). 2001;33:254-266
A randomized trial of amantadine and interferon versus interferon alone as initial treatment for chronic hepatitis C (Mangia et al). 2001;33:989-993
Amniocentesis as a possible risk factor for mother-to-infant transmission of hepatitis C virus (Minola et al). 2001;33:1341 (Correspondence)
Bad time for Bonzo? Experimental models of hepatitis C virus infection, replication, and pathogenesis (Grakoui et al). 2001;33:489-495 (Concise Review)
Beefing up replication of the hepatitis C virus (Wu). 2001;33:1550-1551 (Hepatology *Elsewhere*)
Characterization of liver T-cell receptor γδ+ T cells obtained from individuals chronically infected with hepatitis C virus (HCV): Evidence for these T cells playing a role in the liver pathology associated with HCV infections (Tseng et al). 2001;33:1312-1320
Chronic hepatitis C in different populations: Similar patterns of alanine aminotransferase alteration characterize similar clinical subgroups (Giannini and Testa). 2001;33:313 (Correspondence)
Combination of interferon and ribavirin in chronic hepatitis C: Re-treatment of nonresponders to interferon (Di Bisceglie et al). 2001;33:704-707
Detection of hepatitis C virus in the bile and bile duct epithelial cells of hepatitis C virus-infected patients (Haruna et al). 2001;33:977-980
Differential $CD4^+$ and $CD8^+$ T-cell responsiveness in hepatitis C virus infection (Chang et al). 2001;33:267-276
DNA prime canarypox boost-based immunotherapy of chronic hepatitis B virus infection in a chimpanzee (Pancholi et al). 2001;33:448-454
Efficacy and safety of pegylated (40-kd) interferon α-2a compared with interferon α-2a in noncirrhotic patients with chronic hepatitis C (Reddy et al). 2001;33:433-438
Estimation of early hepatitis C viral clearance in patients receiving daily interferon and ribavirin therapy using a mathematical model (Bekkering et al). 2001;33:419-423
Expression of hepatitis C virus NS5A natural mutants in a hepatocytic cell line inhibits the antiviral effect of interferon in a PKR-independent manner (Podevin et al). 2001;33:1503-1511
Expression of hepatitis C virus proteins does not interfere with major histocompatability complex class I processing and presentation *in vitro* (Moradpour et al). 2001;33:1282-1287
HLA class II genes determine the natural variance of hepatitis C viral load (Fanning et al). 2001;33:224-230
Hepatitis B infection in patients with acute liver failure in the United States (Teo et al). 2001;33:972-976
Hepatitis B virus Dane particles bind to human plasma apolipoprotein H (Stefas et al). 2001;33:207-217
Hepatitis B virus-specific T-cell proliferation and cytokine secretion in chronic hepatitis B e antibody-positive patients treated with ribavirin and interferon alfa (Rico et al). 2001;33:295-300
Hepatitis C virus and interferon resistance: It's more than just PKR (Taylor). 2001;33:1547-1549 (Editorial)
Hepatitis C virus core protein enhances the activation of the transcription factor, Elk1, in response to

mitogenic stimuli(Fukuda et al). 2001;33:159-165
Hepatitis C virus infection in a community in the Nile delta: Risk factors for seropositivity (Habib et al). 2001;33:248-253
Identification of immunodominant hepatitis C virus (HCV)-specific cytotoxic T-cell epitopes by stimulation with endogenously synthesized HCV antigens (Urbani et al). 2001;33:1533-1543
Inhibition of hepatitis B virus DNA replication by imino sugars without the inhibition of the DNA polymerase: Therapeutic implications (Mehta et al). 2001;33: 1488-1495
Interferon alfa down-regulates CD81 in patients with chronic hepatitis C (Kroneberger et al). 2001;33:1518-1526
Interferon and ribavirin for patients with chronic hepatitis C who did not responde to previous interferon therapy: A meta-analysis of controlled and uncontrolled trials (Cheng et al). 2001;33:231-240
Interleukin 10 polymorphisms as predictors of sustained response in antiviral therapy for chronic hepatitis C infection (Yee et al). 2001;33:708-712
Intrahepatic hepatitis C viral RNA status of serum polymerase chain reaction-negative individuals with histological changes on liver biopsy (Barrett et al). 2001;33:1496-1502
Is splenectomy a cause of antiviral treatment failure in hepatitis C virus infection? (Paraná et al). 2001;33: 1340 (Correspondence)
Lamivudine treatment can overcome cytotoxic T-cell hyporesponsiveness in chronic hepatitis B: New perspectives for immune therapy (Boni et al). 2001;33:963-971
Long-term follow-up study of sustained biochemical responders with interferon therapy (Shindo et al). 2001;33:1299-1302
Long-term mortality and morbidity of transfusion-associated non-A, non-B, and type C hepatitis: A National Heart, Lung, and Blood Institute Collaborative Study (Seeff et al). 2001;33:455-463
Method to detect substitutions in the interferon-sensitivity-determining region of hepatitis C virus 1b for prediction of response to interferon therapy (Nishiguchi et al). 2001;33: 241-247
Mimotypes of the hepatitis C virus hypervariable region 1, but not the natural sequences, induce cross-reactive antibody response by genetic immunization (Zucchelli et al). 2001;33:692-703
Mutational analysis of the structure and functions of hepatitis C virus RNA-dependent RNA polymerase (Qin et al). 2001;33:728-737
Nomenclature for antiviral-resistant human hepatitis B virus mutations in the polymerase region (Stuyver et al). 2001;33:751-757 (Special Article)
Outcome of hospital care of liver disease associated with hepatitis C in the United States (Kim et al). 2001;33: 201-206
Pathogenesis of experimental neonatal woodchuck hepatitis virus infection: Chronicity as an outcome of infection is associated with a diminshed acute hepatitis that is temporally deficient for the expression of interferon gamma and tumor necrosis factor-alpha messenger RNAs (Nakamura et al). 2001;33:439-447
Prevalence and significance of hepatitis B virus (HBV) pre-S mutants in serum and liver at different replicative stages of chronic HBV infection (Fan et al). 2001;33:277-286
Prevalence of type 2 diabetes mellitus among persons with hepatitis C virus infection in the United States (Mehta et al). 2001;33:1554 (Correspondence)
Protective immune response to hepatitis C virus in chimpanzees rechallenged following clearance of primary infection (Bassett et al). 2001;33: 1479-1487
Protracted, but not acute, hepatitis A virus infection is strongly associated with HLA-DRB1*1301, a marker for pediatric autoimmune hepatitis (Fainboim et al). 2001;33:1512-1517
Psychological screening before interferon therapy (Scalori et al). 2001;33:480 (Correspondence)
Repopulation of mouse liver with human hepatocytes and *in vivo* infection with hepatitis B virus (Dandri et al). 2001;33:981-988
SEN virus infection and its relationship to transfusion-associated hepatitis (Umemura et al). 2001;33:1303-1311
Steatosis accelerates the progression of liver damage of chronic hepatitis C patients and correlates with specific HCV genotype and visceral obesity (Adinolfi et al). 2001;33:1358-1364
The hepatitis B virus X protein (HBx) induces a migratory phenotype in a CD44-dependent manner: Possible role of HBx in invasion and metastasis (Lara-Pezzi et al). 2001; 33:1270-1281
The role of liver biopsy in chronic hepatitis C (Saadeh et al). 2001;33: 196-200
Visual demonstration of hepatitis C virus-specific memory $CD8^+$ T-cell expansion in patients with acute hepatitis C (Sobao et al). 2001;33: 287-294

Vitamin D
Collagen type Iα1 and vitamin D receptor gene polymorphisms and bone mass in primary biliary cirrhosis (Parés et al). 2001;33:554-560

Volume, liver cell
Liver cell volume regulation: size matters (Dunkelberg et al). 2001;33:1349-1352 Concise Review)

W

Wnt/β-catenin pathway
Changes in Wnt/β-catenin pathway during regulated growth in rat liver regeneration (Monga et al). 2001;33: 1098-1109

Woodchuck hepatitis virus
Antiviral activity of clevudine [L-FMAU, (1-(2-fluoro-5-methyl-β, L-arabinofuranosyl) uracil)] against woodchuck hepatitis virus replication and gene expression in chronically infected woodchucks (*Marmota monax*) (Peek et al). 2001; 33:254-266
Pathogenesis of experimental neonatal woodchuck hepatitis virus infection: Chronicity as an outcome of infection is associated with a diminshed acute hepatitis that is temporally deficient for the expression of interferon gamma and tumor necrosis factor-alpha messenger RNAs (Nakamura et al). 2001;33:439-447

Wounds
Wound-induced migration of rat hepatic stellate cells is modulated by endothelin-1 through rho-kinase-mediated alterations in the acto-myosin cytoskeleton (Tangkivanich et al). 2001;33:74-80

Z

Zinc mesoporphyrin
Zinc mesoporphyrin represses induced hepatic 5-aminolevulinic acid synthase and reduces heme oxygenase activity in a mouse model of acute hepatic porphyria (Schuurmans et al). 2001;33:1217-1222